WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	c	ity/County: Carlton		Sampling Date: 2016-07-19		
Applicant/Owner: Enbridge			State: Minnesota	Samplin	g Point: u-48n18w36-NWI1	
Investigator(s): ZCW		Section, Township, Range: S 36, T 48N, R 18W				
Landform (hillslope, terrace, etc.): Side Si	ope	Local Relief (concave, convex, none): VL Slope (%): 3-7%				
Subregion (LRR or MLRA):		Latitude: 46.594767510003 Longitude: -92.56929019 Datum: NAD83				
Soil Map Unit Name: 188			2011	·	ssification: PFO1C	
Are climatic/hydrologic conditions on the	site typic	cal for this time of year	2 (if no explain in Remark		Yes	
Are Vegetation No , Soil No , or Hyd	drology N	 significantly disturb 	ped? Are "Normal Circum	nstances" present? Yes		
Are Vegetation No _, Soil No _, or Hydro	ology No	naturally problemation	c? (If needed, explain an	ny answers in Remarks)		
<u> </u>		_				
SUMMARY OF FINDINGS - Attach site	map show	wing sampling point lo	cations, transects, impor	rtant features, etc.		
Hydrophytic Vegetation Present?		No	Is the Sampled Area			
Hydric Soil Present?		Yes	within a Wetland?		<u>No</u>	
Wetland Hydrology Present?		No	If yes, optional Wetland	Site ID:		
Remarks: (Explain alternative procedure	s here or	in a separate report.)				
LIVEROLOGY						
HYDROLOGY						
Wetland Hydrology Indicators: Secondary Indicators (minimum of two required)						
Primary Indicators (minimum of one is re	equired; cl	neck all that apply)		Surface Soil	l Cracks (B6)	
Surface Water (A1)	Surface Water (A1) Water-Stained Leave		es (B9)	99) Drainage Patterns (B10)		
High Water Table (A2)	-	Aquatic Fauna (B13)		Moss Trim L	ines (B16)	
Saturation (A3)	-	Marl Deposits (B15)		Dry-Season	Water Table (C2)	
Water Marks (B1)	r Marks (B1) Hydrogen Sulfide Od		(C1)Crayfish Burrows (C8)		rows (C8)	
Sediment Deposits (B2)		Oxidized Rhizospheres on Living Roots (C3)		Saturation Visible on Aerial Imagery (C9)		
Drift Deposits (B3)		Presence of Reduced Iron (C4)		Stunted/Stressed Plants (D1)		
Algal Mat or Crust (B4)		Recent Iron Reduction in Tilled Soils (C6)		Geomorphic	Position (D2)	
Iron Deposits (B5)		Thin Muck Surface (C7)		Shallow Aquitard (D3)		
Inundation Visible on Aerial Imagery (B7)		Other (Explain in Remarks)		Microtopographic Relief (D4)		
Sparsely Vegetated Concave Surface (B8)				FAC-Neutral	Test (D5)	
Field Observations:						
Surface Water Present?	<u>No</u>	Depth (inches)				
Water Table Present?	No	Depth (inches)				
Saturation Present?	<u>No</u>	Depth (inches)		Wetland Hydrology Pro	esent? No	
(includes capillary fringe)						
Describe Recorded Data (stream gauge,	monitorin	g well, aerial photos, p	revious inspections), if av	vailable:		
Remarks:						
1						

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30)	% Cover	Species?	Status	Number of Dominant Species
1. Acer rubrum	35.00	Yes	FAC	That Are OBL, FACW, or FAC: 2 (A)
2. Abies balsamea	15.00	Yes	FAC	Total Number of Dominant
3. Betula papyrifera	10.00	No	FACU	Species Across All Strata: 5 (B)
4.			_	Percent of Dominant Species
		-	-	That Are OBL, FACW, or FAC: 40 (A/B)
		-	-	
		-	-	Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
	60	_ = Total Cover		OBL species <u>0.00</u> x 1 <u>0</u>
Sapling/Shrub Stratum (Plot Size: 15				FACW species <u>0.00</u> x 2 <u>0</u>
1. Corylus cornuta	20.00	Yes	UPL	FACU species <u>80.00</u> x 3 <u>320</u>
2. Acer rubrum	15.00	Yes	FAC	UPL species <u>20.00</u> x 4 <u>100</u>
3. Abies balsamea	5.00	No	FAC	Column Totals <u>180</u> (A) <u>660</u> (B)
4			_	Prevalence Index = B/A = $\frac{3.6666666}{1}$
5				Hydrophytic Vegetation Indicators:
6.				1 - Rapid Test for Hydrophytic Vegetation
7.			_	no 2 - Dominance Test is > 50%
	40	- Total Cover		no 3 - Prevalence Index is $\leq 3.0^{1}$
Herb Stratum (Plot Size: 5	40	_ = 10tal covel		
<u> </u>	35.00	Ves	FACIL	4 - Morphological Adaptations (Provide supporting data in Remarks or on a separate sheet)
1. Vaccinium angustifolium	35.00	Yes	FACU	⊣
2. Cornus canadensis	20.00	Yes	FACU	Problematic Hydrophytic Vegetation ¹ (Explain)
3. Aralia nudicaulis	15.00	No No	FACU	Indicators of hydric soil and wetland hydrology must be present, unless
4. Clintonia borealis	10.00	No	FAC	disturbed or problematic.
5				Definitions of Vegetation Strata:
6				_
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
8.				height (DBH), regardless of height.
9.				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than
				or equal to 3.28 ft (1 m) tall.
10		_		-
11	-			Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
12		- -	-	4
	80	_ = Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30)				
1				
2.				Hydrophytic
3.	-		_	Vegetation No
4				Present?
4	0		_	-
		_=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	.)			

Sampling Point: u-48n18w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc² (inches) Color (moist) % Color (moist) % Type¹ Texture Remarks 10YR 2 1 MP 100 0-2 10YR 4 2 10YR 58 90 2-24 10 С M LS ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? Yes Depth (inches): Remarks:

Site Photograph 1 Sampling Point: u-48n18w36-NWI1



Latitude: 46.594696180007	Cowardin Classification:			
Longitude: -92.5693372172234	Circular 39:			
Direction: East	Eggers & Reed:			
Remarks:				

Site Photograph 2 Sampling Point: u-48n18w36-NWI1



Latitude:	46.5946963476451	Cowardin Classification:		
Longitude:	-92.5693371334044	Circular 39:		
Direction: Sou	th	Eggers & Reed:		
Remarks:				