WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: Carlton			Sampling Date: 2016-08-01		
Applicant/Owner: Enbridge			State: Minnesota	Samplii	ng Point: <u>w-48n15w31-aa1</u>	
Investigator(s): DPT, MGH		Section, Townshi	p, Range: <u>S31, T48N,</u> I	R15W		
Landform (hillslope, terrace, etc.): Depr	ession		Local Relief (concave	, convex, none): CL	Slope (%): 0-2%	
Subregion (LRR or MLRA):		Latitude: 46	5.5970848128 լ	Longitude: -92.29199068	Datum: NAD83	
Soil Map Unit Name: 303				NWI Cla	assification: N/A	
Are climatic/hydrologic conditions on the	he site typical for	this time of year	? (if no, explain in Ren		Yes	
Are Vegetation No , Soil No , or Hydrology No significantly disturbed? Are "Normal Circumstances" present? Yes						
Are Vegetation No_, Soil No_, or Hydrology No_ naturally problematic? (If needed, explain any answers in Remarks)						
SUMMARY OF FINDINGS - Attach sit	te map showing	sampling point lo	cations, transects, im	portant features, etc.		
Hydrophytic Vegetation Present?	Yes	_	Is the Sampled Area			
Hydric Soil Present?	Yes	_	within a Wetland?		Yes	
Wetland Hydrology Present?	<u>Yes</u>		If yes, optional Wetla	and Site ID:	w-48n15w31-aa	
Remarks: (Explain alternative procedu	res here or in a s	eparate report.)				
No digging, RR ROW, potential buried	utilities.					
HYDROLOGY					_	
Wetland Hydrology Indicators:				Secondary Indica	tors (minimum of two required)	
Primary Indicators (minimum of one is required; check all that apply) Surface Soil Cracks (B6)						
Surface Water (A1)		Water-Stained Leave	es (B9)	Drainage P	atterns (B10)	
High Water Table (A2)		Aquatic Fauna (B13)		Moss Trim	Lines (B16)	
Saturation (A3)		Marl Deposits (B15)		Dry-Season	n Water Table (C2)	
Water Marks (B1)		Hydrogen Sulfide Od	or (C1)	Crayfish Bu	rrows (C8)	
Sediment Deposits (B2)		Oxidized Rhizosphere	es on Living Roots (C3)	Saturation \	Visible on Aerial Imagery (C9)	
Drift Deposits (B3)		Presence of Reduced	i Iron (C4)	Stunted/Str	ressed Plants (D1)	
Algal Mat or Crust (B4)		Recent Iron Reductio	on in Tilled Soils (C6)	<u>yes</u> Geomorphi	c Position (D2)	
Iron Deposits (B5)		Thin Muck Surface (C	C7)	Shallow Aqu	uitard (D3)	
Inundation Visible on Aerial Imagery (B	7)	Other (Explain in Ren	marks)	Microtopog	graphic Relief (D4)	
Sparsely Vegetated Concave Surface (B	8)			<u>yes</u> FAC-Neutra	l Test (D5)	
Field Observations:						
Surface Water Present?	<u>No</u>	Depth (inches)				
Water Table Present?		Depth (inches)				
Saturation Present?	No	Depth (inches)		Wetland Hydrology Pi	resent? Yes_	
(includes capillary fringe)						
Describe Recorded Data (stream gauge	, monitoring wel	l, aerial photos, p	revious inspections), i	f available:		
Remarks:						
No digging, could not verify water table	e.					

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30)	% Cover	Species?	Status	Number of Dominant Species
1				That Are OBL, FACW, or FAC: 5(A)
2				Total Number of Dominant
3.				Species Across All Strata: 5 (B)
				Percent of Dominant Species
				That Are OBL, FACW, or FAC: 100 (A/B)
6	-			Prevalence Index worksheet:
7			· -	Total % Cover of: Multiply by:
	0	= Total Cover		OBL species <u>0.00</u> x 1 <u>0</u>
Sapling/Shrub Stratum (Plot Size: 15				FACW species <u>100.00</u> x 2 <u>200</u>
1. Salix bebbiana	30.00	Yes	FACW	FACU species <u>0.00</u> x 3 <u>0</u>
2. Cornus racemosa	30.00	Yes	FAC	UPL species <u>0.00</u> x 4 <u>0</u>
3. Populus tremuloides	20.00	Yes	FAC	Column Totals <u>180</u> (A) <u>440</u> (B)
4.				Prevalence Index = B/A = 2.4444444
5.			· ·	Hydrophytic Vegetation Indicators:
		-	-	1 - Rapid Test for Hydrophytic Vegetation
			-	
7		·		yes 2 - Dominance Test is > 50%
	80	= Total Cover		yes 3 - Prevalence Index is ≤ 3.0 ¹
Herb Stratum (Plot Size: 5				4 - Morphological Adaptations (Provide
1. Calamagrostis canadensis	70.00	Yes	FACW	supporting data in Remarks or on a separate sheet)
2. Solidago gigantea	30.00	Yes	FAC	Problematic Hydrophytic Vegetation ¹ (Explain)
3		_	_	<u></u>
4				Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
5.				Definitions of Vegetation Strata:
		-	-	
			-	Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
7				height (DBH), regardless of height.
8				1
9				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
10				or equal to 3.20 ft (1 fil) tall.
11.				Herb - All herbaeceous (non-woody) plants, regardless of size, and
12.				woody plants less than 3.28 ft tall.
	100	= Total Cover	-	Woody vines - All woody vines greater than 3.28 ft in height.
111 1 11 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100	_ = Total Cover		woody vines - All woody vines greater than 3.20 ft in neight.
Woody Vine Stratum (Plot Size: 30)				
1				-
2		_		Hydrophytic Vegetation
3		_	_	Present? Yes
4.				
	0	=Total Cover		1
Remarks: (include photo numbers here or on a separate sheet	: \			
Remarks. (include prioto numbers here of on a separate sheet)			

Sampling Point: w-48n15w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Matrix **Redox Features** Loc² (inches) Color (moist) Color (moist) % Type¹ Texture Remarks ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) ✓ Other (explain in remarks) Dark Surface (S7) (LRR R, MLRA 149B) Restrictive Layer (if observed): Hydric Soil Present? Yes Depth (inches): Remarks: No digging, soils assumed hydric based on veg/hydro.

Site Photograph 1 Sampling Point: w-48n15w31-aa1



NACORE TO A STATE OF THE STATE	A CANADA
Latitude: 46.5970853157775	Cowardin Classification: PSS
Longitude: -92.2919687257076	Circular 39: 6
Direction: south	Eggers & Reed: Shrub-Carr/Alder Thicket
Remarks:	

Site Photograph 2 Sampling Point: w-48n15w31-aa1



Latitude: 46.5970857348727	Cowardin Classification: PSS		
Longitude: -92.2919691448028	Circular 39: <u>6</u>		
Direction: north	Eggers & Reed: Shrub-Carr/Alder Thicket		
Remarks:			