WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: Carlton		Sampling Date: 2016-09-02	
Applicant/Owner: Enbridge		State: Minnesota	Sampling Point: w-48n17w21-ab1	
Investigator(s): DPT, MGH	Section. Townshi	p, Range: S21, T48N, R17W		
Landform (hillslope, terrace, etc.): Depression		Local Relief (concave, conve	x, none): CC Slope (%): 0-2%	
Subregion (LRR or MLRA):	 Latitude: 40	,	de: -92.49332819 Datum: NAD83	_
Soil Map Unit Name: 549	_		NWI Classification: PFO4B	
Are climatic/hydrologic conditions on the site ty	pical for this time of year	? (if no. explain in Remarks):	No No	
Are Vegetation No , Soil No , or Hydrology	NO significantly distur	ped? Are "Normal Circumsta	nces" present? Yes	
Are Vegetation No , Soil No , or Hydrology N	lo naturally problemati	c? (If needed, explain any ar	nswers in Remarks)	
SUMMARY OF FINDINGS - Attach site map s	howing sampling point lo	cations, transects, importan	t features, etc.	
Hydrophytic Vegetation Present?	Yes	Is the Sampled Area		
Hydric Soil Present?	Yes	within a Wetland?	<u>Yes</u>	
Wetland Hydrology Present?	<u>Yes</u>	If yes, optional Wetland Site	e ID: <u>w-48n17w21-ab</u>	
Remarks: (Explain alternative procedures here	or in a separate report.)			
No digging, existing field road, potential buried	utilities. Precipitation ab	ove normal based on WETS a	inalysis.	
HYDROLOGY				
Wetland Hydrology Indicators:			Secondary Indicators (minimum of two require	ed)
Primary Indicators (minimum of one is required	; check all that apply)		Surface Soil Cracks (B6)	
Surface Water (A1)	Water-Stained Leave	es (B9)	Drainage Patterns (B10)	
High Water Table (A2)	Aquatic Fauna (B13)		Moss Trim Lines (B16)	
Saturation (A3)	Marl Deposits (B15)		Dry-Season Water Table (C2)	
Water Marks (B1)	Hydrogen Sulfide Oc	or (C1)	Crayfish Burrows (C8)	
Sediment Deposits (B2)	Oxidized Rhizospher	es on Living Roots (C3)	Saturation Visible on Aerial Imagery (C9)	
Drift Deposits (B3)	Presence of Reduced	l Iron (C4)	Stunted/Stressed Plants (D1)	
Algal Mat or Crust (B4)	Recent Iron Reduction	on in Tilled Soils (C6)	<u>Yes</u> Geomorphic Position (D2)	
Iron Deposits (B5)	Thin Muck Surface (27)	Shallow Aquitard (D3)	
Inundation Visible on Aerial Imagery (B7)	Other (Explain in Re	marks)	Microtopographic Relief (D4)	
Sparsely Vegetated Concave Surface (B8)			YES FAC-Neutral Test (D5)	
Field Observations:				
Surface Water Present? No	Depth (inches)	i		
Water Table Present?	Depth (inches)	1	.,	
Saturation Present? No	Depth (inches)	w	etland Hydrology Present? Yes	
(includes capillary fringe)				
Describe Recorded Data (stream gauge, monito	ring well, aerial photos, p	revious inspections), if availa	ble:	
Remarks:				
No digging, could not verify water table.				

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30)	% Cover	Species?	Status	Number of Dominant Species
1				That Are OBL, FACW, or FAC: 1 (A)
2.				Total Number of Dominant
3.				Species Across All Strata: 1 (B)
				Percent of Dominant Species
				· '
5				That Are OBL, FACW, or FAC: 100 (A/B)
6			-	Prevalence Index worksheet:
7	-	_		Total % Cover of: Multiply by:
	0	= Total Cover		OBL species <u>0.00</u> x 1 <u>0</u>
Sapling/Shrub Stratum (Plot Size: 15				FACW species <u>100.00</u> x 2 <u>200</u>
1				FACU species <u>0.00</u> x 3 <u>0</u>
2				UPL species <u>0.00</u> x 4 <u>0</u>
3				Column Totals <u>100</u> (A) <u>200</u> (B)
4.				Prevalence Index = B/A = 2
5.				Hydrophytic Vegetation Indicators:
				1 - Rapid Test for Hydrophytic Vegetation
		-		
7				yes 2 - Dominance Test is > 50%
_	0	_ = Total Cover		yes 3 - Prevalence Index is $\le 3.0^1$
Herb Stratum (Plot Size: 5				4 - Morphological Adaptations (Provide
1. Phalaris arundinacea	100.00	Yes	FACW	supporting data in Remarks or on a separate sheet)
2		_		Problematic Hydrophytic Vegetation ¹ (Explain)
3		_		Indicators of hydric soil and wetland hydrology must be present, unless
4			_	disturbed or problematic.
5				Definitions of Vegetation Strata:
6.			- <u> </u>	<u> </u>
				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
7				height (DBH), regardless of height.
8				1
9		_		Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
10				
11				Herb - All herbaeceous (non-woody) plants, regardless of size, and
12.				woody plants less than 3.28 ft tall.
	100	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30				
1				Hardwork at
2		_		Hydrophytic Vegetation
3				Present? Yes
4		_		
	0	_=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	t.)			
	•			

Sampling Point: w-48n17w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Matrix **Redox Features** Loc² (inches) Color (moist) Color (moist) % Type¹ Texture Remarks ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) ✓ Other (explain in remarks) Dark Surface (S7) (LRR R, MLRA 149B) Restrictive Layer (if observed): Hydric Soil Present? Yes Depth (inches): Remarks: No digging, soils assumed hydric based on veg and hydro.

Site Photograph 1 Sampling Point: w-48n17w21-ab1



以上,这种种种种种,在1000年,在1000年,在1000年,1000年,1000年,1000年,1000年,1000年,1000年,1000年,1000年,1000年,1000年,1000年,1000年,1000年,1			
Latitude: 46.62071	181336792	Cowardin Classification: PEM	
Longitude: -92.4933	191389707	Circular 39: 2	
Direction: east		Eggers & Reed: Fresh (Wet) Meadow	
Da waa alaa			

Site Photograph 2 Sampling Point: w-48n17w21-ab1



Latitude: 46.620718762322	Cowardin Classification: PEM	
Longitude: -92.4933187198755	Circular 39: 2	
Direction: north	Eggers & Reed: Fresh (Wet) Meadow	
Remarks:		