

OCT-13-97 MON 13:01

INTERPOLL LABS

FAX NO. 6127867854

P. 01

1940

Interpoll Laboratories, Inc.
4500 Bell Road N.E.
Circle Pines, Minnesota 55014-1819

TEL: (612) 786-6020

FAX: (612) 786-7854

**ANALYTICAL RESULTS
FOR GME CONSULTANTS
~~INTERPOLL PROJECT #C-2373D~~**

Submitted to:

GME Consultants, Inc.
14000 - 21st Avenue N
Plymouth, Minnesota 55447

Attention: Shawn Roskop

Approved By:



David J. Schnsider, Manager
Chemistry Department

Laboratory Report #10122
October 13, 1997

Sent by: GME CONSULTANTS INC

612 559 0720;

10/13/97 3:48PM; JAF #229; Page 3

RECEIVED: 10/15/97 1:00PM;

6127867854 → GME CONSULTANTS INC; Page 2

OCT-13-97 MON 13:01

INTERPOLL LABS

FAX NO. 6127867854

P.02

PROJECT SUMMARY

The following laboratory report contains the analytical results for three water samples submitted to Interpoll Laboratories, Inc. (ILI) by GME Consultants for GME's Project #C-2373D. The samples were received on October 2, 1997 according to Interpoll Labs documented sample acceptance procedures. The samples were analyzed for the parameters requested on GME's Chain-of-Custody #020443.

| <u>Sample ID</u> | <u>ILI Sample #</u> |
|------------------|---------------------|
| BW | 10122-01 |
| Duplicate | 10122-02 |
| Trp Blank | 10122-03 |

Results are reported on an as received basis.

Surrogates are reported as percent (%) recovery.

| <u>Surrogate</u> | <u>Method</u> | <u>Control Limits</u> |
|---------------------------|---------------|-----------------------|
| 4-Bromofluorobenzene-PID | 465E by GC | 80 - 120 |
| 4-Bromofluorobenzene-ELCD | 465E by GC | 80 - 120 |

DJS/cg

BDL - below detection limit

Invoice Enclosed

Sent by: GME CONSULTANTS INC

612 559 0720;

10/13/97 3:49PM; JettFax #229; Page 4

Received: 10/13/97 11:01PM;

6127867854 → GME CONSULTANTS INC; Page 3

OCT-13-97 MON 13:02

INTERPOL LABS

FAX NO. 6127867854

P.03

Sample Identification: BW
 Sample Type: Water
 Laboratory Log Number: 10122-01

Interpoll Laboratories, Inc
 Laboratory Report #10122
 GME Consultants

| | Target Detection Limit (ug/L) | Analytical Result (ug/L) | Method Blank |
|----------------------------------|--|--------------------------------|-----------------|
| MDH Method 465E, | | | |
| Preparation Date: 10/6/97 | | | |
| Analysis Date: 10/6/97 | | | |
| Acetone | 10 | BDL | BDL |
| Allyl chloride | 0.16 | BDL | BDL |
| Benzene | 0.099 | BDL | BDL |
| Bromobenzene | 0.19 | BDL | BDL |
| Bromochloromethane | 0.098 | BDL | BDL |
| Bromodichloromethane | 0.14 | BDL | BDL |
| Bromoform | 0.11 | BDL | BDL |
| Bromomethane | 0.20 | BDL | BDL |
| 2-Butanone (M.E.K) | 1.0 | BDL | BDL |
| n-Butylbenzene | 0.11 | BDL | BDL |
| sec-Butylbenzene | 0.13 | BDL | BDL |
| tert-Butylbenzene | 0.091 | BDL | BDL |
| Carbon tetrachloride | 0.090 | BDL | BDL |
| Chlorobenzene | 0.090 | BDL | BDL |
| Chloroethane | 0.31 | BDL | BDL |
| 2-Chloroethylvinyl ether | 0.18 | BDL | BDL |
| Chloroform | 0.43 | BDL | BDL |
| Chloromethane | 0.22 | BDL | BDL |
| 2-Chlorotoluene | 0.18 | BDL | BDL |
| 4-Chlorotoluene | 0.27 | BDL | BDL |
| Dibromochloromethane | 0.14 | BDL | BDL |
| 1,2-Dibromo-3-chloropropane | 0.11 | BDL | BDL |
| 1,2-Dibromomethane | 0.24 | BDL | BDL |
| Dibromomethane | 0.22 | BDL | BDL |
| 1,2-Dichlorobenzene | 0.21 | BDL | BDL |
| 1,3-Dichlorobenzene | 0.24 | BDL | BDL |
| 1,4-Dichlorobenzene | 0.18 | BDL | BDL |

Sent by: GME CONSULTANTS INC
RECEIVED: 10/13/97 1:02PM

812 558 0720;

10/13/97 3:49PM; Jettex #229; Page 5

8127887854 → GME CONSULTANTS INC; Page 4

OCT-13-97 MON 13:02

INTERPOLL LABS

FAX NO. 8127887854

P. 04

Sample Identification: BW
Sample Type: Water
Laboratory Log Number: 10122-01Interpoll Laboratories, Inc.
Laboratory Report #10122
GMD: Consultants

| | <u>Target Detection Limit (ng/l.)</u> | <u>Analytical Result (ug/L)</u> | <u>Method Blank</u> |
|-------------------------------------|---|---|-------------------------|
| MDH Method 465F (continued). | | | |
| Dichlorodifluoromethane | 0.25 | BDL | BDL |
| 1,1-Dichloroethane | 0.17 | BDL | BDL |
| 1,2-Dichloroethane | 0.13 | BDL | BDL |
| 1,1-Dichloroethene | 0.17 | BDL | BDL |
| cis-1,2-Dichloroethene | 0.26 | BDL | BDL |
| trans-1,2-Dichloroethene | 0.25 | BDL | BDL |
| Dichlorofluoromethane | 0.096 | BDL | BDL |
| 1,2-Dichloropropane | 0.14 | BDL | BDL |
| 1,3-Dichloropropane | 0.052 | BDL | BDL |
| 2,2-Dichloropropane | 0.098 | BDL | BDL |
| 1,1-Dichloro-1-propene | 0.073 | BDL | BDL |
| 2,3-Dichloro-1-propene | 0.14 | BDL | BDL |
| cis-1,3-Dichloropropene | 0.22 | BDL | BDL |
| trans-1,3-Dichloropropene | 0.091 | BDL | BDL |
| Ethylbenzene | 0.099 | BDL | BDL |
| Ethyl ether | 0.31 | BDL | BDL |
| Hexachlorobutadiene | 0.10 | BDL | BDL |
| Isopropylbenzene | 0.085 | BDL | BDL |
| p-Isopropyltoluene | 0.053 | BDL | BDL |
| Methylene chloride | 1.0 | BDL | BDL |
| 4-Methyl-2-pentanone (MIBK) | 0.18 | BDL | BDL |
| Methyl tertiary butyl ether (MTBE) | 0.24 | BDL | BDL |
| Naphthalene | 0.052 | BDL | BDL |
| n-Propylbenzene | 0.16 | BDL | BDL |
| Styrene | 0.078 | BDL | BDL |
| 1,1,1,2-Tetrachloroethane | 0.084 | BDL | BDL |

Sent by: GME CONSULTANTS INC

812 559 0720;

10/13/97 3:49PM; Jettex #229; Page 8/14

Received: 10/13/97 1:02PM;

8127867864 → GME CONSULTANTS INC; Page 8

OCT-13-97 MON 13:03

INTERPOLL LABS

FAX NO. 8127867854

P. 06

Sample Identification: BW
 Sample Type: Water
 Laboratory Log Number: 10122-01

Interpoll Laboratories, Inc
 Laboratory Report #10122
 GME Consultants

| | Target Detection Limit (ug/L.) | Analytical Result (ug/L.) | Method Blank |
|-------------------------------------|---|---------------------------------|-----------------|
| MDH Method 465E (continued), | | | |
| 1,1,2,2-Tetrachloroethane | 0.13 | BDL | BDL |
| Tetrachloroethane | 0.096 | BDL | BDL |
| Tetrahydrofuran | 0.62 | BDL | BDL |
| Toluene | 0.50 | BDL | BDL |
| 1,2,3-Trichlorobenzene | 0.18 | BDL | BDL |
| 1,2,4-Trichlorobenzene | 0.090 | BDL | BDL |
| 1,1,1-Trichloroethane | 0.23 | BDL | BDL |
| 1,1,2-Trichloroethane | 0.10 | BDL | BDL |
| Trichloroethane | 0.13 | BDL | BDL |
| Trichlorofluoromethane | 0.098 | BDL | BDL |
| 1,2,3-Trichloropropane | 0.11 | BDL | BDL |
| 1,1,2-Trichlorotrifluoroethane | 0.28 | BDL | BDL |
| 1,2,4-Trimethylbenzene | 0.10 | BDL | BDL |
| 1,3,5-Trimethylbenzene | 0.064 | BDL | BDL |
| Vinyl chloride | 0.36 | BDL | BDL |
| m/p-Xylene | 0.21 | BDL | BDL |
| o-Xylene | 0.11 | BDL | BDL |
| Surrogates: | | | |
| 4-Bromofluorobenzene-PID | | 97.6% | 98.8% |
| 4-Bromofluorobenzene-BLCD | | 95.2% | 97.4% |

Sent by: GME CONSULTANTS INC

612 558 0720;

10/13/97 3:50PM; Jett Fax #229; Page 7/14

Received: 10/13/97 1:03PM;

6127867864 → GME CONSULTANTS INC; Page 8

OCT-13-97 MON 13:04

INTERPOLL LABS

FAX NO. 6127867854

P. 06

Sample Identification: Duplicate
 Sample Type: Water
 Laboratory Log Number: 10122-02

Interpoll Laboratories, Inc
 Laboratory Report #161122
 GME Consultants

| | Target Detection Limit (ug/L) | Analytical Result (ug/L.) | Method Blank |
|---|--|---------------------------------|-----------------|
| MDH Method 465E, Preparation Date: 10/6/97 Analysis Date: 10/6/97 | | | |
| Acetone | 10 | BDL | BDL |
| Allyl chloride | 0.16 | BDL | BDL |
| Benzene | 0.099 | BDL | BDL |
| Bromobenzene | 0.19 | BDL | BDL |
| Bromochloromethane | 0.098 | BDL | BDL |
| Bromodichloromethane | 0.14 | BDL | BDL |
| Bromoform | 0.11 | BDL | BDL |
| Bromomethane | 0.20 | BDL | BDL |
| 2-Butanone (MEK) | 1.0 | BDL | BDL |
| n-Butylbenzene | 0.11 | BDL | BDL |
| sec-Butylbenzene | 0.13 | BDL | BDL |
| tert-Butylbenzene | 0.091 | BDL | BDL |
| Carbon tetrachloride | 0.090 | BDL | BDL |
| Chlorobenzene | 0.090 | BDL | BDL |
| Chloroethane | 0.31 | BDL | BDL |
| 2-Chloroethylvinyl ether | 0.18 | BDL | BDL |
| Chloroform | 0.45 | BDL | BDL |
| Chloromethane | 0.22 | BDL | BDL |
| 2-Chlorotoluene | 0.18 | BDL | BDL |
| 4-Chlorotoluene | 0.27 | BDL | BDL |
| Dibromochloromethane | 0.14 | BDL | BDL |
| 1,2-Dibromo-3-chloropropane | 0.13 | BDL | BDL |
| 1,2-Dibromoethane | 0.25 | BDL | BDL |
| Dibromomethane | 0.22 | BDL | BDL |
| 1,2-Dichlorobenzene | 0.21 | BDL | BDL |
| 1,3-Dichlorobenzene | 0.24 | BDL | BDL |
| 1,4-Dichlorobenzene | 0.18 | BDL | BDL |

Sent by: GME CONSULTANTS INC

812 559 0720;

10/13/97 3:50PM; Jettax #229; Page 8/14

Received: 10/13/97 1:04PM;

8127867864 → GME CONSULTANTS INC; Page 7

OCT-13-97 MON 13:04

INTERPOLL LABS

FAX NO. 8127867864

P. 07

Sample Identification: Duplicate
 Sample Type: Water
 Laboratory Log Number: 10122-02

Interpoll Laboratories, Inc
 Laboratory Report #10122
 GME Consultants

| | Target Detection Limit (ug/L) | Analytical Result (ug/L) | Method Blank |
|-------------------------------------|--|--------------------------------|-----------------|
| MDH Method 465E (continued). | | | |
| Dichlorodifluoromethane | 0.25 | BDL | BDL |
| 1,1-Dichloroethane | 0.17 | BDL | BDL |
| 1,2-Dichloroethane | 0.13 | BDL | BDL |
| 1,1-Dichloroethene | 0.17 | BDL | BDL |
| cis-1,2-Dichloroethene | 0.26 | BDL | BDL |
| trans-1,2-Dichloroethene | 0.25 | BDL | BDL |
| Dichlorofluoromethane | 0.096 | BDL | BDL |
| 1,2-Dichloropropane | 0.14 | BDL | BDL |
| 1,3-Dichloropropane | 0.052 | BDL | BDL |
| 2,2-Dichloropropane | 0.098 | BDL | BDL |
| 1,1-Dichloro-1-propene | 0.073 | BDL | BDL |
| 2,3-Dichloro-1-propene | 0.14 | BDL | BDL |
| cis-1,3-Dichloropropene | 0.22 | BDL | BDL |
| trans-1,3-Dichloropropene | 0.091 | BDL | BDL |
| Ethylbenzene | 0.099 | BDL | BDL |
| Ethyl ether | 0.31 | BDL | BDL |
| Hexachlorobutadiene | 0.10 | BDL | BDL |
| Isopropylbenzene | 0.085 | BDL | BDL |
| p-Isopropyltoluene | 0.053 | BDL | BDL |
| Methylene chloride | 1.0 | BDL | BDL |
| 4-Methyl-2-pentanone (MIBK) | 0.18 | BDL | BDL |
| Methyl tertiary butyl ether (MTBE) | 0.24 | BDL | BDL |
| Naphthalene | 0.052 | BDL | BDL |
| n-Propylbenzene | 0.16 | BDL | BDL |
| Styrene | 0.078 | BDL | BDL |
| 1,1,1,2-Tetrachloroethane | 0.084 | BDL | BDL |

Sent by: GME CONSULTANTS INC

812 559 0720;

10/13/97 3:50PM; Jettex #229; Page 9/14

RECEIVED: 10/13/97 1:04PM;

8127887854 → GME CONSULTANTS INC: Page 9

OCT-13-97 MON 13:05

INTERPOLL LABS

FAX NO. 8127887854

P.08

Sample Identification: Duplicate
 Sample Type: Water
 Laboratory Log Number: 10122-02

Interpoll Laboratories, Inc.
 Laboratory Report #10122
 GME Consultants

| | Target Detection Limit (ug/L) | Analytical Result (ug/L) | Method Blank |
|-------------------------------------|--|--------------------------------|-----------------|
| MDH Method 465E (continued). | | | |
| 1,1,2,2-Tetrachloroethane | 0.13 | BDL | BDL |
| Tetrachloroethene | 0.080 | BDL | BDL |
| Tetrahydrofuran | 0.62 | BDL | BDL |
| Toluene | 0.50 | BDL | BDL |
| 1,2,3-Trichlorobenzene | 0.18 | BDL | BDL |
| 1,2,4-Trichlorobenzene | 0.080 | BDL | BDL |
| 1,1,1-Trichloroethane | 0.23 | BDL | BDL |
| 1,1,2-Trichloroethane | 0.10 | BDL | BDL |
| Trichloroethene | 0.13 | BDL | BDL |
| Trichlorofluoromethane | 0.098 | BDL | BDL |
| 1,2,3-Trichloropropane | 0.31 | BDL | BDL |
| 1,1,2-Trichlorotrifluoroethane | 0.28 | BDL | BDL |
| 1,2,4-Trimethylbenzene | 0.10 | BDL | BDL |
| 1,3,5-Trimethylbenzene | 0.064 | BDL | BDL |
| Vinyl chloride | 0.36 | BDL | BDL |
| m/p-Xylene | 0.21 | BDL | BDL |
| o-Xylene | 0.11 | BDL | BDL |
| Surrogates: | | | |
| 1-Bromofluorobenzene-PID | | 94.4% | 98.8% |
| 1-Bromofluorobenzene-ELCD | | 98.4% | 97.4% |

Sent by: GME CONSULTANTS INC

612 559 0720;

10/13/97 3:50PM; Jettex #229; Page 10/14

Received: 10/13/97 1:08PM;

6127887884 → GME CONSULTANTS INC; Page 9

OCT-13-97 MON 13:06

INTERPOLL LABS

FAX NO. 6127887854

P.08

Sample Identification: Trip Blank
 Sample Type: Water
 Laboratory Log Number: 10122-03

Interpoll Laboratories, Inc.
 Laboratory Report #10122
 GME Consultants

| | Target Detection Limit (ug/L) | Analytical Result (ug/L) | Method Blank |
|----------------------------------|--|--------------------------------|-----------------|
| MDH Method 465E, | | | |
| Preparation Date: 10/6/97 | | | |
| Analysis Date: 10/6/97 | | | |
| Acetone | 10 | BDL | BDL |
| Allyl chloride | 0.16 | BDL | BDL |
| Benzene | 0.099 | BDL | BDL |
| Bromobenzene | 0.19 | BDL | BDL |
| Bromochloromethane | 0.098 | BDL | BDL |
| Bromodichloromethane | 0.14 | BDL | BDL |
| Bromoform | 0.11 | BDL | BDL |
| Bromomethane | 0.20 | BDL | BDL |
| 2-Butanone (MEK) | 1.0 | BDL | BDL |
| n-Butylbenzene | 0.11 | BDL | BDL |
| sec-Butylbenzene | 0.13 | BDL | BDL |
| tert-Butylbenzene | 0.091 | BDL | BDL |
| Carbon tetrachloride | 0.090 | BDL | BDL |
| Chlorobenzene | 0.090 | BDL | BDL |
| Chloroethane | 0.31 | BDL | BDL |
| 2-Chloroethylvinyl ether | 0.18 | BDL | BDL |
| Chloroform | 0.45 | BDL | BDL |
| Chloromethane | 0.22 | BDL | BDL |
| 2-Chlorotoluene | 0.18 | BDL | BDL |
| 4-Chlorotoluene | 0.27 | BDL | BDL |
| Dibromochloromethane | 0.14 | BDL | BDL |
| 1,2-Dibromo-3-chloropropane | 0.13 | BDL | BDL |
| 1,2-Dibromomethane | 0.25 | BDL | BDL |
| Dibromomethane | 0.22 | BDL | BDL |
| 1,2-Dichlorobenzene | 0.21 | BDL | BDL |
| 1,3-Dichlorobenzene | 0.24 | BDL | BDL |
| 1,4-Dichlorobenzene | 0.18 | BDL | BDL |

Sent by: GME CONSULTANTS INC

612 558 0720;

10/13/97 3:51PM; Jettex #229; Page 11/14

Received: 10/13/97 1:08PM;

6127867854 → GME CONSULTANTS INC; PAGE 10

OCT-13-97 MON 13:06

INTERPOLL LABS

FAX NO. 6127867854

P. 10

Sample Identification: Trip Blank
 Sample Type: Water
 Laboratory Log Number: 10122-03

Interpoll Laboratories, Inc
 Laboratory Report #10122
 GME Consultants

| | Target Detection Limit (ug/L) | Analytical Result (ug/L) | Method Blank |
|-------------------------------------|--|--------------------------------|-----------------|
| MPH Method 451E (continued), | | | |
| Dichlorodifluoromethane | 0.25 | BDL | BDL |
| 1,1-Dichloroethane | 0.17 | BDL | BDL |
| 1,2-Dichloroethane | 0.13 | BDL | BDL |
| 1,1-Dichloroethene | 0.17 | BDL | BDL |
| cis-1,2-Dichloroethene | 0.26 | BDL | BDL |
| trans-1,2-Dichloroethene | 0.25 | BDL | BDL |
| Dichlorofluoromethane | 0.096 | BDL | BDL |
| 1,2-Dichloropropane | 0.14 | BDL | BDL |
| 1,3-Dichloropropane | 0.052 | BDL | BDL |
| 2,2-Dichloropropane | 0.098 | BDL | BDL |
| 1,1-Dichloro-1-propene | 0.073 | BDL | BDL |
| 2,3-Dichloro-1-propene | 0.14 | BDL | BDL |
| cis-1,3-Dichloropropene | 0.22 | BDL | BDL |
| trans-1,3-Dichloropropene | 0.091 | BDL | BDL |
| Ethylbenzene | 0.099 | BDL | BDL |
| Ethyl ether | 0.31 | BDL | BDL |
| Hexachlorobenzene | 0.10 | BDL | BDL |
| Isopropylbenzene | 0.085 | BDL | BDL |
| p-Isopropyltoluene | 0.053 | BDL | BDL |
| Methylene chloride | 1.0 | BDL | BDL |
| 4-Methyl-2-pentanone (MIBK) | 0.18 | BDL | BDL |
| Methyl tertiary butyl ether (MTBE) | 0.24 | BDL | BDL |
| Naphthalene | 0.052 | BDL | BDL |
| n-Propylbenzene | 0.16 | BDL | BDL |
| Styrene | 0.078 | BDL | BDL |
| 1,1,1,2-Tetrachloroethane | 0.084 | BDL | BDL |

Sent by: GME CONSULTANTS INC

612 559 0720;

10/13/97 3:51PM; JettFax #229; Page 12/14

OCT-13-97 MON 13:07

6127887854 → GME CONSULTANTS INC; Page 11

OCT-13-97 MON 13:07

INTERPOL LABS

FAX NO. 6127887854

P. 11

Sample Identification: Trip Blank
 Sample Type: Water
 Laboratory Log Number: 10122-03

Interpol Laboratories, Inc.
 Laboratory Report #10122
 GME Consultants

| | Target Detection Limit (ug/L) | Analytical Result (ug/L) | Method Blank |
|-------------------------------------|--|--------------------------------|-----------------|
| MDE Method 465E (continued). | | | |
| 1,1,2,2-Tetrachloroethane | 0.13 | BDL | BDL |
| Tetrachloroethene | 0.086 | BDL | BDL |
| Tetrahydrofuran | 0.62 | BDL | BDL |
| Toluene | 0.50 | BDL | BDL |
| 1,2,3-Trichlorobenzene | 0.18 | BDL | BDL |
| 1,2,4-Trichlorobenzene | 0.080 | BDL | BDL |
| 1,1,1-Trichloroethane | 0.23 | BDL | BDL |
| 1,1,2-Trichloroethane | 0.10 | BDL | BDL |
| Trichloroethene | 0.13 | BDL | BDL |
| Trichlorofluoromethane | 0.098 | BDL | BDL |
| 1,2,3-Trichloropropane | 0.11 | BDL | BDL |
| 1,1,2-Trichlorotrifluoroethane | 0.28 | BDL | BDL |
| 1,2,4-Trimethylbenzene | 0.10 | BDL | BDL |
| 1,3,5-Trimethylbenzene | 0.064 | BDL | BDL |
| Vinyl chloride | 0.16 | BDL | BDL |
| m/p-Xylene | 0.21 | BDL | BDL |
| o-Xylene | 0.11 | BDL | BDL |
| Surrogates: | | | |
| 4-Bromofluorobenzene-PIQ | | 79.6% | 98.8% |
| 4-Bromofluorobenzene-FLCD | | 76.9% | 97.4% |



020443
 CHAIN-OF-CUSTODY RECORD
 Analytical Request

INTERPOLL LABORATORIES, INC.
 4500 BALL ROAD N.E.
 CIRCLE PINE, MINNESOTA 55014-1010
 TEL: 612/796-6000
 FAX: 612/796-7004

Client GME
 Address 14000 21st AVE N
MAPLE MN 55442
 Phone 612 554 1259 FAX 612 559 0720

Route Report To: Shawn Roskop
 Bill To: GME
 P.O. _____
 Project Name/No. C-2373D

SPECIAL HANDLING REQUEST
 RUSH
 OTHER
 QUOTE NO.

| Item No. | Sample Description | Date/Time | Matrix | Interpoll Log No. | Number of Containers of Each Preservative | | | | | | | Total No. Cont. | Analytical Request | COMMENTS | |
|----------|--------------------|-----------------|--------|-------------------|---|------------------|---------------------|------|---------|--------------------------------|-----|-----------------|--------------------|----------|--|
| | | | | | None | HNO ₃ | HNO ₃ /F | NaOH | VOC-HCl | H ₂ SO ₄ | HCl | | | | |
| | BW | 10-1-97 1300 | W | | | | | X | | | | 3 | VOC-HCl | | |
| | Duplicate | ↓ | ↓ | | | | | X | | | | 3 | | | |
| | Tri.p blank | ↓ | ↓ | | | | | X | | | | 3 | | | |

Additional Comments:
 Hold until 10/19/97 for
 confirmation of Anal. r.s.s. requested

Laboratory Comments Only:
 HNO₃-F = Nitric acid preserved and filtered.

| Item No. | Requested by/Affiliation | Accepted by/Affiliation | Date | Time |
|----------|--------------------------|-------------------------|----------------|-------------|
| | <u>Shawn Roskop</u> | <u>Shawn Roskop</u> | <u>10-1-97</u> | <u>0915</u> |

10/13/97 15:31 GME CONSULTANTS INC 612 559 0720 10/13/97 3:52PM JMK/EX #229; Page 14/14 ND.026 P13

10-1-97

SWR onsite

overcast 62° 10mph wind from South

- Sampled ^{external} Tap on west side of house
- MR Bemmel said this is probably the closest tap to the well that doesn't have treatment to it. All water sources in house ~~are~~ filtered.
- faucet was run at a mod. rate for 25 mins. est to have removed 65 gallons before sampling
- faucet was turned to a slow rate & VOC samples ^{was} from I'poll were taken directly from the tap. (3 VOCs, 3 Duplicates, 3 Trip Blanks.)