

May 11, 2010

Mr. Allan Timm and Ed Olson  
MPCA VIC Program  
520 Lafayette Road  
St. Paul, MN 55155-4194

**Re: Monthly Dual Phase Extraction System Effectiveness Report  
MN Bio Business Center, Rochester, MN**

Dear Mr. Timm and Mr. Olson:

On behalf of the City of Rochester (City) Administration Department, Landmark Environmental, LLC (Landmark) has prepared this letter to present a status update for the dual phase extraction (DPE) system currently operating at the above referenced property (Property), as shown in Figure 1.

**Introduction**

This report documents the monthly DPE system operational and analytical data from the April 16, 2010, monitoring and sampling event. The DPE system well locations and equipment layout are provided in Figures 2 and 3, respectively. A system operation and maintenance summary table is included as Table 1.

The DPE system has continued to operate sequentially at all of the DPE system wells after being switched from continuous operation at DPE-1 on October 15, 2009. The DPE system is programmed to operate on each well for 45 minutes before switching to the next well and takes 6 hours to complete one full cycle. The air sample collection method during sequential operation of the DPE system wells consists of a composite Summa canister utilizing a 6-hour flow control valve. Therefore, air emissions from each well are collected during the 6-hour sample collection period.

**System Operational Results**

The volatile organic compound (VOC) and perchloroethene (PCE) concentrations from the April 16, 2010, sampling event increased slightly compared to the concentrations observed during the March 25, 2010, sampling event. However, compared to the baseline emissions data from April 9, 2009, the concentrations of VOCs decreased from 14,613,880 micrograms per cubic meter ( $\text{ug}/\text{m}^3$ ) to 438,730  $\text{ug}/\text{m}^3$  of total VOCs, a decrease of 97.0 percent (See Figure 4). PCE concentrations decreased from 11,600,000  $\text{ug}/\text{m}^3$  to 282,000  $\text{ug}/\text{m}^3$ , a decrease of 97.6 percent from the baseline concentration (See Figure 4). During this period, the DPE system removed 56 pounds of total VOCs, including 36 pounds from PCE (see Figure 5 and Table 2). Through March 25, 2010, the DPE system has removed a total of 2,952 pounds of total VOCs and 2,329

pounds of PCE. Emissions analytical data is provided in Table 3 and system operational data tables and field data sheets are provided in Attachment A. The emissions analytical reports are included in Attachment B.

The Minnesota Pollution Control Agency's (MPCA's) Remediation Risk Analysis Screening Spreadsheet (RRASS) spreadsheet was used to evaluate the emissions rates from the DPE system and air stripper stacks on the Property during the DPE system sampling event. The site specific emissions rate for PCE during the April 16, 2010, sampling event was 9,589 micrograms per second (ug/s) and was below the MPCA screening emissions rate (SER) for chronic risk of 16,300 ug/s. The site specific emissions rate for PCE was also below the MPCA SER for acute risk of 5,980,000 ug/s. The RRASS emissions rates are provided in Table 4 and the RRASS spreadsheets are provided in Attachment C.

The cumulative total VOC mass removed from the DPE system groundwater discharge during air stripper operation was 0.27 pounds on April 16, 2010. The effluent groundwater discharge concentrations were below the City's Water Reclamation Plant discharge criteria of 2,130 ug/L. The total VOC concentration in the effluent sample was greater than the influent sample because of residual VOCs from the PVC glue and cement used during installation of a secondary demister moisture separator. Mass removal data from the groundwater treatment system is provided in Table 5 and the groundwater discharge analytical data is included in Table 6. The groundwater discharge analytical reports are provided in Attachment B.

The groundwater hydrographs for the DPE and monitoring wells show decreasing trends in the groundwater elevations when compared to the March 25, 2010, monitoring event (Figure's 6 and 7). Landmark's groundwater flow interpretation provided in Figure 8 indicates that the DPE system has been effective in lowering the water table on the Property. The groundwater elevation data is provided in Table 7. Well construction information is provided in Table 8.

## **Conclusions**

After analyzing the data from the monthly DPE system operation, maintenance, and monitoring events, the following conclusions can be made:

- The DPE system is operating as designed and has removed a significant amount of VOCs in a short period of time.
  - From June 29, 2009, through April 16, 2010, the DPE system removed 2,952 pounds of total VOCs, including 2,329 pounds of PCE from the subsurface.
  - DPE system emissions concentrations of VOCs and PCE from April 16, 2010, have decreased 97.0 percent and 97.6 percent, respectively, when compared to the baseline emissions concentrations.
- The April 16, 2010, site specific emissions rate for PCE of 9,589 ug/s was below the SER

for both chronic and acute risk.

- Sequential operation of all DPE system wells has effectively lowered the water table at the Property.

## **Recommendations**

Landmark recommends continuing sequential operation of all eight DPE wells for the next couple of months, or until a significant decrease in emissions concentrations and mass removed is observed.

Additional monthly system operational, analytical, and fluid level data will be collected to better evaluate the system's effectiveness at accomplishing remedial goals, and to make adjustments as necessary to increase effectiveness. This data will be carefully monitored and analyzed, and system adjustments will be made to maintain efficient mass recovery.

Although monthly system operational, analytical, and fluid level data collection will continue, Landmark recommends reducing the MPCA reporting requirements for this information from monthly reporting to quarterly reporting. It is Landmark's opinion that enough data has been reported on a monthly basis since DPE system start up, and that at this stage of the system's operation, quarterly reporting is sufficient.

Groundwater monitoring and reporting will continue on a quarterly basis to assist in evaluating the effect of the DPE system on VOC concentrations in the groundwater.

If you have any questions or require additional information, please feel free to contact me at [jskramstad@landmarkenv.com](mailto:jskramstad@landmarkenv.com) and (952) 887-9601, extension 205.

Sincerely,




Jason D. Skramstad, P.E.

Cc: Terry Spaeth, City of Rochester

## Figures





f:\gisclient\c06-two vacant parcels-1st ave sw\projects\location-both.mxd


Source: Rochester, Minnesota Topographic Quadrangle, 7.5-Minute Series



2,000 1,000 0 2,000 Feet

FIGURE 1

PROPERTY LOCATION MAP  
219 and 223 1ST Avenue Southwest  
Rochester, Minnesota



**BASEMENT FLOOR PLAN**

**LEGEND**

- ⊕ DPE, Monitoring Well, or Sump Location
- DPE Piping Location
- Property Boundary



20 feet  
SCALE

BASE DRAWINGS PROVIDED BY HGA  
F:/Projects/CRC/CAD/basement planview\DPE AS Layout.dwg


Rev	Date	By	Description

**LANDMARK ENVIRONMENTAL, LLC**  
2042 West 98th Street  
Bloomington, MN 55431

**FIGURE 2**  
**DPE SYSTEM LAYOUT**  
221 FIRST AVENUE S.W.  
ROCHESTER, MINNESOTA

Landmark Project Number: CRC		
Drawn: JDS	Checked: JDS	Designed: JDS
Scale: .	Date: 7/9/2009	Revision:
Drawing Number:	Sheet	Of Sheets





**LEGEND**

- Existing DPE Piping Location
- Proposed Air Emissions Piping Location
- Proposed Groundwater Discharge Piping Location



1 in = 3 ft  
APPROXIMATE SCALE

BASEDRAWINGS PROVIDED BY HGA  
F:\Projects\CRC\CAD\basement\_planview\20070829\_DPE\_System\20100413\_DPE\_Room.dwg

Rev	Date	By	Description

**LANDMARK ENVIRONMENTAL, LLC**  
2042 West 98th Street  
Bloomington, MN 55431

**FIGURE 3**  
**DPE ROOM LAYOUT**  
221 FIRST AVENUE S.W.  
ROCHESTER, MINNESOTA

Landmark Project Number: CRC		
Drawn: JDS	Checked: JDS	Designed: JDS
Scale: 1:3	Date: 4/13/2010	Revision: .
Drawing Number: .	Sheet	Of Sheets

FIGURE 4

DPE EMISSIONS CONCENTRATIONS  
MN Bio Business Center  
221 1st Avenue SW  
Rochester, Minnesota






FIGURE 5

**CUMULATIVE MASS REMOVED**  
**MN Bio Business Center**  
**221 1st Avenue SW**  
**Rochester, Minnesota**




FIGURE 6

DPE WELL HYDROGRAPHS  
MN Bio Business Center  
221 1st Avenue SW  
Rochester, Minnesota






FIGURE 7

MONITORING WELL AND SUMP HYDROGRAPHS  
 MN Bio Business Center  
 221 1st Avenue SW  
 Rochester, Minnesota





**LEGEND**

- ⊙ DPE Well Location
- ⊕ Monitoring Well Location

(976.92) Groundwater Elevation (feet above mean sea level)



10 feet  
SCALE

BASE DRAWINGS PROVIDED BY HGA  
F:/Projects/CRC/CAD/Groundwater Data/20100325 GW Elev Contours.dwg

Rev	Date	By	Description

**LANDMARK ENVIRONMENTAL, LLC**  
2042 West 98th Street  
Bloomington, MN 55431

**FIGURE 8  
GROUNDWATER FLOW INTERPRETATION -  
APRIL 2010**

221 FIRST AVENUE S.W.  
ROCHESTER, MINNESOTA

Landmark Project Number: CRC		
Drawn: JDS	Checked: JDS	Designed: JDS
Scale: .	Date: 5/10/2010	Revision:
Drawing Number:	Sheet	Of Sheets



## Tables

TABLE 1

**SYSTEM OPERATION AND MAINTENANCE SUMMARY**  
**MN Bio Business Center**  
**221 1st Avenue SW**  
**Rochester, Minnesota**

Date	Approximate Time	Sensophone Call Received?	Alarm Condition	DPE System Status	Comments
9-Apr-09	NA	NA	NA	Off	DPE system temporary startup. <b>Sampled initial DPE groundwater discharge and air emissions.</b> System shut down to determine if air emissions and/or groundwater treatment were necessary.
4-Jun-09	NA	NA	NA	Off	Air stripper installed. <b>Air stripper air emissions and influent and effluent groundwater samples collected.</b>
5-Jun-09	NA	NA	NA	Off/On	Installed temporary secondary containment around DPE room door way. DPE system left on.
6-Jun-09	19:00	Y	MS High Level	On/Off	
8-Jun-09	NA	NA	NA	Off	Landmark on site to clean MS float switch assembly. DPE system left off per client request until elevator pit drain tile sump can be connected to the air stripper, a permanent secondary containment berm can be installed, and additional floor sump alarm and conductivity meter can be installed.
19-Jun-09	NA	NA	NA	Off	Landmark onsite to monitor elevator pit sump water levels and PID readings.
23-Jun-09	NA	NA	NA	Off	Landmark, SDE, and Muska on site to install permanent secondary containment berm and sump pit flow meter.
25-Jun-09	NA	NA	NA	Off	Landmark and PLC on site to terminate switches to the control panel. Noticed lower trilevel float switch is getting caught on the site tube. PLC to replace MS trilevel float assembly. Pumped 300 gallons of water from elevator drain tile sump through the air stripper. Sump appears to be recharging with water.
29-Jun-09	NA	NA	NA	Off/On	Landmark replaced MS trilevel float assembly. Bottom float still catches on site tube; therefore, Landmark installed JB-welded washers onto float assembly. Also compared flow meter readings with handheld monitor; replaced leaking air stripper hoses; recorded all system data from gauges and control panel. System restarted for permanent operation.
9-Jul-09	NA	NA	NA	On	Landmark onsite to troubleshoot low flowrate and vacuum readings observed remotely, to collect fluid level measurements at each well, to check the vacuum influence from DPE-1 operation at each DPE well head location; collect operational data during operation of DPE-1; to conduct a groundwater recovery test a DPE-1; modified the drop tube at DPE-3; and collected operational data while operating on DPE-3. Kept system operating on DPE-1. <b>Sampled groundwater discharge.</b>
18-Jul-09	NA	No	DPE Pump Motor Fault	On/Off	
20-Jul-09	NA	NA	DPE Pump Motor Fault	Off	Received a call from Paramark stating the DPE was off and there was about 1 quart of oil leaking from the DPE pump.
22-Jul-09	NA	NA	DPE Pump Motor Fault	Off	Landmark onsite to troubleshoot DPE system shut down and determine the source of the oil leak.
24-Jul-09	NA	NA	DPE Pump Motor Fault	Off	Landmark and PLC onsite to remove DPE pump and deliver to John Henry Foster for Repair.

TABLE 1

**SYSTEM OPERATION AND MAINTENANCE SUMMARY  
MN Bio Business Center  
221 1st Avenue SW  
Rochester, Minnesota**

Date	Approximate Time	Sensophone Call Received?	Alarm Condition	DPE System Status	Comments
11-Aug-09	NA	NA	DPE Pump Motor Fault	Off/On	Landmark and PLC onsite to reinstall repaired DPE pump and restart the system. Landmark installed thermometer to monitor the ambient and max temperature in the DPE room in two different locations. Landmark swept, vacuumed, and mopped the floor several times to prevent dust from passing through the vacuum relief valve and clogging the pump inlet screen. PLC fixed the sensophone. PLC and Landmark checked flow rate readings with blower curve. DPE system was restarted.
14-Aug-09	13:17	Y	DPE Pump High Inlet Vacuum	On/Off/On	Paramark opened all of the individual DPE well bleed valves and restarted the system.
16-Aug-09	4:34	Y	DPE Pump High Outlet Temperature	On/Off	
17-Aug-09	NA	NA	DPE Pump High Outlet Temperature	Off/On	Paramark checked max room temperature readings and all were OK. Paramark could not restart the DPE system. Landmark onsite to troubleshoot the pump and determined the inlet screen was plugged. Landmark cleaned the inlet screen, replaced the moisture separator filter, and restarted the system. The system was adjusted to run with the DPE pump bleed valve open 5% and the DPE-1 bleed valve open 20%.
18-Aug-09	4:15	Y	DPE Pump High Inlet Vacuum	On/Off	Landmark tried restarting the system remotely, but the system would not operate for more than 30 seconds. A pressure drop was observed while trying to restart the system indicating the moisture separator filter or pump inlet screen was plugged.
20-Aug-09	NA	NA	DPE Pump High Inlet Vacuum	Off/On	Landmark onsite to troubleshoot system shutdown. Landmark verified the shutdown was the result of a plugged pump intake screen. The screen was cleaned with hydrochloric acid and reinstalled. Landmark installed a pipe plug in place of the vacuum relief valve to determine if the material plugging the screen is entering through the vacuum relief valve. Landmark added slits to DPE-1 drop tube to facilitate dewatering of the well. System restarted with DPE-1 bleed air valve opened 50% and pump bleed valve closed.
22-Aug-09	5:30	Y	DPE Pump High Inlet Vacuum	On/Off	
24-Aug-09	NA	NA	DPE Pump High Inlet Vacuum	Off/On	Restarted system remotely. Directed Paramark to open DPE-1 bleed valve 100%.
4-Sep-09	NA	NA	NA	On	Landmark on site to conduct <b>monthly monitoring and sampling event</b> , install 1 micron moisture separator filter, and install new pump intake screen.

TABLE 1

**SYSTEM OPERATION AND MAINTENANCE SUMMARY**  
**MN Bio Business Center**  
**221 1st Avenue SW**  
**Rochester, Minnesota**

Date	Approximate Time	Sensophone Call Received?	Alarm Condition	DPE System Status	Comments
16-Sep-09	19:26	Y	DPE Pump High Inlet Vacuum	On/Off	
17-Sep-09	NA	NA	DPE Pump High Inlet Vacuum	Off/On	Restarted system remotely. Directed Paramark to open DPE-1 bleed valve 100%.
28-Sep-09	NA	NA	NA	On	Landmark on site to conduct <b>quarterly groundwater monitoring and sampling event</b> , and spray aluminum pump inlet components with dry lube to prevent corrosion.
	21:22	Y	DPE Pump High Inlet Vacuum	On/Off	
29-Sep-09	NA	NA	DPE Pump High Inlet Vacuum	Off/On	Landmark and PLC on site to troubleshoot alarm. The rubber hose between the moisture separator and the DPE pump was found to be defective. The rubber hose was replaced and the system was restarted.
30-Sep-09	6:32	Y	MS High Level	Off	
	NA	NA	MS High Level	Off/On	Landmark on site to finish <b>quarterly groundwater monitoring and sampling event</b> , and clean the float switches controlling the moisture separator transfer pump. The DPE system was restarted.
10/15/2009 and 10/16/09	NA	NA	NA	On	Landmark on site to conduct <b>monthly monitoring and sampling event</b> and modify all of the wells for sequential operation.
19-Oct-09	18:00	Y	MS High Level	On/Off	
23-Oct-09	NA	Yes	NA	Off/On	Landmark on site to clean the MS float assembly, replace MS hose with SCH 80 pipe and union, and install bleed air port on DPE-3 water level drop tube.
25-Oct-09	8:15	Y	MS High Level	On/Off	
27-Oct-09	NA	Yes	NA	Off/On	Landmark on site to clean MS float assembly, remove sediment from the MS, collect a TCLP VOC sediment sample for haz waste characterization, and modify the drop tube for DPE-3.
	14:15	Y	Hi Vacuum and Hi Inlet Vacuum	On/Off	System shut down from DPE-4's solenoid valve which was stuck in the off position.
28-Oct-09	NA	NA	Hi Vacuum and Hi Inlet Vacuum	Off/On	Under Landmark's direction, Paramark was able to get DPE-4's solenoid valve to work.
2-Nov-09	23:15	Y	Hi Vacuum and Hi Inlet Vacuum	On/Off	System shut down from high inlet vacuum while operating at DPE-8.
3-Nov-09	11:15	NA	Hi Vacuum and Hi Inlet Vacuum	Off/On	System restarted remotely by Landmark.



TABLE 1

**SYSTEM OPERATION AND MAINTENANCE SUMMARY**  
**MN Bio Business Center**  
**221 1st Avenue SW**  
**Rochester, Minnesota**

Date	Approximate Time	Sensophone Call Received?	Alarm Condition	DPE System Status	Comments
5-Nov-09	11:16	Y	Hi Vacuum and Hi Inlet Vacuum	On/Off	System shut down from high inlet vacuum while operating at DPE-8.
	11:36	NA	Hi Vacuum and Hi Inlet Vacuum	Off/On	System restarted remotely by Landmark. DPE-8 interval replaced by DPE-1 until Landmark is on site to modify the DPE-8's well head. Large pressure drop observed between VT1 and VT2. With Paramark's assistance, Landmark was able to determine the pressure drop was from a plugged DPE pump inlet screen.
	13:00	NA	NA	On/Off	Large pressure drop observed between VT1 and VT2 while Landmark checked the system remotely. With Paramark's assistance, Landmark was able to determine the pressure drop was from a plugged DPE pump inlet screen. System shut down by Landmark until screen could be cleaned.
6-Nov-09	NA	NA	NA	Off/On	Landmark onsite to install new inlet screen on DPE pump, tighten air stripper rods, inspect and clean inside of DPE-1 and DPE-3 aluminum solenoid valves, and restart the system.
7-Nov-09	20:15	Y	Hi Vacuum and Hi Inlet Vacuum	On/Off	System shut down from high inlet vacuum while operating at DPE-4.
9-Nov-09	10:58	NA	Hi Vacuum and Hi Inlet Vacuum	Off/On	Landmark restarted the system remotely and adjusted the high vacuum alarm setpoints to 25 in. Hg.
15-Nov-09	6:27	Y	MS High Level	On/Off	
11/16/2009 and 11/17/09	NA	NA	MS High Level	Off/On	Landmark on site to conduct <b>monthly monitoring and sampling event</b> and <b>quarterly groundwater monitoring event</b> . Removed sediment from moisture separator, and modified DPE-8 well head, and cleaned pump inlet screen.
26-Nov-09	3:45	Y	DPE Pump Hi Outlet Temperature	On/Off	
27-Nov-09	NA	NA	DPE Pump Hi Outlet Temperature	Off/On	Landmark on site to clean the pump inlet screen and restart the system.
4-Dec-09	NA	NA	NA	On/Off	Landmark on site to clean solenoid valves and apply corrosion resistant coating to valves; DPE-4 and DPE-5 well heads modified to entrain air through water level port.
7-Dec-09	NA	NA	NA	Off/On	Landmark on site to reassemble solenoid valves; raise the manifold 1 foot; clean the pump inlet screen; and restart the system.
17-Dec-09	NA	NA	NA	On	Landmark on site to <b>conduct monthly monitoring and sampling event</b> , replace pump inlet screen, clean moisture separator, and clean floats.
28-Dec-09	NA	NA	NA	On	Landmark on site to replace pump inlet screen after remote monitoring indicated it was about to shut down from being clogged.
11-Jan-10	NA	NA	NA	On/Off	Landmark shut down the system remotely after the remote data indicated the pump inlet screen was clogged and about to shut down the system.

TABLE 1

**SYSTEM OPERATION AND MAINTENANCE SUMMARY  
MN Bio Business Center  
221 1st Avenue SW  
Rochester, Minnesota**

Date	Approximate Time	Sensophone Call Received?	Alarm Condition	DPE System Status	Comments
14-Jan-10	NA	NA	NA	Off/On	Landmark on site to <b>conduct monthly monitoring and sampling event</b> , clean pump inlet screen, and clean moisture separator floats.
23-Jan-10	14:15	Y	DPE Pump High Inlet Vacuum	On/Off	
27-Jan-10	NA	NA	DPE Pump High Inlet Vacuum	Off/On	Landmark on site to clean the pump inlet screen and restart the system.
30-Jan-10	18:58	Y	MS High Level	On/Off	
3-Feb-10	NA	NA	MS High Level	Off/On	Landmark onsite to clean the transfer pump floats, clean the moisture separator, and clean the pump inlet screen.
	22:09	Y	MS High Level	On/Off	
4-Feb-10	14:50	NA	MS High Level	Off/On	Landmark directed Paramark to pour tap water through the site tube to dislodge the low level transfer pump float and restart the system.
6-Feb-10	7:22	Y	MS High Level	On/Off	
10-Feb-10	NA	NA	MS High Level	Off/On	Landmark onsite to clean the transfer pump floats, the moisture separator, the moisture separator site tube elbow, discharge pump floats, and the pump inlet screen. Landmark also restarted the system.
	16:47	Y	MS High Level	On/Off	
	18:00	NA	MS High Level	Off/On	Landmark restarted the system remotely.
	19:42	Y	MS High Level	On/Off	
11-Feb-10	10:34	NA	MS High Level	Off/On	Landmark restarted the system remotely.
	12:54	Y	MS High Level	On/Off	
12-Feb-10	NA	NA	MS High Level	Off/On	Landmark onsite to troubleshoot the MS High Level alarm. Landmark performed the following tasks: checked the MS level switch configurations; ran diagnostic tests to narrow down the cause of the MS High Level alarm; replaced the check valve upstream of the MS pump; and, took apart the MS pump head to inspect and clean the internal pump parts.
16-Feb-10	NA	NA	NA	On	System is operational; however, remote monitoring of the system showed the MS transfer pump cycling every 2 minutes. Landmark onsite to replace the MS transfer pump stator, and troubleshoot the continuous cycling issue with the transfer pump.
22-Feb-10	NA	NA	NA	On	Landmark onsite to <b>conduct monthly monitoring and sampling event, quarterly groundwater monitoring event</b> , to disabled the sensaphone sound alarm, and remove sediment from the primary moisture separator (MS1).

TABLE 1

**SYSTEM OPERATION AND MAINTENANCE SUMMARY**  
**MN Bio Business Center**  
**221 1st Avenue SW**  
**Rochester, Minnesota**

Date	Approximate Time	Sensophone Call Received?	Alarm Condition	DPE System Status	Comments
23-Feb-10	NA	NA	NA	On/Off/On	Landmark on site to finish the <b>quarterly groundwater monitoring event</b> , and to provide oversight while PLC installs the secondary moisture separator (MS2). MS2 level switch was determined to be faulty; however, the DPE system was restarted.
26-Feb-10	NA	NA	NA	On	Landmark and PLC were on site to replace the faulty level switch for MS2, and replace the MS1 and MS2 filters.
7-Mar-10	18:00	Y	DPE Pump High Inlet Vacuum	On/Off	
9-Mar-10	NA	NA	DPE Pump High Inlet Vacuum	Off/On	Landmark onsite to permanently remove the DPE pump inlet screen and change the oil in the DPE pump. Oil in the DPE pump was changed after 4,472 hours of operation.
25-Mar-10	NA	NA	NA	On	Landmark on site to <b>conduct monthly monitoring and sampling event</b> , and clean the air stripper by adding 1 gallon of hydrochloric acid.
26-Mar-10	5:16	Y	DPE Pump High Inlet Vacuum	On/Off/On	System shut down during operation at DPE-8. System restarted remotely by Landmark.
	11:15	Y	DPE Pump High Inlet Vacuum	On/Off/On	System shut down during operation at DPE-8. System restarted by Paramark as directed by Landmark after opening the bleed valve on DPE-8's well head.
	17:15	Y	DPE Pump High Inlet Vacuum	On/Off	System shut down during operation at DPE-8.
29-Mar-10	11:17	Y	DPE Pump High Inlet Vacuum	Off/On	System shut down during operation at DPE-8. System restarted remotely by Landmark after troubleshooting the system.
	12:36	Y	DPE Pump High Inlet Vacuum	On/Off/On	System shut down during operation at DPE-8. System restarted remotely by Landmark after troubleshooting the system.
	13:41	Y	DPE Pump High Inlet Vacuum	On/Off/On	System shut down during operation at DPE-8. System restarted remotely by Landmark after troubleshooting the system.
	13:42	Y	DPE Pump High Inlet Vacuum	On/Off/On	System shut down during operation at DPE-8. System restarted remotely by Landmark after troubleshooting the system.
	13:56	Y	DPE Pump High Inlet Vacuum	On/Off/On	System shut down during operation at DPE-8. System restarted remotely by Landmark after troubleshooting the system. To prevent system shutdown's during operation of DPE-8, Landmark modified the DPE system to allow DPE-7 to operate any time that DPE-8 is operating.
30-Mar-10	NA	NA	NA	On	Landmark on site to troubleshoot DPE-8.
8-Apr-10	NA	NA	NA	On	Landmark remote troubleshooting of DPE-8. Operated DPE-8 without DPE-7.
	11:35	Y	DPE Pump High Inlet Vacuum	On/Off/On	Landmark modified the DPE system to allow DPE-7 to operate any time that DPE-8 is operating.
12-Apr-10	12:36	Y	DPE Pump High Inlet Vacuum	On/Off/On	Landmark tested DPE-8 remotely to see if it could operate on its own. Landmark modified the DPE system to allow DPE-7 to operate any time that DPE-8 is operating.

TABLE 1

**SYSTEM OPERATION AND MAINTENANCE SUMMARY  
 MN Bio Business Center  
 221 1st Avenue SW  
 Rochester, Minnesota**

Date	Approximate Time	Sensophone Call Received?	Alarm Condition	DPE System Status	Comments
16-Apr-10	NA	NA	NA	On/Off/On	Landmark on site to <b>conduct monthly monitoring and sampling event</b> , replaced the check valve on the DPE-8 wellhead, and clean the air stripper by adding 1 gallon of hydrochloric acid.
17-Apr-10	23:20	Y	DPE Pump High Inlet Vacuum	On/Off/On	Landmark tested DPE-8 remotely to see if it could operate on its own. The system shut down; therefore, Landmark modified the DPE system to allow DPE-7 to operate any time that DPE-8 is operating.
4-May-10	NA	NA	NA	On/Off/On	Landmark tested DPE-8 remotely to see if it could operate on its own. The system shut down; therefore, Landmark modified the DPE system to allow DPE-7 to operate any time that DPE-8 is operating.
5-May-10	11:27	Y	DPE Pump High Inlet Vacuum	On/Off/On	The system shut down from DPE-8 operation; therefore, Landmark modified the DPE system to allow DPE-7 to operate any time that DPE-8 is operating.

NA: Not Applicable.

Y: Yes.

N: No.



TABLE 2

**MASS REMOVAL FROM DPE EXHAUST**  
**MN Bio Business Center**  
**221 1st Avenue SW**  
**Rochester, Minnesota**

Monitoring Period		DPE Well(s) Operating	DPE Pump Hours	Hours Per Period	Total Flow Rate (scfm)	Total VOCs			PCE		
Start Date	End Date					Concentration (ug/m <sup>3</sup> )	Pounds Per Period	Cumulative pounds	Concentration (ug/m <sup>3</sup> )	Pounds Per Period	Cumulative Pounds
---	6/29/2009		0	0	0	0	0	0	0	0	0
6/29/2009	8/15/2009	DPE-1	478.5	478.5	24.3	14,613,880	636.97	636.97	11,600,000	505.61	505.61
8/15/2009	9/4/2009	DPE-1	957	478.5	36.1	3,795,092	245.74	882.71	3,630,000	235.05	740.66
9/4/2009	---	DPE-1	1428	471	36.1	3,795,092	241.89	1,124.60	3,630,000	231.37	972.02
---	10/15/2009	DPE-1	1899	471	31.6	494,779	27.60	1,152.21	396,000	22.09	994.12
10/16/2009	---	All Wells	1899	231	48.9	608,840	25.78	1,177.99	571,000	24.18	1018.30
---	11/17/2009	All Wells	2361	231	48.9	453,479	19.20	1,197.19	381,000	16.13	1034.43
11/17/2009	12/17/2009	All Wells	2960	599	48.9	12,510	1.37	1,198.56	6,790	0.75	1035.17
12/17/2009	1/14/2010	All Wells	3568	608	48.9	11,403,200	1270.88	2,469.45	8,550,000	952.89	1988.07
1/14/2010	2/22/2010	All Wells	4161	593	69.4	2,364,821	364.82	2,834.27	1,720,000	265.34	2253.41
2/22/2010	3/25/2010 <sup>7</sup>	All Wells	4868	707	69.4	331,284	60.93	2,895.20	215,000	39.54	2292.96
3/25/2010	4/16/2010	All Wells	5308	440	77.9	438,730	56.37	2,951.57	282,000	36.23	2329.19

## Notes:

1. The initial concentrations of total VOCs and PCE used for estimating the mass removed during the first 478.5 hours of system operation, which was estimated to be from, June 29, 2009, through August 15, 2009.
2. The concentrations of total VOCs and PCE from the September 4, 2009, sampling event were used for estimating the mass removed during the remaining 478.5 hours of system operation, which was estimated to be from August 15, 2009, through September 4, 2009.
3. The DPE system was temporarily started on April 9, 2009, for baseling DPE emissions sampling and analysis. The analytical data from April 4, 2009, was used for the emissions calculations on the estimated DPE system start date of June 29, 2009.
4. The flow rate used for the 10/15/09 calculations was from operation at DPE-1.
5. The flow rates used for the 10/16/09, 11/17/09, 12/17/09, and 1/14/10 calculations was from averaging the flowrates on 11/17/09 from each well during sequential operation of all DPE wells.
6. The flow rates used after 1/14/10 were averaged from the flow rates during sequential operation of all DPE wells.
- 7: There was a typo when entering the DPE pump hours; therefore, this value was revised while entering the data from 4/16/10.

TABLE 3

AIR EMISSIONS ANALYTICAL RESULTS  
(micrograms per cubic meter)  
MN Bio Business Center  
221 1st Avenue SW  
Rochester, MN

Sample ID	DPE EXHAUST 726	DPE EXHAUST 1316	DPE EXHAUST 1037	DPE OUTLET 1042	DPE-OUTLET 0903	DPE-OUTLET 1254
Wells Operating	All DPE Wells	All DPE Wells	All DPE Wells	All DPE Wells	All DPE Wells	All DPE Wells
Sample Collection Method	6-hr Composite	6-hr Composite	6-hr Composite	6-hr Composite	6-hr Composite	6-hr Composite
Collected Date	4/16/2010	3/25/2010	2/22/2010	1/14/2010	12/17/2009	11/17/2009
1,1,1-Trichloroethane	ND	30.7	61	ND	23.9	ND
1,1,2-Tetrachloroethane	ND	<2.5	ND	ND	ND	ND
1,1,2-Trichloroethane	ND	<2.0	ND	ND	ND	ND
1,1,2-Trichlorotrifluoroethane	153,000	115,000	644,000	2,720,000	4,440	72,100
1,1-Dichloroethane	ND	<1.5	ND	ND	ND	ND
1,1-Dichloroethene	ND	3.0	7.66	ND	ND	ND
1,2,4-Trichlorobenzene	ND	<1.8	ND	ND	ND	ND
1,2,4-Trimethylbenzene	ND	12.8	ND	ND	ND	ND
1,2-Dibromoethane (EDB)	ND	<2.9	ND	ND	ND	ND
1,2-Dichlorobenzene	ND	<2.2	ND	ND	ND	ND
1,2-Dichloroethane	ND	<1.5	ND	ND	ND	ND
1,2-Dichloropropane	ND	<1.7	7.05	ND	ND	ND
1,3,5-Trimethylbenzene	ND	<4.5	ND	ND	ND	ND
1,3-Butadiene	ND	<0.81	ND	ND	ND	ND
1,3-Dichlorobenzene	ND	<2.2	ND	ND	ND	ND
1,4-Dichlorobenzene	ND	<2.2	ND	ND	ND	ND
2-Butanone (MEK)	ND	44.2	12.9	ND	ND	ND
2-Hexanone	ND	<1.5	ND	ND	ND	ND
2-Propanol	ND	19.0	NA	NA	NA	NA
4-Ethyltoluene	ND	<4.5	ND	ND	ND	ND
4-Methyl-2-pentanone (MIBK)	ND	<1.5	ND	ND	ND	ND
Acetone	ND	163	84.5	76,800	126	116
Benzene	ND	<1.2	ND	ND	16.2	ND
Benzyl chloride	ND	<1.9	NA	NA	NA	NA
Bromodichloromethane	ND	<2.5	ND	ND	ND	ND
Bromoform	ND	<3.8	ND	ND	ND	ND
Bromomethane	ND	<1.4	ND	ND	ND	ND
Carbon disulfide	ND	1.3	ND	ND	ND	ND
Carbon tetrachloride	ND	<2.3	ND	ND	ND	ND
Chlorobenzene	ND	<1.7	ND	ND	ND	ND
Chloroethane	ND	<0.97	ND	ND	ND	ND
Chloroform	ND	11.3	15.4	ND	ND	ND
Chloromethane	ND	<0.76	ND	ND	ND	ND
cis-1,2-Dichloroethene	ND	80.2	198	ND	47.2	118
cis-1,3-Dichloropropene	ND	<1.7	ND	ND	ND	ND
Cyclohexane	ND	2.2	14.3	ND	766	ND
Dibromochloromethane	ND	<3.1	ND	ND	ND	ND
Dichlorodifluoromethane	ND	11.0	ND	ND	ND	ND
Dichlorotetrafluoroethane	ND	<2.5	ND	ND	ND	ND
Ethanol	ND	26.1	NA	NA	NA	NA
Ethyl acetate	ND	<1.3	ND	ND	ND	ND
Ethylbenzene	ND	118	ND	ND	ND	ND
Hexachloro-1,3-butadiene	ND	<4.0	ND	ND	ND	ND
m&p-Xylene	ND	456	ND	ND	ND	ND
Methylene Chloride	ND	<1.3	ND	ND	270	ND
Methyl-tert-butyl ether	ND	<1.3	ND	ND	ND	ND
Naphthalene	ND	<4.9	NA	NA	NA	NA
n-Heptane	ND	2.7	ND	ND	ND	ND
n-Hexane	ND	4.7	135	ND	ND	ND
o-Xylene	ND	159	ND	ND	ND	ND
Propylene	ND	<0.63	ND	ND	ND	ND
Styrene	ND	<1.6	ND	ND	ND	ND
Tetrachloroethene	282,000	215,000	1,720,000	8,550,000	6,790	381,000
Tetrahydrofuran	ND	58.0	45.6	56,400	ND	145
Toluene	ND	28.4	124	ND	9.58	ND
trans-1,2-Dichloroethene	ND	<1.5	ND	ND	ND	ND
trans-1,3-Dichloropropene	ND	<1.7	ND	ND	ND	ND
Trichloroethene	3,730	43.7	116	ND	21.3	ND
Trichlorofluoromethane	ND	<2.0	ND	ND	ND	ND
Vinyl acetate	ND	8.9	ND	ND	ND	ND
Vinyl chloride	ND	<0.94	ND	ND	ND	ND
<b>Total VOCs</b>	<b>438,730</b>	<b>331,284</b>	<b>2,364,821</b>	<b>11,403,200</b>	<b>12,510</b>	<b>453,479</b>

Notes:

Bold: parameter detected above the reporting limit.

NA: Not Analyzed.

TABLE 3

AIR EMISSIONS ANALYTICAL RESULTS  
(micrograms per cubic meter)  
MN Bio Business Center  
221 1st Avenue SW  
Rochester, MN

Sample ID	DPE-EFFLUENT 531	DPE-EFFLUENT 253	DPE - EFFLUENT 0680	DPE EXHAUST 842
Wells Operating	All DPE Wells	DPE-1	DPE-1	DPE-1
Sample Collection Method	6-hr Composite	Grab	Grab	Grab
Collected Date	10/16/2009	10/15/2009	9/4/2009	4/9/2009
1,1,1-Trichloroethane	81.7	4.2	127	4,450
1,1,2,2-Tetrachloroethane	<2.2	<2.1	<2.1	<2480
1,1,2-Trichloroethane	<1.7	<1.6	<1.6	<1950
1,1,2-Trichlorotrifluoroethane	172	97,900	153,000	2,940,000
1,1-Dichloroethane	<1.3	<1.2	<1.2	<1450
1,1-Dichloroethene	13.9	<1.2	15.0	<1440
1,2,4-Trichlorobenzene	<1.5	<1.5	<1.5	<1760
1,2,4-Trimethylbenzene	<3.8	<3.7	10.2	<4440
1,2-Dibromoethane (EDB)	<2.5	<2.4	<2.4	<2840
1,2-Dichlorobenzene	<1.8	<1.8	<1.8	<2130
1,2-Dichloroethane	<1.3	<1.2	<1.2	<1450
1,2-Dichloropropane	<1.4	<1.4	<1.4	<1670
1,3,5-Trimethylbenzene	<3.8	<3.7	5.0	<4440
1,3-Butadiene	<0.69	<0.67	<0.67	<798
1,3-Dichlorobenzene	<1.8	<1.8	6.0	<2130
1,4-Dichlorobenzene	<1.8	<1.8	8.6	<2130
2-Butanone (MEK)	12.2	<0.89	15.8	<1060
2-Hexanone	<1.3	<1.2	<1.2	<1470
2-Propanol	4.9	<3.7	<3.7	<4440
4-Ethyltoluene	<3.8	<3.7	6.0	<4440
4-Methyl-2-pentanone (MIBK)	<1.3	<1.2	<1.2	<1470
Acetone	37,000	501	7,510	<852
Benzene	1.1	1.5	2.3	<1150
Benzyl chloride	NA	NA	NA	NA
Bromodichloromethane	<2.2	<2.1	<2.1	<2480
Bromoform	<3.2	<3.1	<3.1	<3730
Bromomethane	<1.2	<1.2	<1.2	<1400
Carbon disulfide	<0.97	<0.93	5.9	<1120
Carbon tetrachloride	<2.0	<1.9	<1.9	<2310
Chlorobenzene	<1.4	<1.4	<1.4	<1670
Chloroethane	<0.83	<0.80	<0.80	<958
Chloroform	25.8	<1.5	21.5	<1760
Chloromethane	<0.65	<0.62	<0.62	<745
cis-1,2-Dichloroethene	257	21.5	2,620	36,300
cis-1,3-Dichloropropene	<1.4	<1.4	<1.4	<1630
Cyclohexane	<1.0	<1.0	3.5	<1210
Dibromochloromethane	<2.6	<2.5	<2.5	<3020
Dichlorodifluoromethane	<1.5	2.8	<1.5	2,230
Dichlorotetrafluoroethane	<2.2	<2.1	<2.1	3,400
Ethanol	8.9	8.4	5.7	<3370
Ethyl acetate	<1.1	<1.1	<1.1	<1300
Ethylbenzene	7.9	<1.3	<1.3	<1560
Hexachloro-1,3-butadiene	<3.4	<3.3	<3.3	<3900
m&p-Xylene	25.0	2.6	14.2	<3120
Methylene Chloride	<1.1	276	<1.1	<1260
Methyl-tert-butyl ether	<1.1	<1.1	<1.1	<1300
Naphthalene	5.6	<4.0	4.2	10,100
n-Heptane	<1.3	<1.2	2.6	<1470
n-Hexane	2.1	35.4	3.4	<1280
o-Xylene	7.5	<1.3	4.8	<1560
Propylene	<0.54	<0.52	<0.52	<621
Styrene	<1.3	<1.3	<1.3	<1540
Tetrachloroethene	571,000	396,000	3,630,000	11,600,000
Tetrahydrofuran	36.2	<0.89	31.1	<1060
Toluene	17.6	10.3	14.4	<1370
trans-1,2-Dichloroethene	<1.2	<1.2	4.2	<1440
trans-1,3-Dichloropropene	<1.4	<1.4	<1.4	<1630
Trichloroethene	153	13.6	1,640	17,400
Trichlorofluoromethane	<1.7	1.7	2.2	<1950
Vinyl acetate	7.4	<1.1	8.7	<1260
Vinyl chloride	<0.80	<0.77	<0.77	<923
<b>Total VOCs</b>	<b>608,840</b>	<b>494,779</b>	<b>3,795,077</b>	<b>14,603,780</b>

Notes:

Bold: parameter detected above the report

NA: Not Analyzed.

TABLE 4

**RASS EMISSIONS RATES SUMMARY**  
**MN Bio Business Center**  
**221 1st Avenue SW**  
**Rochester, Minnesota**

Date	DPE Wells Operating	Parameter	Concentration (ug/m <sup>3</sup> )	Emissions Rates				
				DPE (ug per sec)	AS (ug per sec)	Site Specific (ug per sec)	SER for Chronic Risk (ug per sec)	SER for Acute Risk (ug per sec)
9/4/2009	DPE-1	Tetrachloroethylene	3,630,000	61,710	70	<b>61,780</b>	16,300	5,980,000
10/15/2009	DPE-1	Tetrachloroethylene	396,000	5,940	6	5,946	16,300	5,980,000
10/16/2009	All Wells	Tetrachloroethylene	571,000	8,565	6	8,571	16,300	5,980,000
11/17/2009	All Wells	Tetrachloroethylene	381,000	4,953	0.5	4,953	16,300	5,980,000
12/17/2009	All Wells	Tetrachloroethylene	6,790	197	0.5	197	16,300	5,980,000
1/14/2010	All Wells	Tetrachloroethylene	8,550,000	393,300	4	<b>393,304</b>	16,300	5,980,000
2/22/2010	All Wells	Tetrachloroethylene	1,720,000	82,560	1	<b>82,561</b>	16,300	5,980,000
3/25/2010	All Wells	Tetrachloroethylene	215,000	11,180	2	11,182	16,300	5,980,000
4/16/2010	All Wells	Tetrachloroethylene	282,000	9,588	1	9,589	16,300	5,980,000

Notes:

SERs: MPCA Screening Emissions Rates

**61,780**

Emissions rate is above MPCA SER



Table 5

**Mass Removal from Groundwater Treatment System  
MN Bio Business Center  
221 1st Avenue SW  
Rochester, Minnesota**

Monitoring Period		Days per Period	Hours per Period	Flow Meter Reading (gallons)	Gallons Treated During Period	Average Flow Rate (gpm)	Average Flow Rate (liter/sec)	Total VOCs		% Reduction	Mass Removed per Period (lbs)	Cumulative Mass Removed (lbs)	Addition to Emission Rate (lbs/day)
Start Date <sup>1</sup>	End Date							Influent Conc. (ug/L)	Effluent Conc. (ug/L)				
4/9/2009 <sup>2</sup>	4/9/2009	0	2	119	51	0.4	0.027	176,343	NA	NA	NA	NA	NA
6/4/2009	6/4/2009 <sup>3</sup>	0	2	192	73	0.6	0.038	4,630	8,991	-94	NA	NA	NA
6/4/2009	7/9/2009	11	264	16,115	15,923	1.0	0.063	1,547	479	69	0.14	0.14	0.01
7/9/2009	9/4/2009	57	1368	38,299	22,184	0.3	0.017	191	20	90	0.03	0.17	0.001
9/4/2009	10/15/2009	41	984	62,643	24,344	0.4	0.026	238	0	100	0.05	0.22	0.001
10/15/2009	11/16/2009	32	768	73,800	11,157	0.2	0.015	31	0	100	0.00	0.22	0.000
11/16/2009	12/17/2009 <sup>4</sup>	31	744	89,800	16,000	0.4	0.023	24	12	50	0.00	0.23	0.000
12/17/2009	1/14/2010	28	672	106,024	16,224	0.4	0.025	309	32	90	0.04	0.26	0.001
1/14/2010	2/22/2010	39	936	122,167	16,143	0.3	0.018	73	16	78	0.01	0.27	0.000
2/22/2010	3/25/2010 <sup>5,6</sup>	31	744	148,206	26,039	0.6	0.037	507	764	-51	-0.06	0.27	-0.002
3/25/2010 <sup>5,6</sup>	4/16/2010 <sup>5</sup>	22	528	161,857	13,651	0.4	0.027	61	525	-765	-0.05	0.27	-0.002

## Notes:

1. The initial reading of the transfer pump totalizer was 68 gallons.
2. Initial sampling event to determine if groundwater treatment was necessary.
3. Increase in total VOCs was from PVC glue and cement that was used during the construction of the DPE system and air stripper.
4. Based on the PCE concentrations in the AS-Influent and AS-Effluent samples, it appears as if the samples were mislabeled or mixed up at the lab. Therefore, the influent and effluent total VOC data in this table has been changed to show the highest total VOC concentration data as the influent data and the lowest total VOC concentration as the effluent data.
5. Increase in total VOCs was from PVC glue and cement that was used during installation of the secondary demister moisture separator.
6. Flow totalizer reading switched from the analog flow meter reading to the field totalizer reading for better accuracy.

TABLE 6

GROUNDWATER DISCHARGE ANALYTICAL RESULTS  
(micrograms per liter)  
MN Bio Business Center  
221 1st Avenue SW  
Rochester, MN

Sample ID	AS-Influent	AS-Effluent <sup>3</sup>	AS-Influent	AS-Effluent <sup>3</sup>	AS-Influent	AS-Effluent	AS-Influent	AS-Effluent
Collected Date	4/16/2010 12:00	4/16/2010 12:01	3/25/2010 8:00	3/25/2010 8:00	2/22/2010 14:30	2/22/2010 14:45	1/14/2010 9:30	1/14/2010 9:40
1,1,1,2-Tetrachloroethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1,1-Trichloroethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1,2,2-Tetrachloroethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1,2-Trichloroethane	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
1,1,2-Trichlorotrifluoroethane	1.4	<1.0	1.0	<1.0	2.1	<1.0	1.3	<1.0
1,1-Dichloroethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1-Dichloroethene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1-Dichloropropene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichloropropene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dibromo-3-chloropropane	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
1,2-Dibromoethane (EDB)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichloroethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichloropropane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichloropropane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2,2-Dichloropropane	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<1.0	<1.0
2-Butanone (MEK)	<4.0	4.9	4.9	7.5	<4.0	<4.0	7.0	<4.0
2-Chloroethylvinyl ether	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<25.0	<25.0
2-Chlorotoluene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Hexanone	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
2-Methylnaphthalene	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
4-Chlorotoluene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Methyl-2-pentanone (MIBK)	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Acetone	<10.0	29.3	11.2	29.8	<10.0	<10.0	14.6	<10.0
Acrolein	<40.0	<40.0	<40.0	<40.0	<40.0	<40.0	<40.0	<40.0
Acrylonitrile	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Allyl chloride	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Benzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromobenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromochloromethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromodichloromethane	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Bromoform	<8.0	<8.0	<8.0	<8.0	<8.0	<8.0	<8.0	<8.0
Bromomethane	<4.0	<4.0	37.3	38.0	<4.0	<4.0	<4.0	<4.0
Carbon disulfide	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Carbon tetrachloride	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<1.0	<1.0
Chlorobenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chloroethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chloroform	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chloromethane	10.7	491	380	644	<4.0	<4.0	98.5	31.9
Chloroprene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	<1.0	<1.0	<1.0	<1.0	1.3	<1.0	1.0	<1.0
cis-1,3-Dichloropropene	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Dibromochloromethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Dibromomethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Dichlorodifluoromethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Dichlorofluoromethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Diethyl ether (Ethyl ether)	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Ethylbenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Hexachloro-1,3-butadiene	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Iodomethane	<4.0	<4.0	17.3	18.9	<4.0	<4.0	<4.0	<4.0
Isopropylbenzene (Cumene)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
m&p-Xylene	<2.0	<2.0	<2.0	3.4	<2.0	<2.0	<2.0	<2.0
Methylene Chloride	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Methyl-tert-butyl ether	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Naphthalene	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
n-Butylbenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Propylbenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
o-Xylene	<1.0	<1.0	<1.0	1.6	<1.0	<1.0	<1.0	<1.0
p-Isopropyltoluene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
sec-Butylbenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
tert-Butylbenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethane	48.6	<1.0	55.5	<1.0	69.6	<1.0	157	<1.0
Tetrahydrofuran	<10.0	<10.0	<10.0	20.3	<10.0	15.7	29.4	<10.0
Toluene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
trans-1,2-Dichloroethene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
trans-1,3-Dichloropropene	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Trichloroethene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichlorofluoromethane	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Vinyl acetate	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0
Vinyl chloride	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Xylene (Total)	<3.0	<3.0	<3.0	4.9	<3.0	<3.0	<3.0	<3.0
<b>Total VOC Concentration</b>	<b>60.7</b>	<b>525.2</b>	<b>507.2</b>	<b>763.5</b>	<b>73</b>	<b>15.7</b>	<b>308.8</b>	<b>31.9</b>

**Bold** : Parameter detected above the reporting limit.

**Bold** : Total VOC Concentration is above discharge limit of 2,140 ug/L.

<sup>1</sup>: Initial sampling event to determine if groundwater treatment was necessary.

<sup>2</sup>: Increase in VOCs was from PVC glue and cement from construction of the DPE system and air stripper.

<sup>3</sup>: Increase in VOCs was from PVC glue and cement from installation of the secondary demister moisture separator.

TABLE 6

GROUNDWATER DISCHARGE ANALYTICAL RESULTS  
(micrograms per liter)  
MN Bio Business Center  
221 1st Avenue SW  
Rochester, MN

Sample ID	AS-Influent	AS-IN Vial 2	AS-Effluent	AS-INFLUENT	AS-EFFLUENT	AS-Influent	AS-Effluent
Collected Date	12/17/2009 10:00	12/17/2009 10:00	12/17/2009 10:01	11/16/2009 10:10	11/16/2009 10:20	10/15/2009 14:50	10/15/2009 14:50
1,1,1,2-Tetrachloroethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1,1-Trichloroethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1,2,2-Tetrachloroethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1,2-Trichloroethane	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
1,1,2-Trichlorotrifluoroethane	<1.0	<1.0	<1.0	<1.0	<1.0	1.4	<1.0
1,1-Dichloroethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1-Dichloroethene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1-Dichloropropene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichloropropane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dibromo-3-chloropropane	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
1,2-Dibromoethane (EDB)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichloroethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichloropropane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichloropropane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2,2-Dichloropropane	<1.0	<1.0	<1.0	<4.0	<4.0	<4.0	<4.0
2-Butanone (MEK)	<4.0	<4.0	<4.0	<4.0	<4.0	5.4	<4.0
2-Chloroethylvinyl ether	<25.0	<25.0	<25.0	<10.0	<10.0	<10.0	<10.0
2-Chlorotoluene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Hexanone	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
2-Methylnaphthalene	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
4-Chlorotoluene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Methyl-2-pentanone (MIBK)	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Acetone	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Acrolein	<40.0	<40.0	<40.0	<40.0	<40.0	<40.0	<40.0
Acrylonitrile	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Allyl chloride	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Benzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromobenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromochloromethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromodichloromethane	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Bromoform	<8.0	<8.0	<8.0	<8.0	<8.0	<8.0	<8.0
Bromomethane	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Carbon disulfide	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Carbon tetrachloride	<1.0	<1.0	<1.0	<4.0	<4.0	<4.0	<4.0
Chlorobenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chloroethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chloroform	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chloromethane	<1.0	<1.0	1.3	<4.0	<4.0	<1.0	<1.0
Chloroprene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	<1.0	<1.0	<1.0	<1.0	<1.0	1.5	<1.0
cis-1,3-Dichloropropene	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Dibromochloromethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Dibromomethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Dichlorodifluoromethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Dichlorofluoromethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Diethyl ether (Ethyl ether)	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Ethylbenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Hexachloro-1,3-butadiene	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Iodomethane	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Isopropylbenzene (Cumene)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
m&p-Xylene	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Methylene Chloride	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Methyl-tert-butyl ether	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Naphthalene	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
n-Butylbenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Propylbenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
o-Xylene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
p-Isopropyltoluene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
sec-Butylbenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
tert-Butylbenzene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	<1.0	<1.0	22.7	30.7	<1.0	214	<1.0
Tetrahydrofuran	11.7	11.5	<10.0	<10.0	<10.0	15.7	<10.0
Toluene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
trans-1,2-Dichloroethene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
trans-1,3-Dichloropropene	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Trichloroethene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichlorofluoromethane	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Vinyl acetate	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0
Vinyl chloride	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Xylene (Total)	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
<b>Total VOC Concentration</b>	<b>11.7</b>	<b>11.5</b>	<b>24</b>	<b>30.7</b>	<b>0</b>	<b>238</b>	<b>0</b>

TABLE 6

GROUNDWATER DISCHARGE ANALYTICAL RESULTS  
(micrograms per liter)  
MN Bio Business Center  
221 1st Avenue SW  
Rochester, MN

Sample ID	AS-Influent	AS-Effluent	AS-INFLUENT	AS-EFFLUENT	AS INFLUENT	AS EFFLUENT <sup>2</sup>	DPE Discharge <sup>1</sup>
Collected Date	9/4/2009 10:55	9/4/2009 10:55	7/9/2009 12:20	7/9/2009 12:25	06/04/2009 17:00	06/04/2009 17:25	04/09/2009 16:35
1,1,1,2-Tetrachloroethane	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
1,1,1-Trichloroethane	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	29.4
1,1,2,2-Tetrachloroethane	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
1,1,2-Trichloroethane	<4.0	<4.0	<20.0	<4.0	<200	<4.0	<20.0
1,1,2-Trichlorotrifluoroethane	1.2	<1.0	10.4	<1.0	53.7	<1.0	7860
1,1-Dichloroethane	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
1,1-Dichloroethene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
1,1-Dichloropropene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
1,2,3-Trichlorobenzene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
1,2,3-Trichloropropane	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
1,2,4-Trichlorobenzene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
1,2,4-Trimethylbenzene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	26.0
1,2-Dibromo-3-chloropropane	<4.0	<4.0	<20.0	<4.0	<200	<4.0	<20.0
1,2-Dibromoethane (EDB)	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
1,2-Dichlorobenzene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
1,2-Dichloroethane	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
1,2-Dichloropropane	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
1,3,5-Trimethylbenzene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	7.1
1,3-Dichlorobenzene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
1,3-Dichloropropane	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
1,4-Dichlorobenzene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	7.8
2,2-Dichloropropane	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
2-Butanone (MEK)	13.5	19.8	<20.0	82.1	<200	1670	392
2-Chloroethylvinyl ether	<10.0	<10.0	<50.0	<10.0	<1250	<25.0	<50.0
2-Chlorotoluene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	51.0
2-Hexanone	<4.0	<4.0	<20.0	<4.0	<200	<4.0	<20.0
2-Methylnaphthalene	<5.0	<5.0	<25.0	<5.0	<250	<5.0	<25.0
4-Chlorotoluene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
4-Methyl-2-pentanone (MIBK)	<5.0	<5.0	<25.0	<5.0	<250	<5.0	<25.0
Acetone	<10.0	<10.0	<50.0	68.7	<500	987	<50.0
Acrolein	<40.0	<40.0	<200	<40.0	<2000	<40.0	<200
Acrylonitrile	<10.0	<10.0	<50.0	<10.0	<500	<10.0	<50.0
Allyl chloride	<4.0	<4.0	<20.0	<4.0	<200	<4.0	<20.0
Benzene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
Bromobenzene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
Bromochloromethane	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
Bromodichloromethane	<4.0	<4.0	<20.0	<4.0	<200	<4.0	<20.0
Bromoform	<8.0	<8.0	<40.0	<8.0	<400	<8.0	<40.0
Bromomethane	<4.0	<4.0	<20.0	<4.0	<200	<4.0	<20.0
Carbon disulfide	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
Carbon tetrachloride	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
Chlorobenzene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
Chloroethane	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
Chloroform	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
Chloromethane	<1.0	<1.0	63.3	76.4	<50.0	<1.0	<5.0
Chloroprene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
cis-1,2-Dichloroethene	1.5	<1.0	13.0	<1.0	62.9	<1.0	206
cis-1,3-Dichloropropene	<4.0	<4.0	<20.0	<4.0	<200	<4.0	<20.0
Dibromochloromethane	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
Dibromomethane	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
Dichlorodifluoromethane	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
Dichlorofluoromethane	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
Diethyl ether (Ethyl ether)	<4.0	<4.0	<20.0	<4.0	<200	<4.0	<20.0
Ethylbenzene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
Hexachloro-1,3-butadiene	<4.0	<4.0	<20.0	<4.0	<200	<4.0	<20.0
Iodomethane	<4.0	<4.0	<20.0	<4.0	<200	<4.0	<20.0
Isopropylbenzene (Cumene)	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
m&p-Xylene	<2.0	<2.0	<10.0	<2.0	<100	<2.0	<10.0
Methylene Chloride	<4.0	<4.0	<20.0	<4.0	<200	<4.0	<20.0
Methyl-tert-butyl ether	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
Naphthalene	<4.0	<4.0	<20.0	<4.0	<200	<4.0	<20.0
n-Butylbenzene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	5.0
n-Propylbenzene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
o-Xylene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
p-Isopropyltoluene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
sec-Butylbenzene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
Styrene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
tert-Butylbenzene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
Tetrachloroethene	175	<1.0	1460	<1.0	3970	33.8	167000
Tetrahydrofuran	<10.0	<10.0	<50.0	252	543	6300	600
Toluene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
trans-1,2-Dichloroethene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	<5.0
trans-1,3-Dichloropropene	<4.0	<4.0	<20.0	<4.0	<200	<4.0	<20.0
Trichloroethene	<1.0	<1.0	<5.0	<1.0	<50.0	<1.0	169
Trichlorofluoromethane	<4.0	<4.0	<20.0	<4.0	<200	<4.0	<20.0
Vinyl acetate	<20.0	<20.0	<100	<20.0	<1000	<20.0	<100
Vinyl chloride	<0.40	<0.40	<2.0	<0.40	<20.0	<0.40	<2.0
Xylene (Total)	<3.0	<3.0	<15.0	<3.0	<150	<3.0	<15.0
<b>Total VOC Concentration</b>	<b>191.2</b>	<b>19.8</b>	<b>1,546.7</b>	<b>479.2</b>	<b>4,566.7</b>	<b>8,990.8</b>	<b>176,338.3</b>

TABLE 7

**GROUNDWATER ELEVATIONS**  
**MN Bio Business Center**  
**221 First Avenue SW**  
**Rochester, Minnesota**

Well ID	Date Measured	Top of Casing Elevation <sup>1,2</sup>	Depth to Groundwater (feet)	Groundwater Elevation <sup>3</sup>	System Status
MW-14	12/3/2008	989.50	10.82	978.68	pre-system installation
MW-14	6/8/2009	989.50	12.40	977.10	pre-system startup
MW-14	7/9/2009	989.50	12.90	976.60	DPE system on DPE-1
MW-14	7/9/2009	989.50	12.51	976.99	DPE system temporarily off
MW-14	9/4/2009	989.50	12.63	976.87	DPE system on
MW-14	9/4/2009	989.50	12.57	976.93	DPE system on after replacing inlet screen
MW-14	9/4/2009	989.50	12.65	976.85	DPE system on after replacing inlet filter
MW-14	10/15/2009	989.50	12.47	977.03	DPE system on DPE-1
MW-14	10/23/2009	989.50	11.33	978.17	DPE system off
MW-14	11/16/2009	989.50	11.87	977.63	DPE System on all wells
MW-14	12/17/2009	989.50	11.66	977.84	DPE System on all wells
MW-14	1/14/2010	989.50	12.14	977.36	DPE System on all wells
MW-14	2/22/2010	989.50	12.51	976.99	DPE System on all wells
MW-14	3/25/2010	989.50	11.90	977.60	DPE System on all wells
MW-14	4/16/2010	989.50	12.21	977.29	DPE System on all wells
MW-15	12/3/2008	991.50	13.11	978.39	pre-system installation
MW-15	6/8/2009	991.50	15.58	975.92	pre-system startup
MW-15	7/9/2009	991.50	15.94	975.56	DPE system on DPE-1
MW-15	7/9/2009	991.50	16.51	974.99	DPE system temporarily off
MW-15	9/4/2009	991.50	15.73	975.77	DPE system on
MW-15	9/4/2009	991.50	15.90	975.60	DPE system on after replacing inlet screen
MW-15	9/4/2009	991.50	16.01	975.49	DPE system on after replacing inlet filter
MW-15	10/15/2009	991.50	15.38	976.12	DPE system on DPE-1
MW-15	10/23/2009	991.50	14.14	977.36	DPE system off
MW-15	11/16/2009	991.50	13.78	977.72	DPE System on all wells
MW-15	12/17/2009	991.50	14.25	977.25	DPE System on all wells
MW-15	1/14/2010	991.50	14.33	977.17	DPE System on all wells
MW-15	2/22/2010	991.50	15.72	975.78	DPE System on all wells
MW-15	3/25/2010	991.50	14.57	976.93	DPE System on all wells
MW-15	4/16/2010	991.50	14.72	976.78	DPE System on all wells
MW-16	12/3/2008	989.44	12.32	977.12	pre-system installation
MW-16	6/8/2009	989.44	14.82	974.62	pre-system startup
MW-16	7/9/2009	989.44	14.23	975.21	DPE system on DPE-1
MW-16	7/9/2009	989.44	13.19	976.25	DPE system temporarily off
MW-16	9/4/2009	989.44	13.70	975.74	DPE system on
MW-16	9/4/2009	989.44	14.25	975.19	DPE system on after replacing inlet screen
MW-16	9/4/2009	989.44	14.58	974.86	DPE system on after replacing inlet filter
MW-16	10/15/2009	989.44	13.61	975.83	DPE system on DPE-1
MW-16	10/23/2009	989.44	11.89	977.55	DPE system off
MW-16	11/16/2009	989.44	11.44	978.00	DPE System on all wells
MW-16	12/17/2009	989.44	14.17	975.27	DPE System on all wells
MW-16	1/14/2010	989.44	12.57	976.87	DPE System on all wells
MW-16	2/22/2010	989.44	13.68	975.76	DPE System on all wells
MW-16	3/25/2010	989.44	12.50	976.94	DPE System on all wells
MW-16	4/16/2010	989.44	12.72	976.72	DPE System on all wells



TABLE 7

**GROUNDWATER ELEVATIONS**  
**MN Bio Business Center**  
**221 First Avenue SW**  
**Rochester, Minnesota**

Well ID	Date Measured	Top of Casing Elevation <sup>1,2</sup>	Depth to Groundwater (feet)	Groundwater Elevation <sup>3</sup>	System Status
MW-17	12/3/2008	989.53	12.81	976.72	pre-system installation
MW-17	6/8/2009	989.53	13.69	975.84	pre-system startup
MW-17	7/9/2009	989.53	14.44	975.09	DPE system on DPE-1
MW-17	7/9/2009	989.53	14.35	975.18	DPE system temporarily off
MW-17	9/4/2009	989.53	14.31	975.22	DPE system on
MW-17	9/4/2009	989.53	14.33	975.20	DPE system on after replacing inlet screen
MW-17	9/4/2009	989.53	14.39	975.14	DPE system on after replacing inlet filter
MW-17	10/15/2009	989.53	14.00	975.53	DPE system on DPE-1
MW-17	10/23/2009	989.53	13.13	976.40	DPE system off
MW-17	11/16/2009	989.53	12.76	976.77	DPE System on all wells
MW-17	12/17/2009	989.53	13.04	976.49	DPE System on all wells
MW-17	1/14/2010	989.53	13.22	976.31	DPE System on all wells
MW-17	2/22/2010	989.53	14.37	975.16	DPE System on all wells
MW-17	3/25/2010	989.53	12.78	976.75	DPE System on all wells
MW-17	4/16/2010	989.53	13.19	976.34	DPE System on all wells
MW-18	12/3/2008	989.50	13.82	975.68	pre-system installation
MW-18	6/8/2009	989.50	14.22	975.28	pre-system startup
MW-18	7/9/2009	989.50	16.61	972.89	DPE system on DPE-1
MW-18	7/9/2009	989.50	15.61	973.89	DPE system temporarily off
MW-18	9/4/2009	989.50	15.37	974.13	DPE system on
MW-18	9/4/2009	989.50	15.38	974.12	DPE system on after replacing inlet screen
MW-18	9/4/2009	989.50	15.40	974.10	DPE system on after replacing inlet filter
MW-18	10/15/2009	989.50	15.18	974.32	DPE system on DPE-1
MW-18	10/23/2009	989.50	14.28	975.22	DPE system off
MW-18	11/16/2009	989.50	13.83	975.67	DPE System on all wells
MW-18	12/17/2009	989.50	13.85	975.65	DPE System on all wells
MW-18	1/14/2010	989.50	13.96	975.54	DPE System on all wells
MW-18	2/22/2010	989.50	15.49	974.01	DPE System on all wells
MW-18	3/25/2010	989.50	13.24	976.26	DPE System on all wells
MW-18	4/16/2010	989.50	13.83	975.67	DPE System on all wells
MW-19	12/3/2008	991.13	12.45	978.68	pre-system installation
MW-19	6/8/2009	991.13	13.40	977.73	pre-system startup
MW-19	7/9/2009	991.13	14.75	976.38	DPE system on DPE-1
MW-19	7/9/2009	991.13	14.58	976.55	DPE system temporarily off
MW-19	9/4/2009	991.13	14.68	976.45	DPE system on
MW-19	9/4/2009	991.13	14.61	976.52	DPE system on after replacing inlet screen
MW-19	9/4/2009	991.13	14.66	976.47	DPE system on after replacing inlet filter
MW-19	10/15/2009	991.13	14.47	976.66	DPE system on DPE-1
MW-19	10/23/2009	991.13	13.28	977.85	DPE system off
MW-19	11/16/2009	991.13	12.85	978.28	DPE System on all wells
MW-19	12/17/2009	991.13	13.69	977.44	DPE System on all wells
MW-19	1/14/2010	991.13	13.78	977.35	DPE System on all wells
MW-19	2/22/2010	991.13	14.62	976.51	DPE System on all wells
MW-19	3/25/2010	991.13	13.81	977.32	DPE System on all wells
MW-19	4/16/2010	991.13	14.21	976.92	DPE System on all wells

TABLE 7

**GROUNDWATER ELEVATIONS**  
**MN Bio Business Center**  
**221 First Avenue SW**  
**Rochester, Minnesota**

Well ID	Date Measured	Top of Casing Elevation <sup>1,2</sup>	Depth to Groundwater (feet)	Groundwater Elevation <sup>3</sup>	System Status
MW-20	12/3/2008	991.50	12.40	979.10	pre-system installation
MW-20	6/8/2009	991.50	11.93	979.57	pre-system startup
MW-20	7/9/2009	991.50	12.19	979.31	DPE system on DPE-1
MW-20	7/9/2009	991.50	12.24	979.26	DPE system temporarily off
MW-20	9/4/2009	991.50	12.53	978.97	DPE system on
MW-20	9/4/2009	991.50	12.47	979.03	DPE system on after replacing inlet screen
MW-20	9/4/2009	991.50	12.49	979.01	DPE system on after replacing inlet filter
MW-20	10/15/2009	991.50	12.16	979.34	DPE system on DPE-1
MW-20	10/23/2009	991.50	11.33	980.17	DPE system off
MW-20	11/16/2009	991.50	11.02	980.48	DPE System on all wells
MW-20	12/17/2009	991.50	12.31	979.19	DPE System on all wells
MW-20	1/14/2010	991.50	12.34	979.16	DPE System on all wells
MW-20	2/22/2010	991.50	12.78	978.72	DPE System on all wells
MW-20	3/25/2010	991.50	12.54	978.96	DPE System on all wells
MW-20	4/16/2010	991.50	12.76	978.74	DPE System on all wells
DPE-1	12/3/2008	991.46	13.66	977.80	pre-system installation
DPE-1	6/8/2009	992.40	18.78	973.62	pre-system startup
DPE-1	7/9/2009	992.40	20.51	971.89	DPE system on DPE-1
DPE-1	7/9/2009	992.40	16.38	976.02	DPE system temporarily off
DPE-1	9/4/2009	992.40	NR	NR	DPE system on DPE-1
DPE-1	9/4/2009	992.40	NR	NR	DPE-1 on after replacing inlet screen
DPE-1	9/4/2009	992.40	17.86	974.54	DPE-1 on after replacing inlet filter
DPE-1	10/15/2009	992.40	NR	NR	DPE system on DPE-1
DPE-1	10/23/2009	992.40	14.88	977.52	DPE system off
DPE-1	11/16/2009	992.40	14.45	977.95	DPE System on all wells
DPE-1	12/17/2009	992.40	15.13	977.27	DPE System on all wells
DPE-1	1/14/2010	992.40	15.53	976.87	DPE System on all wells
DPE-1	2/22/2010	992.40	12.22	980.18	DPE System on all wells
DPE-1	3/25/2010	992.40	15.72	976.68	DPE System on all wells
DPE-1	4/16/2010	992.40	15.88	976.52	DPE System on all wells
DPE-2	12/3/2008	991.46	13.60	977.86	pre-system installation
DPE-2	6/8/2009	992.80	17.45	975.35	pre-system startup
DPE-2	7/9/2009	992.80	17.61	975.19	DPE system on DPE-1
DPE-2	7/9/2009	992.80	16.83	975.97	DPE system temporarily off
DPE-2	9/4/2009	992.80	17.18	975.62	DPE system on DPE-1
DPE-2	9/4/2009	992.80	17.26	975.54	DPE-1 on after replacing inlet screen
DPE-2	9/4/2009	992.80	17.54	975.26	DPE-1 on after replacing inlet filter
DPE-2	10/15/2009	992.80	16.96	975.84	DPE system on DPE-1
DPE-2	10/23/2009	992.80	15.53	977.27	DPE system off
DPE-2	11/16/2009	992.80	15.19	977.61	DPE System on all wells
DPE-2	12/17/2009	992.80	15.69	977.11	DPE System on all wells
DPE-2	1/14/2010	992.80	16.04	976.76	DPE System on all wells
DPE-2	2/22/2010	992.80	14.19	978.61	DPE System on all wells
DPE-2	3/25/2010	992.80	15.50	977.30	DPE System on all wells
DPE-2	4/16/2010	992.80	16.31	976.49	DPE System on all wells

TABLE 7

**GROUNDWATER ELEVATIONS**  
**MN Bio Business Center**  
**221 First Avenue SW**  
**Rochester, Minnesota**

Well ID	Date Measured	Top of Casing Elevation <sup>1,2</sup>	Depth to Groundwater (feet)	Groundwater Elevation <sup>3</sup>	System Status
DPE-3	12/3/2008	991.50	10.30	981.20	pre-system installation
DPE-3	6/8/2009	992.48	13.64	978.84	pre-system startup
DPE-3	7/9/2009	992.48	13.98	978.50	DPE system on DPE-1
DPE-3	7/9/2009	992.48	14.06	978.42	DPE system temporarily off
DPE-3	9/4/2009	992.48	14.48	978.00	DPE system on DPE-1
DPE-3	9/4/2009	992.48	14.49	977.99	DPE-1 on after replacing inlet screen
DPE-3	9/4/2009	992.48	14.50	977.98	DPE-1 on after replacing inlet filter
DPE-3	10/15/2009	992.48	14.87	977.61	DPE system on DPE-1
DPE-3	10/23/2009	992.48	14.76	977.72	DPE system off
DPE-3	11/16/2009	992.48	14.59	977.89	DPE System on all wells
DPE-3	12/17/2009	992.48	15.28	977.20	DPE System on all wells
DPE-3	1/14/2010	992.48	16.52	975.96	DPE System on all wells
DPE-3	2/22/2010	992.48	15.29	977.19	DPE System on all wells
DPE-3	3/25/2010	992.48	15.68	976.80	DPE System on all wells
DPE-3	4/16/2010	992.48	15.80	976.68	DPE System on all wells
DPE-4	12/3/2008	991.39	14.20	977.19	pre-system installation
DPE-4	6/8/2009	992.40	15.30	977.10	pre-system startup
DPE-4	7/9/2009	992.40	16.95	975.45	DPE system on DPE-1
DPE-4	7/9/2009	992.40	16.08	976.32	DPE system temporarily off
DPE-4	9/4/2009	992.40	15.94	976.46	DPE system on DPE-1
DPE-4	9/4/2009	992.40	15.91	976.49	DPE-1 on after replacing inlet screen
DPE-4	9/4/2009	992.40	15.99	976.41	DPE-1 on after replacing inlet filter
DPE-4	10/15/2009	992.40	15.83	976.57	DPE system on DPE-1
DPE-4	10/23/2009	992.40	14.81	977.59	DPE system off
DPE-4	11/16/2009	992.40	14.48	977.92	DPE System on all wells
DPE-4	12/17/2009	992.40	15.44	976.96	DPE System on all wells
DPE-4	1/14/2010	992.40	16.08	976.32	DPE System on all wells
DPE-4	2/22/2010	992.40	16.08	976.32	DPE System on all wells
DPE-4	3/25/2010	992.40	16.22	976.18	DPE System on all wells
DPE-4	4/16/2010	992.40	16.21	976.19	DPE System on all wells
DPE-5	12/3/2008	991.47	12.44	979.03	pre-system installation
DPE-5	6/8/2009	992.46	14.48	977.98	pre-system startup
DPE-5	7/9/2009	992.46	16.28	976.18	DPE system on DPE-1
DPE-5	7/9/2009	992.46	15.31	977.15	DPE system temporarily off
DPE-5	9/4/2009	992.46	15.08	977.38	DPE system on DPE-1
DPE-5	9/4/2009	992.46	15.04	977.42	DPE-1 on after replacing inlet screen
DPE-5	9/4/2009	992.46	15.03	977.43	DPE-1 on after replacing inlet filter
DPE-5	10/15/2009	992.46	14.99	977.47	DPE system on DPE-1
DPE-5	10/23/2009	992.46	13.78	978.68	DPE system off
DPE-5	11/16/2009	992.46	13.43	979.03	DPE System on all wells
DPE-5	12/17/2009	992.46	NR	NR	DPE System on all wells
DPE-5	1/14/2010	992.46	15.00	977.46	DPE System on all wells
DPE-5	2/22/2010	992.46	15.01	977.45	DPE System on all wells
DPE-5	3/25/2010	992.46	16.42	976.04	DPE System on all wells
DPE-5	4/16/2010	992.46	15.54	976.92	DPE System on all wells

TABLE 7

**GROUNDWATER ELEVATIONS**  
**MN Bio Business Center**  
**221 First Avenue SW**  
**Rochester, Minnesota**

Well ID	Date Measured	Top of Casing Elevation <sup>1,2</sup>	Depth to Groundwater (feet)	Groundwater Elevation <sup>3</sup>	System Status
DPE-6	12/3/2008	991.44	12.93	978.51	pre-system installation
DPE-6	6/8/2009	992.40	16.19	976.21	pre-system startup
DPE-6	7/9/2009	992.40	16.54	975.86	DPE system on DPE-1
DPE-6	7/9/2009	992.40	15.92	976.48	DPE system temporarily off
DPE-6	9/4/2009	992.40	15.68	976.72	DPE system on DPE-1
DPE-6	9/4/2009	992.40	15.65	976.75	DPE-1 on after replacing inlet screen
DPE-6	9/4/2009	992.40	15.81	976.59	DPE-1 on after replacing inlet filter
DPE-6	10/15/2009	992.40	15.94	976.46	DPE system on DPE-1
DPE-6	10/23/2009	992.40	14.56	977.84	DPE system off
DPE-6	11/16/2009	992.40	14.24	978.16	DPE System on all wells
DPE-6	12/17/2009	992.40	14.89	977.51	DPE System on all wells
DPE-6	1/14/2010	992.40	15.14	977.26	DPE System on all wells
DPE-6	2/22/2010	992.40	15.61	976.79	DPE System on all wells
DPE-6	3/25/2010	992.40	15.24	977.16	DPE System on all wells
DPE-6	4/16/2010	992.40	15.48	976.92	DPE System on all wells
DPE-7	12/3/2008	991.47	12.96	978.51	pre-system installation
DPE-7	6/8/2009	993.48	16.78	976.70	pre-system startup
DPE-7	7/9/2009	993.48	17.76	975.72	DPE system on DPE-1
DPE-7	7/9/2009	993.48	17.16	976.32	DPE system temporarily off
DPE-7	9/4/2009	993.48	17.03	976.45	DPE system on DPE-1
DPE-7	9/4/2009	993.48	17.00	976.48	DPE-1 on after replacing inlet screen
DPE-7	9/4/2009	993.48	17.18	976.30	DPE-1 on after replacing inlet filter
DPE-7	10/15/2009	993.48	16.80	976.68	DPE system on DPE-1
DPE-7	10/23/2009	993.48	15.68	977.80	DPE system off
DPE-7	11/16/2009	993.48	15.44	978.04	DPE System on all wells
DPE-7	12/17/2009	993.48	16.03	977.45	DPE System on all wells
DPE-7	1/14/2010	993.48	16.26	977.22	DPE System on all wells
DPE-7	2/22/2010	993.48	16.98	976.50	DPE System on all wells
DPE-7	3/25/2010	993.48	16.65	976.83	DPE System on all wells
DPE-7	4/16/2010	993.48	16.71	976.77	DPE System on all wells
DPE-8	12/3/2008	991.48	12.56	978.92	pre-system installation
DPE-8	6/8/2009	992.84	14.50	978.34	pre-system startup
DPE-8	7/9/2009	992.84	14.57	978.27	DPE system on DPE-1
DPE-8	7/9/2009	992.84	14.49	978.35	DPE system temporarily off
DPE-8	9/4/2009	992.84	14.29	978.55	DPE system on DPE-1
DPE-8	9/4/2009	992.84	14.31	978.53	DPE-1 on after replacing inlet screen
DPE-8	9/4/2009	992.84	14.28	978.56	DPE-1 on after replacing inlet filter
DPE-8	10/15/2009	992.84	14.01	978.83	DPE system on DPE-1
DPE-8	10/23/2009	992.84	13.18	979.66	DPE system off
DPE-8	11/16/2009	992.84	13.30	979.54	DPE System on all wells
DPE-8	12/17/2009	992.84	15.31	977.53	DPE System on all wells
DPE-8	1/14/2010	992.84	16.58	976.26	DPE System on all wells
DPE-8	2/22/2010	992.84	14.19	978.65	DPE System on all wells
DPE-8	3/25/2010	992.84	15.72	977.12	DPE System on all wells
DPE-8	4/16/2010	992.84	16.20	976.64	DPE System on all wells

TABLE 7

**GROUNDWATER ELEVATIONS**  
**MN Bio Business Center**  
**221 First Avenue SW**  
**Rochester, Minnesota**

Well ID	Date Measured	Top of Casing Elevation <sup>1,2</sup>	Depth to Groundwater (feet)	Groundwater Elevation <sup>3</sup>	System Status
Elevator Draintile Sump	6/8/2009	989.58	7.00	982.58	pre-system startup
Elevator Draintile Sump	6/25/2009	990.20	6.34	983.86	pre-system startup
Elevator Draintile Sump	7/9/2009	990.20	6.38	983.82	DPE system on DPE-1
Elevator Draintile Sump	9/4/2009	990.20	6.29	983.91	DPE system on DPE-1
Elevator Draintile Sump	10/15/2009	990.20	6.18	984.02	DPE system on DPE-1
Elevator Draintile Sump	10/23/2009	990.20	6.08	984.12	DPE system off
Elevator Draintile Sump	11/16/2009	990.20	5.72	984.48	DPE System on all wells
Elevator Draintile Sump	12/17/2009	990.20	6.48	983.72	DPE System on all wells
Elevator Draintile Sump	1/14/2010	990.20	6.46	983.74	DPE System on all wells
Elevator Draintile Sump	2/22/2010	990.20	6.81	983.39	DPE System on all wells
Elevator Draintile Sump	3/25/2010	990.20	6.88	983.32	DPE System on all wells
Elevator Draintile Sump	4/16/2010	990.20	6.91	983.29	DPE System on all wells

## Notes:

NR: Not Recorded

1. Monitoring well top of casing elevations were surveyed by Adolfsen and Peterson on 4/22/08.
2. DPE well top of casing elevations changed during DPE well head installation and were estimated from a basement floor elevation of 989.5 ft and include the distance from the floor to the top of the well seal cover and the distance from the well seal cover to the top of the PVC stickup for collecting water level readings.
3. Elevations are in feet above mean sea level.

**TABLE 8**

**WELL CONSTRUCTION SUMMARY**  
(elevations are in feet above mean sea level)

**MN Bio Business Center**  
**221 First Avenue SW**  
**Rochester, Minnesota**

Monitoring Well	Top of Casing Elevation <sup>1,2</sup>	Basement Floor Elevation	Top of Seal Elevation	Top of Filter Pack Elevation	Top of Well Screen Elevation	Bottom of Well Screen Elevation	Screen Interval (feet)	Depth to Bottom of Well (feet)	Bottom of Well Elevation	Well Completion
MW-14	989.50	989.50	989.50	986.00	984.00	974.00	10	17.5	972.00	flush-mounted
MW-15	991.50	989.50	990.50	987.50	985.50	975.50	10	18.0	973.50	stickup
MW-16	989.44	989.50	989.94	985.44	983.44	973.44	10	18.0	971.44	flush-mounted
MW-17	989.53	989.50	989.03	973.53	971.53	966.53	5	25.0	964.53	flush-mounted
MW-18	989.50	989.50	989.25	938.50	936.50	931.50	5	60.0	929.50	flush-mounted
MW-19	991.13	989.50	990.63	984.13	983.13	973.13	10	20.0	971.13	stickup
MW-20	991.50	989.50	992.80	988.80	986.80	976.80	10	16.7	974.80	stickup
DPE-1	992.40	989.50	989.53	984.53	982.53	970.53	12	21.9	970.53	stickup
DPE-2	992.80	989.50	990.28	986.28	984.28	972.28	12	20.5	972.28	stickup
DPE-3	992.48	989.50	990.42	989.42	987.42	975.42	12	17.1	975.42	stickup
DPE-4	992.40	989.50	990.07	987.07	985.07	973.07	12	19.3	973.07	stickup
DPE-5	992.46	989.50	990.32	987.32	986.32	974.32	12	18.1	974.32	stickup
DPE-6	992.40	989.50	989.87	986.87	984.87	972.87	12	19.5	972.87	stickup
DPE-7	993.48	989.50	990.32	984.32	983.32	971.32	12	22.2	971.32	stickup
DPE-8	992.84	989.50	990.84	989.34	987.34	975.34	12	17.5	975.34	stickup

Notes:

1. Monitoring well top of casing elevations were surveyed by Adolfson and Peterson on 4/22/08.
2. DPE well top of casing elevations changed during DPE well head installation and were estimated from a basement floor elevation of 989.5 ft and include the distance from the floor to the top of the well seal cover and the distance from the well seal cover to the top of the PVC stickup for collecting water level readings.



## Attachments



# Attachment A

Attachment A - Table 1

DPE System Operational Data  
 MN Bio Business Center  
 221 1st Avenue SW  
 Rochester, Minnesota

Date	Time	Extraction Well	DPE Pump Hours	Hours per Period	Days per Period	Flow Rate				DPE Air Flow (scf)	Pump Inlet Vacuum (in. Hg)	Post-MS-2 Vacuum (in. Hg)	Post-MS-1 Vacuum (in. Hg)	DPE Well/Pre-MS-1 Vacuum (in. Hg)		Pre-Manifold Vacuum (in. Hg)	DPE Well Head/Drop Tube Vacuum (in. Hg)	DPE Well Casing Vacuum (in. H <sub>2</sub> O)	DPE Pump Outlet Pressure		DPE Pump Outlet Temp. (Deg. F)		DPE Exhaust PID (ppm)	Extraction Well Bleed Valve % Open	DPE Pump Bleed Valve % Open	Comments	
						Field (scfm)	Analog (scfm)	Analog (m <sup>3</sup> /s)	Analog (acfm)					Analog	Field				Analog (psi)	Field (in H <sub>2</sub> O)	Analog	Field					
6/29/2009	1640	DPE-1	88.0	88.0		25	20.9	0.010	134.3	6,000	25.3		NR	25.0	24.5	24	NR	NR	0	0	229	200	NR	0	0		
9/4/2009	805	DPE-1	957.0	869.0		25	24.3	0.011	109.5	1,208,000	23.3		9.4	9.7	9.8	9.1	NR	86	0.02	0	307	310	34	100	0	DPE Pump Screen plugged	
9/4/2009	946	DPE-1	957.0	0.0		40	36.1	0.017	120.5	1,209,000	21.0		21.0	20.4	21.0	20.0	NR	149	0	0	210	248	>4000	100	0	DPE & AS exhaust sampled	
9/4/2009	1135	DPE-1	959.0	2.0		25	27.3	0.013	117.2	1,212,000	23.0		22.5	22.7	22.5	22.5	NR	>150	0	0	275	270	>4000	30	0	1 micron MS filter installed	
10/15/2009	1120	DPE-1	1899.0	940.0	39.2	35	31.6	0.015	135.9	2,658,000	23.0		22.5	22.2	22.5	22.5	NR	>150	0	0	283	270	ND	20	0	Exhaust sampled	
10/16/2009	621	DPE-1	1911.0	12.0	0.5	35	32.4	0.015	142.2	2,684,000	23.1		22.5	22.4	22.5	22.0	NR	>150	NR	0	291	299	ND	100	0	6-hr composite air sample collected	
10/23/2009	922	DPE-3	1924.0	13.0	0.5	70	70.6	0.033	143.0	2,715,000	15.2		14.1	14.6	14.0	13.8	NR	90	0	NR	199	190	ND	100	0		
11/17/2009	1800	DPE-1	2361.0	437.0	18.2	30	28.6	0.013	144.2	3,992,000	24.0		NA	23.5	23.0	23.5	23.0	NR	>150	0.00	0	301	300	>4000	100	0	6-hr composite air sample collected
12/17/2009	907	DPE-5	2960.0	599.0	25.0	NR	62.1	0.029	177.8	6,218,000	19.5		NA	19.0	18.7	18.9	18.9	NR	155	0.00	0	247	248	850	NR	0	6-hr composite air sample collected
12/28/2009	1300	DPE-2	3228.0	268.0	11.2	60	60.7	0.029	187.9	7,333,000	20.3		NA	17.2	17.21	17.20	17.2	NR	122	0.00	0	266	268	720	NR	0	
1/14/2010	923	DPE-5	3568.0	340.0	14.2	100	97.8	0.046	201.1	8,769,000	15.5		NA	14.9	14.46	NR	14.9	NR	98	0.00	0	182	156	NR	NR	0	6-hr composite air sample collected
1/27/2010	NR	DPE-7	3789.0	221.0	9.2	75	88.6	0.042	215.3	9,633,000	17.7		NA	18.0	16.87	16.00	16.0	NR	68	0.00	0	156	165	NR	NR	0	
2/22/2010	800	DPE-8	4161.0	372.0	15.5	105	101.5	0.048	224.8	11,221,000	16.5		NA	15.5	15.3	14.50	14.5	NR	91	0.00	0	215	219	ND	NR	0	6-hr composite air sample collected
3/9/2010	NR	DPE-8	4472.0	311.0	13.0	105	103.6	0.049	226.1	12,597,000	16.3		NA	15.8	15.6	15.10	14.8	NR	NR	0.00	NR	160	161	NR	NR	0	Pump inlet screen removed; DPE oil changed
3/25/2010 <sup>1</sup>	742	DPE-2	4868.0	396.0	16.5	110	110.1	0.052	243.2	14,285,000	16.5		NA	16.1	15.7	15.10	14.9	NR	165	0.02	0	251	248	105	100	0	6-hr composite air sample collected
4/16/2010	731	DPE-3	5308.0	440.0	18.3	72	72.7	0.034	218.0	16,587,000	20.0		18.5	18.5	19.2	18.00	18.0	NR	130	0.03	0	255	251	17.5	100	0	6-hr composite air sample collected

Notes:

1: There was a typo when entering the DPE pump hours; therefore, this value was revised while entering the data from 4/16/10.

NR: Not recorded.

NA: Not applicable.

**Attachment A - Table 2**

**Moisture Separator and Sump Operational Data  
MN Bio Business Center  
221 1st Avenue SW  
Rochester, Minnesota**

Date	Time	MS Vacuum Valve hours	MS pump Hours	MS Pump Flow Totalizer (gal)		MS Pump Flow Rate (gpm)		MS Pump Pressure (psi)	Elevator Sump Water Flow (gal)		Comments
				Analog	Field	Analog	Field		Analog	Field	
6/29/2009	1640	49	48	8,464	8,473	NR	10.2	NR	300	NR	
9/4/2009	805	49	96	38,299	38,213	NP	12.0	21.0	300	500	
10/15/2009	1120	49	131	62,643	64,283	NP	11.8	44.0	300	500	
10/16/2009	621	49	131	62,886	NR	NP	NR	NR	300	500	
10/23/2009	922	49	132	63,113	NR	NR	NR	NR	300	500	
11/17/2009	1800	49	148	73,800	75,787	11.1	11.2	28.0	300	NR	
12/17/2009	907	49	175	89,800	92,293	NR	10.3	30.8	330	NR	
12/28/2009	1300	49	187	97,028	99,694	NR	11.0	NR	330	NR	
1/14/2010	923	49	202	106,024	108,984	NR	10.7	36.0	330	NR	
1/27/2010	NR	49	210	111,633	114,661	12.9	12.2	16.0	330	NR	
2/22/2010	8:00	49	232	122,167	128,552	12.9	12.9	14.0	330	500	
3/9/2010	NR	50	255	131,361	137,839	12.9	12.9	14.0	330	NR	
3/25/2010	742	50	270	141,405	148,206	NR	12.9	15.0	330	500	
4/16/2010	731	50	287	154,622	161,857	12.9	12.9	14.0	330	500	

Notes:  
NR: Not recorded.  
NP: Not pumping

Attachment A - Table 3

Air Stripper Operational Data  
 MN Bio Business Center  
 221 1st Avenue SW  
 Rochester, Minnesota

Date	Time	AS Blower Hours	AS Discharge Pump Hours	AS Blower Pressure (in. H <sub>2</sub> O)	AS Exhaust Pressure (in. H <sub>2</sub> O)	AS Discharge Pump Pressure (psi)	AS Exhaust PID (ppm)	Comments
6/29/2009	1640	54	4	18	12	29	NR	
9/4/2009	805	382	34	18	11	0	2140	PID was 180 ppm late in 20 min blower cycle
9/4/2009	946	383	34	18	11	31	509	
10/15/2009	1120	649	55	18	11	NR	ND	
10/16/2009	621	651	56	18	11	NR	ND	
10/23/2009	922	654	56	NR	NR	NR	NR	
11/17/2009	1800	772	65	18	12	NR	NR	
12/17/2009	902	951	78	18	11	30	71	
12/28/2009	1300	1032	84	17	11	NR	268	
1/14/2010	1800	1133	92	17	10	24	ND	
1/27/2010	NR	1188	96	18	11	24	NR	
2/22/2010	8:00	1349	103	18	11	22	ND	
3/9/2010	NR	1436	109	18	11	26	NR	
3/25/2010	742	1544	117	18	11	28	ND	
4/16/2010	731	1688	128	18	11	26	251	

Notes:

NR: Not recorded.

NP: Not pumping.

ND: Not detected.

Attachment A - Table 4

DPE Well Casing Vacuum Data (in. H<sub>2</sub>O)  
 MN Bio Business Center  
 221 1st Avenue SW  
 Rochester, Minnesota

Date	DPE-1	DPE-2	DPE-3	DPE-4	DPE-5	DPE-6	DPE-7	DPE-8
7/9/2009	<b>129.0</b>	2.6	0.1	0.1	0.4	1.9	2.4	0.0
8/11/2009	<b>117.0</b>	0.0	0.0	0.8	0.0	2.2	2.9	0.0
9/4/2009	<b>86.0</b>	NR	NR	NR	NR	NR	NR	NR
9/4/2009	<b>149.0</b>	NR	NR	NR	NR	NR	NR	NR
9/4/2009	<b>&gt;150</b>	NR	NR	NR	NR	NR	NR	NR
10/15/2009	<b>&gt;150</b>	3.4	0.3	0.9	1.3	1.9	0.5	0.04
10/23/2009	0.001	0.002	<b>90.0</b>	0.001	0.002	0.002	0.003	0.001
11/17/2009	0.000	0.000	0.000	0.000	<b>&gt;150</b>	0.000	0.000	0.000
2/22/2010	<b>48</b>	<b>200</b>	<b>128</b>	<b>99</b>	<b>90</b>	<b>108</b>	<b>70</b>	<b>91</b>
3/25/2010	<b>51</b>	<b>168</b>	<b>125</b>	<b>140</b>	<b>86</b>	<b>120</b>	<b>64</b>	<b>94</b>
4/16/2010	<b>48</b>	<b>210</b>	<b>130</b>	<b>130</b>	<b>98</b>	<b>88</b>	<b>55</b>	NA

Notes:

**Bold** indicates the current operating extraction well.



**Attachment A - Table 5**

**DPE Well PID Readings  
221 1st Avenue SW  
Rochester, Minnesota**

Well ID	Date	PID (ppm)	DPE Exhaust Flow Rate (scfm)	DPE Pump Inlet Vacuum (in. Hg)
DPE-1	27-Oct-09	37.0	45.0	18.00
DPE-2	27-Oct-09	50.6	40.0	19.00
DPE-3	27-Oct-09	15.7	73.0	15.00
DPE-4	27-Oct-09	23.9	35.0	22.00
DPE-5	27-Oct-09	3.8	40.0	22.00
DPE-6	27-Oct-09	ND	55.0	17.00
DPE-7	27-Oct-09	ND	60.0	16.00
DPE-8	27-Oct-09	ND	45.0	22.00
DPE-1	16-Nov-09	4,000.0	56.3	20.28
DPE-2	16-Nov-09	0.0	39.0	22.13
DPE-3	16-Nov-09	1,600.0	65.0	18.94
DPE-4	16-Nov-09	3.7	28.6	23.94
DPE-5	16-Nov-09	4,000.0	30.4	23.88
DPE-6	16-Nov-09	4,000.0	66.9	18.78
DPE-7	16-Nov-09	4,000.0	75.5	17.70
DPE-8	16-Nov-09	4,000.0	29.3	23.87
DPE-1	17-Dec-09	4,000.0	62.1	19.53
DPE-2	17-Dec-09	11.8	NR	NR
DPE-3	17-Dec-09	57.5	NR	NR
DPE-4	17-Dec-09	4,000.0	NR	NR
DPE-5	17-Dec-09	850.0	NR	NR
DPE-6	17-Dec-09	1,680.0	NR	NR
DPE-7	17-Dec-09	490.0	NR	NR
DPE-8	17-Dec-09	559.0	NR	NR
DPE-1	28-Dec-09	1,120.0	NR	NR
DPE-2	28-Dec-09	720.0	NR	NR
DPE-3	28-Dec-09	22.8	NR	NR
DPE-4	28-Dec-09	3.4	NR	NR
DPE-5	28-Dec-09	4,000.0	NR	NR
DPE-6	28-Dec-09	901.0	NR	NR
DPE-7	28-Dec-09	905.0	NR	NR
DPE-8	28-Dec-09	595.0	NR	NR
DPE-1	14-Jan-10	NR	NR	NR
DPE-2	14-Jan-10	NR	NR	NR
DPE-3	14-Jan-10	NR	NR	NR
DPE-4	14-Jan-10	NR	NR	NR
DPE-5	14-Jan-10	NR	NR	NR
DPE-6	14-Jan-10	NR	NR	NR
DPE-7	14-Jan-10	NR	NR	NR
DPE-8	14-Jan-10	NR	NR	NR

**Attachment A - Table 5**

**DPE Well PID Readings  
221 1st Avenue SW  
Rochester, Minnesota**

<b>Well ID</b>	<b>Date</b>	<b>PID (ppm)</b>	<b>DPE Exhaust Flow Rate (scfm)</b>	<b>DPE Pump Inlet Vacuum (in. Hg)</b>
DPE-1	22-Feb-10	914.0	35.0	22.5
DPE-2	22-Feb-10	27.1	45.0	21.5
DPE-3	22-Feb-10	43.4	70.0	19.5
DPE-4	22-Feb-10	13.5	60.0	20.5
DPE-5	22-Feb-10	ND	100.0	16
DPE-6	22-Feb-10	7.1	65.0	19
DPE-7	22-Feb-10	ND	80.0	17.5
DPE-8	22-Feb-10	ND	100.0	16
DPE-1	25-Mar-10	868.0	40.0	23
DPE-2	25-Mar-10	10.5	50.0	22
DPE-3	25-Mar-10	31.4	70.0	19
DPE-4	25-Mar-10	55.3	55.0	22
DPE-5	25-Mar-10	5.7	75.0	18
DPE-6	25-Mar-10	0.0	70.0	20
DPE-7	25-Mar-10	0.0	90.0	17
DPE-8	25-Mar-10	4,000.0	105.0	16
DPE-1	16-Apr-10	287.0	40.0	22
DPE-2	16-Apr-10	6.0	50.0	21
DPE-3	16-Apr-10	17.5	75.0	18
DPE-4	16-Apr-10	4,000.0	70.0	18
DPE-5	16-Apr-10	4,000.0	120.0	14.5
DPE-6	16-Apr-10	4,000.0	75.0	18.1
DPE-7	16-Apr-10	4,000.0	115.0	11
DPE-8	16-Apr-10	4,000.0	NA	NA

**Attachment A - Table 6**

**DPE Well Water Level Readings  
221 1st Avenue SW  
Rochester, Minnesota**

Location	Date	Total Well Depth (ft below TOC)	Static Water Level (ft below TOC)	Static Water Column Thickness (ft)	Static Water Volume (gallons)	Operating Depth (ft below TOC)	Operating Water Column Thickness (ft)
DPE-1	23-Oct-09	21.9	14.88	7.02	4.6	21.8	0.1
DPE-1	27-Oct-09	21.9	14.54	7.36	4.8	21.9	0.0
DPE-1	16-Nov-09	21.9	14.45	7.45	4.9	21.9	0.0
DPE-1	17-Dec-09	21.9	15.13	6.77	4.4	21.8	0.1
DPE-1	14-Jan-10	21.9	15.53	6.37	4.2	21.0	0.9
DPE-1	22-Feb-10	21.9	12.22	9.68	6.3	21.9	0
DPE-1	25-Mar-10	21.9	15.72	6.18	4.0	20.9	1
DPE-1	16-Apr-10	21.9	15.88	6.02	3.9	20.34	1.56
DPE-2	23-Oct-09	20.5	15.53	4.97	3.2	19.95	0.55
DPE-2	27-Oct-09	20.5	16.35	4.15	2.7	20.51	-0.01
DPE-2	16-Nov-09	20.5	15.19	5.31	3.5	20.8	-0.3
DPE-2	17-Dec-09	20.5	15.69	4.81	3.1	20.4	0.1
DPE-2	14-Jan-10	20.5	16.04	4.46	2.9	20.15	0.35
DPE-2	22-Feb-10	20.5	14.19	6.31	4.1	20.5	0
DPE-2	25-Mar-10	20.5	15.5	5	3.3	20	0.5
DPE-2	16-Apr-10	20.5	16.31	4.19	2.7	20.2	0.3
DPE-3	23-Oct-09	17.1	14.76	2.34	1.5	17.5	-0.4
DPE-3	27-Oct-09	17.1	14.51	2.59	1.7	17.8	-0.7
DPE-3	16-Nov-09	17.1	14.59	2.51	1.6	17.5	-0.4
DPE-3	17-Dec-09	17.1	15.28	1.82	1.2	17.2	-0.1
DPE-3	14-Jan-10	17.1	16.52	0.58	0.4	17.1	0.0
DPE-3	22-Feb-10	17.1	15.29	1.81	1.2	17.3	-0.2
DPE-3	25-Mar-10	17.1	15.68	1.42	0.9	18.3	-1.2
DPE-3	16-Apr-10	17.1	15.8	1.3	0.8	19.41	-2.31
DPE-4	23-Oct-09	19.3	14.81	4.49	2.9	19.71	-0.41
DPE-4	27-Oct-09	19.3	14.58	4.72	3.1	19.8	-0.5
DPE-4	16-Nov-09	19.3	14.48	4.82	3.1	19.63	-0.33
DPE-4	17-Dec-09	19.3	15.44	3.86	2.5	19.3	0.0
DPE-4	14-Jan-10	19.3	16.08	3.22	2.1	19.6	-0.3
DPE-4	22-Feb-10	19.3	16.08	3.22	2.1	19.0	0.3
DPE-4	25-Mar-10	19.3	16.22	3.08	2.0	20.05	-0.75
DPE-4	16-Apr-10	19.3	16.21	3.09	2.0	20.10	-0.8
DPE-5	23-Oct-09	18.1	13.78	4.32	2.8	18.5	-0.4
DPE-5	27-Oct-09	18.1	13.52	4.58	3.0	18.7	-0.6
DPE-5	16-Nov-09	18.1	NR	NR	NR	18.1	0.0
DPE-5	14-Jan-10	18.1	15	3.1	2.0	19.2	-1.1
DPE-5	22-Feb-10	18.1	15.01	3.09	2.0	18.2	-0.1
DPE-5	25-Mar-10	18.1	16.42	1.68	1.1	18.7	-0.6
DPE-5	16-Apr-10	18.1	15.54	2.56	1.7	18.65	-0.55

**Attachment A - Table 6**

**DPE Well Water Level Readings  
221 1st Avenue SW  
Rochester, Minnesota**

Location	Date	Total Well Depth (ft below TOC)	Static Water Level (ft below TOC)	Static Water Column Thickness (ft)	Static Water Volume (gallons)	Operating Depth (ft below TOC)	Operating Water Column Thickness (ft)
DPE-6	23-Oct-09	19.5	14.56	4.94	3.2	19.8	-0.3
DPE-6	27-Oct-09	19.5	14.31	5.19	3.4	19.5	0.0
DPE-6	16-Nov-09	19.5	14.24	5.26	3.4	19.52	-0.02
DPE-6	17-Dec-09	19.5	14.84	4.66	3.0	19.8	-0.3
DPE-6	14-Jan-10	19.5	15.14	4.36	2.8	19.8	-0.3
DPE-6	22-Feb-10	19.5	15.61	3.89	2.5	19.1	0.4
DPE-6	25-Mar-10	19.5	15.24	4.26	2.8	19.5	0
DPE-6	16-Apr-10	19.5	15.48	4.02	2.6	19.4	0.1
DPE-7	23-Oct-09	22.2	15.68	6.52	4.3	22.2	0.0
DPE-7	27-Oct-09	22.2	15.49	6.71	4.4	22.2	0.0
DPE-7	16-Nov-09	22.2	15.44	6.76	4.4	22.17	0.03
DPE-7	17-Dec-09	22.2	16.03	6.17	4.0	22.4	-0.2
DPE-7	14-Jan-10	22.2	16.26	5.94	3.9	22.1	0.1
DPE-7	22-Feb-10	22.2	16.98	5.22	3.4	22.3	-0.1
DPE-7	25-Mar-10	22.2	16.65	5.55	3.6	22.1	0.1
DPE-7	16-Apr-10	22.2	16.71	5.49	3.6	22.3	-0.1
DPE-8	23-Oct-09	17.5	13.18	4.32	2.8	17.3	0.2
DPE-8	27-Oct-09	17.5	13.24	4.26	2.8	17.9	-0.4
DPE-8	16-Nov-09	17.5	13.3	4.2	2.7	17.5	0.0
DPE-8	17-Dec-09	17.5	15.31	2.19	1.4	17.9	-0.4
DPE-8	14-Jan-10	17.5	16.58	0.92	0.6	17.75	-0.25
DPE-8	22-Feb-10	17.5	14.19	3.31	2.2	18.3	-0.8
DPE-8	25-Mar-10	17.5	15.72	1.78	1.2	17.8	-0.3
DPE-8	16-Apr-10	17.5	16.2	1.3	0.8	17.8	-0.3

Attachment A - Table 7

Maintenance Schedule  
 MN Bio Business Center  
 221 1st Avenue SW  
 Rochester, Minnesota

Maintenance Item	Sep-09	Oct-09	Nov-09	Dec-09	Jan-10	Feb-10	Mar-10	Apr-10	May-10	Jun-10	Jul-10	Aug-10	Sep-10
<b>DPE Pump Maintenance</b>													
- Inspect Hoses, Piping and Fittings for Oil Leaks - MONTHLY	Sep 4	Oct 15, 16	Nov 16	Dec 17	Jan 14	Feb 22	Mar 9, 25	Apr 16	X	X	X	X	X
- Check Oil Level (level should show at middle of site glass) - MONTHLY	Sep 4	Oct 15, 16	Nov 16	Dec 17	Jan 14	Feb 22	Mar 9, 25	Apr 16	X	X	X	X	X
- Change Oil - EVERY 5,000 OPERATING HOURS							Mar 9						
- Clean Pump Inlet Opening							Mar 9	Apr 16	X	X	X	X	X
- Inspect and Clean Pump Inlet Screen - EACH SITE VISIT	Sep 4	Oct 15, 16	Nov 6, 16, 27	Dec 4, 17, 28	Jan 14, 27	Feb 3, 10	NA	NA	X	X	X	X	X
<b>Moisture Separator Maintenance</b>													
- Clean Floats - MONTHLY	Sep 4	Oct 15, 16, 23, 27	Nov 16	Dec 17	Jan 14	Feb 3, 10, 16	Mar 9, 25	Apr 16	X	X	X	X	X
- Check Sediment - MONTHLY		Oct 27	Nov 16	Dec 17	Jan 14	Feb 3, 10, 22	Mar 9, 25	Apr 16	X	X	X	X	X
- Remove Sediment - AS NEEDED		Oct 27	Nov 16			Feb 3, 10, 22							
- Replace MS#1 Filter (5 micron) - If Pressure Drop Occurs						Feb 26						X	
- Replace MS#2 Filter (1 micron) - If Pressure Drop Occurs						Feb 26						X	
- Transfer Pump (Moyno 34401 1 HP) - Inspect Hoses, Piping and Fittings for Water Leaks - MONTHLY	Sep 4	Oct 15, 16	Nov 16	Dec 17	Jan 14	Feb 22	Mar 9	Apr 16	X	X	X	X	X
- Replace Transfer Pump Stator - SEMI-ANNUALLY						Feb 16						X	
<b>Air Stripper Maintenance</b>													
- Clean Air Stripper - ANNUALLY OR AS NEEDED							Mar 25	Apr 16					
- Clean Floats - QUARTERLY						Feb 12			X			X	
- Discharge Pump (Meyers CT10 1 HP) - Inspect Hoses, Piping and Fittings for Water Leaks - MONTHLY	Sep 4	Oct 15, 16	Nov 16	Dec 17	Jan 14	Feb 22	Mar 25	Apr 16	X	X	X	X	X
- Blower (16N4 TBNA 3 HP) - Inspect Hoses, Piping and Fittings for Leaks - MONTHLY	Sep 4	Oct 15, 16	Nov 16	Dec 17	Jan 14	Feb 22	Mar 25	Apr 16	X	X	X	X	X
<b>Solenoid Valve Maintenance</b>													
- Inspect - MONTHLY	Sep 4	Oct 15, 16	Nov 16	Dec 17	Jan 14	Feb 22	Mar 9, 25	Apr 16	X	X	X	X	X
- Clean - AS NEEDED		Oct 27	Nov 6	Dec 4									
- Rebuild - AS NEEDED				Dec 7									

Notes:

Sep 4: Date task completed.

X: Task to be completed during that month.

NA: Not applicable

**FIELD DATA SHEET 1 of 2 (REVISED 4/13/10)**

**CLIENT NAME:** CITY OF ROCHESTER  
**PROJECT ID:** CRC  
**PROJECT NAME:** MN BIO BUSINESS CENTER

**DATE:** 4/16/10  
**TIME:** 0700  
**RECORDED BY:** JEB

**2009 SYSTEM STARTUP INFORMATION**

Startup Date: 6/29/2009      MS Discharge Totalizer: 68      Sump Discharge Totalizer: 200

**NOTES -**      LEAVE VACUUM RELIEF VALVE SELECTOR SWITCH IN OFF POSITION  
 LEAVE AIR STRIPPER SELECTOR SWITCHES IN AUTO POSITION

**CURRENT OPERATING WELL:**

DPE WELL BLEED VALVE % OPEN: \_\_\_\_\_  
 DPE PUMP BLEED VALVE % OPEN: \_\_\_\_\_

**STATIC WATER LEVELS**

	Clean to Dirty Ranking	Well Depth below TOC (FT)	Depth to Water below TOC (FT)
MW-14	3	17.5	12.21
MW-15	4	18	14.72
MW-16	10	18	12.72
MW-17	7	25	13.19
MW-18	6	60	13.83
MW-19	1	20	14.21
MW-20	8	16.7	12.76
DPE-1	15	21.9	12.88
DPE-2	13	20.5	16.21
DPE-3	14	17.1	15.80
DPE-4	12	19.3	16.21
DPE-5	9	18.1	15.54
DPE-6	5	19.5	15.48
DPE-7	2	22.2	16.71
DPE-8	11	17.5	16.20
Sump	1	7.74	6.91

**ANALOG PANEL READINGS**

DPE PUMP AIR FLOW (SCFM): 72.7  
 DPE WELL VACUUM (IN. HG): 19.21  
 DPE PUMP INLET VACUUM (IN. HG): 70.0  
 DPE PUMP OUTLET PRESSURE (PSI): -03  
 DPE PUMP OUTLET TEMP (DEG. F): 255  
 MS PUMP WATER FLOW (GPM): [12.85]

**TOTAL PANEL READINGS**

DPE VACUUM PUMP (HRS): 530<sup>00</sup>  
 MS PUMP (HRS): 287  
 MS VACUUM VALVE (HRS): 50  
 AIR STRIPPER BLOWER (HRS): 1688  
 AIR STRIPPER PUMP (HRS): 128  
 DPE AIR FLOW (SCF): 1658700  
 MS PUMP WATER FLOW (GAL): 184622  
 SUMP PUMP WATER FLOW (GAL): 330

**FIELD MEASUREMENTS**

DPE WELL CASING VACUUM (MM HG): 130  
 PRE-MANIFOLD VACUUM (IN. HG): 18  
 DPE WELL (PRE-MS-1) VACUUM (IN. HG): 18  
 POST-MS-1 VACUUM (IN. HG): 18.5  
 POST-MS-2 VACUUM (IN. HG): 18.5  
 DPE PUMP AIR FLOW (SCFM): 72  
 DPE EXHAUST PID CONC. (PPM): 17.5  
 DPE PUMP OUTLET PRESSURE (IN. H2O): ND  
 DPE PUMP OUTLET TEMP (DEG. F): 251

**OPERATING WATER LEVELS**

DPE-1	20.34
DPE-2	20.2
DPE-3	19.41
DPE-4	20.1
DPE-5	18.65
DPE-6	19.4
DPE-7	22.2
DPE-8	17.80

MS PUMP WATER FLOWRATE (WHILE PUMPING) (GPM): 12.9  
 MS PUMP WATER PRESSURE (WHILE PUMPING) (PSI): 19  
 MS PUMP FLOW TOTALIZER READING (GAL): 1161857

**SUMP ROOM PID:** ND

**BASEMENT PID READINGS:** ND

AS EXHAUST PRESSURE (IN. H2O): 11.18  
 AS DISCHARGE PUMP PRESSURE (WHILE PUMPING) (PSI): 220  
 AS BLOWER PRESSURE (IN. H2O): 18.4  
 AS EXHAUST PID (PPM): 251

**COMMENTS/MAINTENANCE:**

ELEVATOR DRAIN TILE SUMP FLOW TOTALIZER (GAL): 330



FIELD DATA SHEET 2 of 2 (REVISED 4/13/10)

CLIENT NAME: CITY OF ROCHESTER  
 PROJECT ID: CRC  
 PROJECT NAME: MN BIO BUSINESS CENTER

DATE: \_\_\_\_\_  
 TIME: \_\_\_\_\_  
 RECORDED BY: \_\_\_\_\_

	PID READINGS	DPE EXHAUST FLOW RATE	DPE PUMP INLET VACUUM	WELL CASING VACUUMS
DPE-1	287	40	22	48
DPE-2	6	50	21	210
DPE-3	17.5	75	18	130
DPE-4	4000	70	18	130
DPE-5	4000	120	14.5	98
DPE-6	4000	75	18.1	88
DPE-7	4000	115	11	55

7+8  
 DPE-8-

77.9 AVE  
 Calibrated PID four times

Start 0731 on #3 end 13:30  
 LAMSTER 726

Replaced check valves @ #8

7 4000 175 / 8 40 (7)  
 / 9 74 (8)

**MAINTENANCE CHECKLIST (Revised 4/13/10)**

MN Bio Business Center  
221 1st Avenue SW  
Rochester, MN

Date: \_\_\_\_\_

Field Representative: \_\_\_\_\_

**OBSERVATIONS AND/OR  
DESCRIPTION OF MAINTENANCE  
PERFORMED**

**DPE Pump Maintenance**

- Inspect Hoses, Piping and Fittings for Oil Leaks - MONTHLY
- Check Oil Level (level should show at middle of site glass) - MONTHLY
- Change Oil - EVERY 5,000 OPERATING HOURS
- Clean Pump Inlet Opening - MONTHLY
- ⊗ - Inspect and Clean Pump Inlet Screen - EACH SITE VISIT

Check Box

X

✓
Good
NA
✓

**Moisture Separator Maintenance**

- Clean Floats - MONTHLY
- Check Sediment - MONTHLY
- Remove Sediment - MONTHLY
- Replace MS#1 Filter (5 micron) - If Pressure Drop Occurs
- Replace MS#2 Filter (1 micron) - If Pressure Drop Occurs
- Transfer Pump (Moyno 34401 1 HP) - Inspect Hoses, Piping and Fittings for Water Leaks - MONTHLY
- Replace Transfer Pump Stator - SEMI-ANNUALLY


✓
✓
NA
NA
NA
✓
✓
NA

**Air Stripper Maintenance**

- Clean Air Stripper - ANNUALLY OR AS NEEDED
- Clean Floats - Quarterly
- Discharge Pump (Meyers CT10 1 HP) - Inspect Hoses, Piping and Fittings for Water Leaks - MONTHLY
- Blower (16N4 TBNA 3 HP) - Inspect Hoses, Piping and Fittings for Leaks - MONTHLY


- 1 Yellow HCL added
✓
✓

**Solonoid Valve Maintenance**

- Inspect - MONTHLY
- Clean - AS NEEDED
- Rebuild - AS NEEDED


✓

## Attachment B



Pace Analytical Services, Inc.  
1700 Elm Street - Suite 200  
Minneapolis, MN 55414  
(612)607-1700

April 26, 2010

Mr. Jason Skramstad  
Landmark Environmental  
2042 W. 98th. St.  
Minneapolis, MN 55431

RE: Project: CRC City of Rochester  
Pace Project No.: 10126757

Dear Mr. Skramstad:

Enclosed are the analytical results for sample(s) received by the laboratory on April 19, 2010. The results relate only to the samples included in this report. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

*Carolynne Trout*

Carolynne Trout

carolynne.trout@pacelabs.com  
Project Manager

Enclosures

## REPORT OF LABORATORY ANALYSIS

Page 1 of 11

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



## CERTIFICATIONS

Project: CRC City of Rochester  
Pace Project No.: 10126757

---

### Minnesota Certification IDs

1700 Elm Street SE, Suite 200 Minneapolis, MN 55414  
Alaska Certification #: UST-078  
Washington Certification #: C754  
Tennessee Certification #: 02818  
Pennsylvania Certification #: 68-00563  
Oregon Certification #: MN200001  
North Dakota Certification #: R-036  
North Carolina Certification #: 530  
New York Certification #: 11647  
New Jersey Certification #: MN-002  
Montana Certification #: MT CERT0092  
Minnesota Certification #: 027-053-137

Michigan DEQ Certification #: 9909  
Maine Certification #: 2007029  
Louisiana Certification #: LA080009  
Louisiana Certification #: 03086  
Kansas Certification #: E-10167  
Iowa Certification #: 368  
Illinois Certification #: 200011  
Florida/NELAP Certification #: E87605  
California Certification #: 01155CA  
Arizona Certification #: AZ-0014  
Wisconsin Certification #: 999407970

---

## REPORT OF LABORATORY ANALYSIS

Page 2 of 11

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### SAMPLE SUMMARY

Project: CRC City of Rochester  
Pace Project No.: 10126757

---

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10126757001	DPE-EXHAUST-726	Air	04/16/06 17:31	04/19/10 13:55

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



**SAMPLE ANALYTE COUNT**

Project: CRC City of Rochester  
Pace Project No.: 10126757

Lab ID	Sample ID	Method	Analysts	Analytes Reported
10126757001	DPE-EXHAUST-726	TO-15	LCW	61

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..





### ANALYTICAL RESULTS

Project: CRC City of Rochester  
Pace Project No.: 10126757

Sample: DPE-EXHAUST-726 Lab ID: 10126757001 Collected: 04/16/06 17:31 Received: 04/19/10 13:55 Matrix: Air

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15						
Acetone	ND	ug/m3	909	1894.4		04/26/10 12:43	67-64-1	
Benzene	ND	ug/m3	1230	1894.4		04/26/10 12:43	71-43-2	
Benzyl chloride	ND	ug/m3	1990	1894.4		04/26/10 12:43	100-44-7	
Bromodichloromethane	ND	ug/m3	2650	1894.4		04/26/10 12:43	75-27-4	
Bromoform	ND	ug/m3	3980	1894.4		04/26/10 12:43	75-25-2	
Bromomethane	ND	ug/m3	1500	1894.4		04/26/10 12:43	74-83-9	
1,3-Butadiene	ND	ug/m3	852	1894.4		04/26/10 12:43	106-99-0	
2-Butanone (MEK)	ND	ug/m3	1140	1894.4		04/26/10 12:43	78-93-3	
Carbon disulfide	ND	ug/m3	1190	1894.4		04/26/10 12:43	75-15-0	
Carbon tetrachloride	ND	ug/m3	2460	1894.4		04/26/10 12:43	56-23-5	
Chlorobenzene	ND	ug/m3	1780	1894.4		04/26/10 12:43	108-90-7	
Chloroethane	ND	ug/m3	1020	1894.4		04/26/10 12:43	75-00-3	
Chloroform	ND	ug/m3	1880	1894.4		04/26/10 12:43	67-66-3	
Chloromethane	ND	ug/m3	796	1894.4		04/26/10 12:43	74-87-3	
Cyclohexane	ND	ug/m3	1290	1894.4		04/26/10 12:43	110-82-7	
Dibromochloromethane	ND	ug/m3	3220	1894.4		04/26/10 12:43	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/m3	3030	1894.4		04/26/10 12:43	106-93-4	
1,2-Dichlorobenzene	ND	ug/m3	2270	1894.4		04/26/10 12:43	95-50-1	
1,3-Dichlorobenzene	ND	ug/m3	2270	1894.4		04/26/10 12:43	541-73-1	
1,4-Dichlorobenzene	ND	ug/m3	2270	1894.4		04/26/10 12:43	106-46-7	
Dichlorodifluoromethane	ND	ug/m3	1890	1894.4		04/26/10 12:43	75-71-8	
1,1-Dichloroethane	ND	ug/m3	1550	1894.4		04/26/10 12:43	75-34-3	
1,2-Dichloroethane	ND	ug/m3	1550	1894.4		04/26/10 12:43	107-06-2	
1,1-Dichloroethene	ND	ug/m3	1530	1894.4		04/26/10 12:43	75-35-4	
cis-1,2-Dichloroethene	ND	ug/m3	1530	1894.4		04/26/10 12:43	156-59-2	
trans-1,2-Dichloroethene	ND	ug/m3	1530	1894.4		04/26/10 12:43	156-60-5	
1,2-Dichloropropane	ND	ug/m3	1780	1894.4		04/26/10 12:43	78-87-5	
cis-1,3-Dichloropropene	ND	ug/m3	1740	1894.4		04/26/10 12:43	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/m3	1740	1894.4		04/26/10 12:43	10061-02-6	
Dichlorotetrafluoroethane	ND	ug/m3	2650	1894.4		04/26/10 12:43	76-14-2	
Ethanol	ND	ug/m3	3600	1894.4		04/26/10 12:43	64-17-5	
Ethyl acetate	ND	ug/m3	1380	1894.4		04/26/10 12:43	141-78-6	
Ethylbenzene	ND	ug/m3	1670	1894.4		04/26/10 12:43	100-41-4	
4-Ethyltoluene	ND	ug/m3	4740	1894.4		04/26/10 12:43	622-96-8	
n-Heptane	ND	ug/m3	1570	1894.4		04/26/10 12:43	142-82-5	
Hexachloro-1,3-butadiene	ND	ug/m3	4170	1894.4		04/26/10 12:43	87-68-3	
n-Hexane	ND	ug/m3	1360	1894.4		04/26/10 12:43	110-54-3	
2-Hexanone	ND	ug/m3	1570	1894.4		04/26/10 12:43	591-78-6	
Methylene Chloride	ND	ug/m3	1350	1894.4		04/26/10 12:43	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/m3	1570	1894.4		04/26/10 12:43	108-10-1	
Methyl-tert-butyl ether	ND	ug/m3	1380	1894.4		04/26/10 12:43	1634-04-4	
Naphthalene	ND	ug/m3	5110	1894.4		04/26/10 12:43	91-20-3	
2-Propanol	ND	ug/m3	4740	1894.4		04/26/10 12:43	67-63-0	
Propylene	ND	ug/m3	663	1894.4		04/26/10 12:43	115-07-1	
Styrene	ND	ug/m3	1650	1894.4		04/26/10 12:43	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/m3	2650	1894.4		04/26/10 12:43	79-34-5	
Tetrachloroethene	<b>282000</b>	ug/m3	2650	1894.4		04/26/10 12:43	127-18-4	

Date: 04/26/2010 04:43 PM

### REPORT OF LABORATORY ANALYSIS

Page 5 of 11

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### ANALYTICAL RESULTS

Project: CRC City of Rochester  
Pace Project No.: 10126757

Sample: DPE-EXHAUST-726		Lab ID: 10126757001	Collected: 04/16/06 17:31	Received: 04/19/10 13:55	Matrix: Air			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15						
Tetrahydrofuran	ND	ug/m3	1140	1894.4		04/26/10 12:43	109-99-9	
Toluene	ND	ug/m3	1460	1894.4		04/26/10 12:43	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/m3	1880	1894.4		04/26/10 12:43	120-82-1	
1,1,1-Trichloroethane	ND	ug/m3	2080	1894.4		04/26/10 12:43	71-55-6	
1,1,2-Trichloroethane	ND	ug/m3	2080	1894.4		04/26/10 12:43	79-00-5	
Trichloroethene	<b>3730</b>	ug/m3	2080	1894.4		04/26/10 12:43	79-01-6	
Trichlorofluoromethane	ND	ug/m3	2080	1894.4		04/26/10 12:43	75-69-4	
1,1,2-Trichlorotrifluoroethane	<b>153000</b>	ug/m3	3030	1894.4		04/26/10 12:43	76-13-1	
1,2,4-Trimethylbenzene	ND	ug/m3	4740	1894.4		04/26/10 12:43	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/m3	4740	1894.4		04/26/10 12:43	108-67-8	
Vinyl acetate	ND	ug/m3	1350	1894.4		04/26/10 12:43	108-05-4	
Vinyl chloride	ND	ug/m3	985	1894.4		04/26/10 12:43	75-01-4	
m&p-Xylene	ND	ug/m3	3330	1894.4		04/26/10 12:43	1330-20-7	
o-Xylene	ND	ug/m3	1670	1894.4		04/26/10 12:43	95-47-6	

### QUALITY CONTROL DATA

Project: CRC City of Rochester  
Pace Project No.: 10126757

QC Batch: AIR/10111 Analysis Method: TO-15  
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level  
Associated Lab Samples: 10126757001

METHOD BLANK: 777636 Matrix: Air  
Associated Lab Samples: 10126757001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	ND	1.1	04/26/10 11:19	
1,1,2,2-Tetrachloroethane	ug/m3	ND	1.4	04/26/10 11:19	
1,1,2-Trichloroethane	ug/m3	ND	1.1	04/26/10 11:19	
1,1,2-Trichlorotrifluoroethane	ug/m3	ND	1.6	04/26/10 11:19	
1,1-Dichloroethane	ug/m3	ND	0.82	04/26/10 11:19	
1,1-Dichloroethene	ug/m3	ND	0.81	04/26/10 11:19	
1,2,4-Trichlorobenzene	ug/m3	ND	0.99	04/26/10 11:19	
1,2,4-Trimethylbenzene	ug/m3	ND	2.5	04/26/10 11:19	
1,2-Dibromoethane (EDB)	ug/m3	ND	1.6	04/26/10 11:19	
1,2-Dichlorobenzene	ug/m3	ND	1.2	04/26/10 11:19	
1,2-Dichloroethane	ug/m3	ND	0.82	04/26/10 11:19	
1,2-Dichloropropane	ug/m3	ND	0.94	04/26/10 11:19	
1,3,5-Trimethylbenzene	ug/m3	ND	2.5	04/26/10 11:19	
1,3-Butadiene	ug/m3	ND	0.45	04/26/10 11:19	
1,3-Dichlorobenzene	ug/m3	ND	1.2	04/26/10 11:19	
1,4-Dichlorobenzene	ug/m3	ND	1.2	04/26/10 11:19	
2-Butanone (MEK)	ug/m3	ND	0.60	04/26/10 11:19	
2-Hexanone	ug/m3	ND	0.83	04/26/10 11:19	
2-Propanol	ug/m3	ND	2.5	04/26/10 11:19	
4-Ethyltoluene	ug/m3	ND	2.5	04/26/10 11:19	
4-Methyl-2-pentanone (MIBK)	ug/m3	ND	0.83	04/26/10 11:19	
Acetone	ug/m3	ND	0.48	04/26/10 11:19	
Benzene	ug/m3	ND	0.65	04/26/10 11:19	
Benzyl chloride	ug/m3	ND	1.0	04/26/10 11:19	
Bromodichloromethane	ug/m3	ND	1.4	04/26/10 11:19	
Bromoform	ug/m3	ND	2.1	04/26/10 11:19	
Bromomethane	ug/m3	ND	0.79	04/26/10 11:19	
Carbon disulfide	ug/m3	ND	0.63	04/26/10 11:19	
Carbon tetrachloride	ug/m3	ND	1.3	04/26/10 11:19	
Chlorobenzene	ug/m3	ND	0.94	04/26/10 11:19	
Chloroethane	ug/m3	ND	0.54	04/26/10 11:19	
Chloroform	ug/m3	ND	0.99	04/26/10 11:19	
Chloromethane	ug/m3	ND	0.42	04/26/10 11:19	
cis-1,2-Dichloroethene	ug/m3	ND	0.81	04/26/10 11:19	
cis-1,3-Dichloropropene	ug/m3	ND	0.92	04/26/10 11:19	
Cyclohexane	ug/m3	ND	0.68	04/26/10 11:19	
Dibromochloromethane	ug/m3	ND	1.7	04/26/10 11:19	
Dichlorodifluoromethane	ug/m3	ND	1.0	04/26/10 11:19	
Dichlorotetrafluoroethane	ug/m3	ND	1.4	04/26/10 11:19	
Ethanol	ug/m3	ND	1.9	04/26/10 11:19	
Ethyl acetate	ug/m3	ND	0.73	04/26/10 11:19	
Ethylbenzene	ug/m3	ND	0.88	04/26/10 11:19	
Hexachloro-1,3-butadiene	ug/m3	ND	2.2	04/26/10 11:19	

Date: 04/26/2010 04:43 PM

### REPORT OF LABORATORY ANALYSIS

Page 7 of 11

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### QUALITY CONTROL DATA

Project: CRC City of Rochester  
Pace Project No.: 10126757

METHOD BLANK: 777636 Matrix: Air

Associated Lab Samples: 10126757001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
m&p-Xylene	ug/m3	ND	1.8	04/26/10 11:19	
Methyl-tert-butyl ether	ug/m3	ND	0.73	04/26/10 11:19	
Methylene Chloride	ug/m3	ND	0.71	04/26/10 11:19	
n-Heptane	ug/m3	ND	0.83	04/26/10 11:19	
n-Hexane	ug/m3	ND	0.72	04/26/10 11:19	
Naphthalene	ug/m3	ND	2.7	04/26/10 11:19	
o-Xylene	ug/m3	ND	0.88	04/26/10 11:19	
Propylene	ug/m3	ND	0.35	04/26/10 11:19	
Styrene	ug/m3	ND	0.87	04/26/10 11:19	
Tetrachloroethene	ug/m3	ND	1.4	04/26/10 11:19	
Tetrahydrofuran	ug/m3	ND	0.60	04/26/10 11:19	
Toluene	ug/m3	ND	0.77	04/26/10 11:19	
trans-1,2-Dichloroethene	ug/m3	ND	0.81	04/26/10 11:19	
trans-1,3-Dichloropropene	ug/m3	ND	0.92	04/26/10 11:19	
Trichloroethene	ug/m3	ND	1.1	04/26/10 11:19	
Trichlorofluoromethane	ug/m3	ND	1.1	04/26/10 11:19	
Vinyl acetate	ug/m3	ND	0.71	04/26/10 11:19	
Vinyl chloride	ug/m3	ND	0.52	04/26/10 11:19	

LABORATORY CONTROL SAMPLE: 777637

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	55.5	48.3	87	55-127	
1,1,2,2-Tetrachloroethane	ug/m3	69.8	56.9	82	58-128	
1,1,2-Trichloroethane	ug/m3	55.5	43.1	78	58-126	
1,1,2-Trichlorotrifluoroethane	ug/m3	77.9	61.3	79	49-134	
1,1-Dichloroethane	ug/m3	41.2	32.4	79	52-129	
1,1-Dichloroethene	ug/m3	40.3	32.0	79	50-130	
1,2,4-Trichlorobenzene	ug/m3	75.5	81.9	109	30-150	
1,2,4-Trimethylbenzene	ug/m3	50	42.4	85	53-144	
1,2-Dibromoethane (EDB)	ug/m3	78.1	68.1	87	57-137	
1,2-Dichlorobenzene	ug/m3	61.2	53.4	87	65-140	
1,2-Dichloroethane	ug/m3	41.2	37.1	90	54-125	
1,2-Dichloropropane	ug/m3	47	35.0	74	60-125	
1,3,5-Trimethylbenzene	ug/m3	50	40.6	81	54-139	
1,3-Butadiene	ug/m3	22.5	16.8	75	54-125	
1,3-Dichlorobenzene	ug/m3	61.2	52.6	86	62-140	
1,4-Dichlorobenzene	ug/m3	61.2	52.9	86	61-139	
2-Butanone (MEK)	ug/m3	30	26.4	88	47-138	
2-Hexanone	ug/m3	41.7	50.5	121	40-143	
2-Propanol	ug/m3	23.8	20.9	88	45-149	
4-Ethyltoluene	ug/m3	50	43.2	86	57-139	
4-Methyl-2-pentanone (MIBK)	ug/m3	41.7	36.5	88	54-132	
Acetone	ug/m3	24.2	24.4	101	44-147	
Benzene	ug/m3	32.5	25.5	79	60-125	

Date: 04/26/2010 04:43 PM

### REPORT OF LABORATORY ANALYSIS

Page 8 of 11

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### QUALITY CONTROL DATA

Project: CRC City of Rochester  
Pace Project No.: 10126757

LABORATORY CONTROL SAMPLE: 777637

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzyl chloride	ug/m3	52.5	50.4	96	70-130	
Bromodichloromethane	ug/m3	68.2	59.8	88	53-130	
Bromoform	ug/m3	105	92.2	88	55-125	
Bromomethane	ug/m3	39.5	31.5	80	53-132	
Carbon disulfide	ug/m3	31.7	24.2	76	57-150	
Carbon tetrachloride	ug/m3	64	48.8	76	53-125	
Chlorobenzene	ug/m3	46.8	35.9	77	50-136	
Chloroethane	ug/m3	26.8	20.2	75	55-130	
Chloroform	ug/m3	49.7	42.7	86	56-125	
Chloromethane	ug/m3	21	16.1	76	49-127	
cis-1,2-Dichloroethene	ug/m3	40.3	32.6	81	58-127	
cis-1,3-Dichloropropene	ug/m3	46.2	39.7	86	62-135	
Cyclohexane	ug/m3	35	26.3	75	56-135	
Dibromochloromethane	ug/m3	86.6	73.5	85	48-132	
Dichlorodifluoromethane	ug/m3	50.3	44.5	88	54-130	
Dichlorotetrafluoroethane	ug/m3	71.1	58.5	82	50-125	
Ethanol	ug/m3	19.2	14.5	76	30-150	
Ethyl acetate	ug/m3	36.6	32.4	88	70-141	
Ethylbenzene	ug/m3	44.2	36.3	82	57-135	
Hexachloro-1,3-butadiene	ug/m3	108	119	110	30-150	
m&p-Xylene	ug/m3	88.3	72.1	82	61-135	
Methyl-tert-butyl ether	ug/m3	36.7	29.6	81	56-130	
Methylene Chloride	ug/m3	35.3	32.4	92	49-127	
n-Heptane	ug/m3	41.7	31.6	76	57-133	
n-Hexane	ug/m3	35.8	27.2	76	55-135	
Naphthalene	ug/m3	53.3	58.3	109	30-150	
o-Xylene	ug/m3	44.2	35.8	81	60-134	
Propylene	ug/m3	17.5	12.5	71	63-147	
Styrene	ug/m3	43.3	37.7	87	58-142	
Tetrachloroethene	ug/m3	69	54.5	79	61-132	
Tetrahydrofuran	ug/m3	30	25.5	85	67-134	
Toluene	ug/m3	38.3	28.5	74	56-132	
trans-1,2-Dichloroethene	ug/m3	40.3	31.7	79	52-131	
trans-1,3-Dichloropropene	ug/m3	46.2	44.4	96	62-131	
Trichloroethene	ug/m3	54.6	55.1	101	68-150	
Trichlorofluoromethane	ug/m3	57.1	50.2	88	52-142	
Vinyl acetate	ug/m3	35.8	31.5	88	53-136	
Vinyl chloride	ug/m3	26	19.0	73	57-132	

## QUALIFIERS

Project: CRC City of Rochester  
Pace Project No.: 10126757

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

Pace Analytical is NELAP accredited. Contact your Pace PM for the current list of accredited analytes.

U - Indicates the compound was analyzed for, but not detected.

### SAMPLE QUALIFIERS

Sample: 10126757001

- [1] The Total Hydrocarbon (THC) pattern occurred in the second half of the chromatogram (after toluene).
- [2] This result is reported from a serial dilution

**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: CRC City of Rochester  
Pace Project No.: 10126757

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10126757001	DPE-EXHAUST-726	TO-15	AIR/10111		







AIR Sample Condition Upon Receipt

Client Name: LANDMARK Project # 10126757

Courier: [ ] Fed Ex [ ] UPS [ ] USPS [ ] Client [X] Commercial [ ] Pace Other \_\_\_\_\_

Custody Seal on Cooler/Box Present: [ ] yes [X] no Seals intact: [ ] yes [ ] no

Packing Material: [X] Bubble Wrap [ ] Bubble Bags [ ] None [ ] Other \_\_\_\_\_

Tracking #: \_\_\_\_\_

Comments:

Date and Initials of person examining contents: 4-19-10 JK

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Media: AIR (CAN)		11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.

Samples Received: 1 CAN, 1 FC

Canisters		Flow Controllers		Stand Alone G		Tedlar Bags	
Sample Number	Can ID	Sample Number	Can ID	Sample Number	Can ID	Sample Number	Can ID
DPE	0726		PASS				

Client Notification/ Resolution: \_\_\_\_\_ Field Data Required? Y / N

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Project Manager Review: CTM Date: 4/20/10

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office ( i.e. out of hold, incorrect preservative, out of temp, incorrect containers)  
A106 Rev.01 (22May2009)



Pace Analytical Services, Inc.  
1700 Elm Street - Suite 200  
Minneapolis, MN 55414  
(612)607-1700

April 26, 2010

Mr. Jason Skramstad  
Landmark Environmental  
2042 W. 98th. St.  
Minneapolis, MN 55431

RE: Project: CRC City of Rochester  
Pace Project No.: 10126763

Dear Mr. Skramstad:

Enclosed are the analytical results for sample(s) received by the laboratory on April 19, 2010. The results relate only to the samples included in this report. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

*Carolynne Trout*

Carolynne Trout

carolynne.trout@pacelabs.com  
Project Manager

Enclosures

**REPORT OF LABORATORY ANALYSIS**

Page 1 of 20

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



## CERTIFICATIONS

Project: CRC City of Rochester  
Pace Project No.: 10126763

---

### Minnesota Certification IDs

1700 Elm Street SE, Suite 200 Minneapolis, MN 55414

Alaska Certification #: UST-078

Washington Certification #: C754

Tennessee Certification #: 02818

Pennsylvania Certification #: 68-00563

Oregon Certification #: MN200001

North Dakota Certification #: R-036

North Carolina Certification #: 530

New York Certification #: 11647

New Jersey Certification #: MN-002

Montana Certification #: MT CERT0092

Minnesota Certification #: 027-053-137

Michigan DEQ Certification #: 9909

Maine Certification #: 2007029

Louisiana Certification #: LA080009

Louisiana Certification #: 03086

Kansas Certification #: E-10167

Iowa Certification #: 368

Illinois Certification #: 200011

Florida/NELAP Certification #: E87605

California Certification #: 01155CA

Arizona Certification #: AZ-0014

Wisconsin Certification #: 999407970

---

## REPORT OF LABORATORY ANALYSIS

Page 2 of 20

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### SAMPLE SUMMARY

Project: CRC City of Rochester  
Pace Project No.: 10126763

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10126763001	AS-Influent	Water	04/16/10 12:00	04/19/10 13:55
10126763002	AS-Effluent	Water	04/16/10 12:01	04/19/10 13:55

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



**SAMPLE ANALYTE COUNT**

Project: CRC City of Rochester  
Pace Project No.: 10126763

Lab ID	Sample ID	Method	Analysts	Analytes Reported
10126763001	AS-Influent	EPA 624	DJT	82
10126763002	AS-Effluent	EPA 624	DRE	82

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### ANALYTICAL RESULTS

Project: CRC City of Rochester  
Pace Project No.: 10126763

Sample: AS-Influent	Lab ID: 10126763001	Collected: 04/16/10 12:00	Received: 04/19/10 13:55	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>624 MSV</b>		Analytical Method: EPA 624						
Acetone	ND	ug/L	10.0	1		04/24/10 13:33	67-64-1	
Acrolein	ND	ug/L	40.0	1		04/24/10 13:33	107-02-8	
Acrylonitrile	ND	ug/L	10.0	1		04/24/10 13:33	107-13-1	
Allyl chloride	ND	ug/L	4.0	1		04/24/10 13:33	107-05-1	
Benzene	ND	ug/L	1.0	1		04/24/10 13:33	71-43-2	
Bromobenzene	ND	ug/L	1.0	1		04/24/10 13:33	108-86-1	
Bromochloromethane	ND	ug/L	1.0	1		04/24/10 13:33	74-97-5	
Bromodichloromethane	ND	ug/L	4.0	1		04/24/10 13:33	75-27-4	
Bromoform	ND	ug/L	8.0	1		04/24/10 13:33	75-25-2	
Bromomethane	ND	ug/L	4.0	1		04/24/10 13:33	74-83-9	
2-Butanone (MEK)	ND	ug/L	4.0	1		04/24/10 13:33	78-93-3	
n-Butylbenzene	ND	ug/L	1.0	1		04/24/10 13:33	104-51-8	
sec-Butylbenzene	ND	ug/L	1.0	1		04/24/10 13:33	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	1		04/24/10 13:33	98-06-6	
Carbon disulfide	ND	ug/L	1.0	1		04/24/10 13:33	75-15-0	
Carbon tetrachloride	ND	ug/L	4.0	1		04/24/10 13:33	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		04/24/10 13:33	108-90-7	
Chloroethane	ND	ug/L	1.0	1		04/24/10 13:33	75-00-3	
2-Chloroethylvinyl ether	ND	ug/L	10.0	1		04/24/10 13:33	110-75-8	
Chloroform	ND	ug/L	1.0	1		04/24/10 13:33	67-66-3	
Chloromethane	10.7	ug/L	4.0	1		04/24/10 13:33	74-87-3	
Chloroprene	ND	ug/L	1.0	1		04/24/10 13:33	126-99-8	
2-Chlorotoluene	ND	ug/L	1.0	1		04/24/10 13:33	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		04/24/10 13:33	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	4.0	1		04/24/10 13:33	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		04/24/10 13:33	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		04/24/10 13:33	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		04/24/10 13:33	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		04/24/10 13:33	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		04/24/10 13:33	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		04/24/10 13:33	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		04/24/10 13:33	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		04/24/10 13:33	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		04/24/10 13:33	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		04/24/10 13:33	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		04/24/10 13:33	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		04/24/10 13:33	156-60-5	
Dichlorofluoromethane	ND	ug/L	1.0	1		04/24/10 13:33	75-43-4	
1,2-Dichloropropane	ND	ug/L	1.0	1		04/24/10 13:33	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		04/24/10 13:33	142-28-9	
2,2-Dichloropropane	ND	ug/L	4.0	1		04/24/10 13:33	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		04/24/10 13:33	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	4.0	1		04/24/10 13:33	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	4.0	1		04/24/10 13:33	10061-02-6	
Diethyl ether (Ethyl ether)	ND	ug/L	4.0	1		04/24/10 13:33	60-29-7	
Ethylbenzene	ND	ug/L	1.0	1		04/24/10 13:33	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	4.0	1		04/24/10 13:33	87-68-3	

Date: 04/26/2010 05:07 PM

### REPORT OF LABORATORY ANALYSIS

Page 5 of 20

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### ANALYTICAL RESULTS

Project: CRC City of Rochester  
Pace Project No.: 10126763

Sample: AS-Influent		Lab ID: 10126763001	Collected: 04/16/10 12:00	Received: 04/19/10 13:55	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>624 MSV</b>		Analytical Method: EPA 624							
2-Hexanone	ND	ug/L	4.0	1		04/24/10 13:33	591-78-6		
Iodomethane	ND	ug/L	4.0	1		04/24/10 13:33	74-88-4	L1	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		04/24/10 13:33	98-82-8		
p-Isopropyltoluene	ND	ug/L	1.0	1		04/24/10 13:33	99-87-6		
Methylene Chloride	ND	ug/L	4.0	1		04/24/10 13:33	75-09-2		
2-Methylnaphthalene	ND	ug/L	5.0	1		04/24/10 13:33	91-57-6		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		04/24/10 13:33	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	1.0	1		04/24/10 13:33	1634-04-4		
Naphthalene	ND	ug/L	4.0	1		04/24/10 13:33	91-20-3		
n-Propylbenzene	ND	ug/L	1.0	1		04/24/10 13:33	103-65-1		
Styrene	ND	ug/L	1.0	1		04/24/10 13:33	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		04/24/10 13:33	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		04/24/10 13:33	79-34-5		
Tetrachloroethene	<b>48.6</b>	ug/L	1.0	1		04/24/10 13:33	127-18-4		
Tetrahydrofuran	ND	ug/L	10.0	1		04/24/10 13:33	109-99-9		
Toluene	ND	ug/L	1.0	1		04/24/10 13:33	108-88-3		
1,2,3-Trichlorobenzene	ND	ug/L	1.0	1		04/24/10 13:33	87-61-6		
1,2,4-Trichlorobenzene	ND	ug/L	1.0	1		04/24/10 13:33	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		04/24/10 13:33	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	4.0	1		04/24/10 13:33	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		04/24/10 13:33	79-01-6		
Trichlorofluoromethane	ND	ug/L	4.0	1		04/24/10 13:33	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		04/24/10 13:33	96-18-4		
1,1,2-Trichlorotrifluoroethane	<b>1.4</b>	ug/L	1.0	1		04/24/10 13:33	76-13-1		
1,2,4-Trimethylbenzene	ND	ug/L	1.0	1		04/24/10 13:33	95-63-6		
1,3,5-Trimethylbenzene	ND	ug/L	1.0	1		04/24/10 13:33	108-67-8		
Vinyl acetate	ND	ug/L	20.0	1		04/24/10 13:33	108-05-4		
Vinyl chloride	ND	ug/L	0.40	1		04/24/10 13:33	75-01-4		
Xylene (Total)	ND	ug/L	3.0	1		04/24/10 13:33	1330-20-7		
m&p-Xylene	ND	ug/L	2.0	1		04/24/10 13:33	1330-20-7		
o-Xylene	ND	ug/L	1.0	1		04/24/10 13:33	95-47-6		
Dibromofluoromethane (S)	104	%	75-125	1		04/24/10 13:33	1868-53-7		
4-Bromofluorobenzene (S)	110	%	75-125	1		04/24/10 13:33	460-00-4		
Toluene-d8 (S)	99	%	75-125	1		04/24/10 13:33	2037-26-5		
1,2-Dichloroethane-d4 (S)	107	%	75-125	1		04/24/10 13:33	17060-07-0		

Sample: AS-Effluent		Lab ID: 10126763002	Collected: 04/16/10 12:01	Received: 04/19/10 13:55	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>624 MSV</b>		Analytical Method: EPA 624							
Acetone	<b>29.3</b>	ug/L	10.0	1		04/22/10 18:39	67-64-1		
Acrolein	ND	ug/L	40.0	1		04/22/10 18:39	107-02-8		
Acrylonitrile	ND	ug/L	10.0	1		04/22/10 18:39	107-13-1		
Allyl chloride	ND	ug/L	4.0	1		04/22/10 18:39	107-05-1		
Benzene	ND	ug/L	1.0	1		04/22/10 18:39	71-43-2		

Date: 04/26/2010 05:07 PM

### REPORT OF LABORATORY ANALYSIS

Page 6 of 20

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### ANALYTICAL RESULTS

Project: CRC City of Rochester  
Pace Project No.: 10126763

Sample: AS-Effluent		Lab ID: 10126763002	Collected: 04/16/10 12:01	Received: 04/19/10 13:55	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>624 MSV</b>		Analytical Method: EPA 624							
Bromobenzene	ND	ug/L	1.0	1		04/22/10 18:39	108-86-1		
Bromochloromethane	ND	ug/L	1.0	1		04/22/10 18:39	74-97-5		
Bromodichloromethane	ND	ug/L	4.0	1		04/22/10 18:39	75-27-4		
Bromoform	ND	ug/L	8.0	1		04/22/10 18:39	75-25-2		
Bromomethane	ND	ug/L	4.0	1		04/22/10 18:39	74-83-9	MO	
2-Butanone (MEK)	4.9	ug/L	4.0	1		04/22/10 18:39	78-93-3		
n-Butylbenzene	ND	ug/L	1.0	1		04/22/10 18:39	104-51-8		
sec-Butylbenzene	ND	ug/L	1.0	1		04/22/10 18:39	135-98-8		
tert-Butylbenzene	ND	ug/L	1.0	1		04/22/10 18:39	98-06-6		
Carbon disulfide	ND	ug/L	1.0	1		04/22/10 18:39	75-15-0		
Carbon tetrachloride	ND	ug/L	4.0	1		04/22/10 18:39	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		04/22/10 18:39	108-90-7		
Chloroethane	ND	ug/L	1.0	1		04/22/10 18:39	75-00-3		
2-Chloroethylvinyl ether	ND	ug/L	10.0	1		04/22/10 18:39	110-75-8		
Chloroform	ND	ug/L	1.0	1		04/22/10 18:39	67-66-3		
Chloromethane	491	ug/L	20.0	5		04/22/10 18:18	74-87-3	MO	
Chloroprene	ND	ug/L	1.0	1		04/22/10 18:39	126-99-8		
2-Chlorotoluene	ND	ug/L	1.0	1		04/22/10 18:39	95-49-8		
4-Chlorotoluene	ND	ug/L	1.0	1		04/22/10 18:39	106-43-4		
1,2-Dibromo-3-chloropropane	ND	ug/L	4.0	1		04/22/10 18:39	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		04/22/10 18:39	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		04/22/10 18:39	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		04/22/10 18:39	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		04/22/10 18:39	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	1.0	1		04/22/10 18:39	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		04/22/10 18:39	106-46-7		
Dichlorodifluoromethane	ND	ug/L	1.0	1		04/22/10 18:39	75-71-8		
1,1-Dichloroethane	ND	ug/L	1.0	1		04/22/10 18:39	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		04/22/10 18:39	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		04/22/10 18:39	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		04/22/10 18:39	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		04/22/10 18:39	156-60-5		
Dichlorofluoromethane	ND	ug/L	1.0	1		04/22/10 18:39	75-43-4		
1,2-Dichloropropane	ND	ug/L	1.0	1		04/22/10 18:39	78-87-5		
1,3-Dichloropropane	ND	ug/L	1.0	1		04/22/10 18:39	142-28-9		
2,2-Dichloropropane	ND	ug/L	4.0	1		04/22/10 18:39	594-20-7		
1,1-Dichloropropene	ND	ug/L	1.0	1		04/22/10 18:39	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	4.0	1		04/22/10 18:39	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	4.0	1		04/22/10 18:39	10061-02-6		
Diethyl ether (Ethyl ether)	ND	ug/L	4.0	1		04/22/10 18:39	60-29-7		
Ethylbenzene	ND	ug/L	1.0	1		04/22/10 18:39	100-41-4		
Hexachloro-1,3-butadiene	ND	ug/L	4.0	1		04/22/10 18:39	87-68-3		
2-Hexanone	ND	ug/L	4.0	1		04/22/10 18:39	591-78-6		
Iodomethane	ND	ug/L	4.0	1		04/22/10 18:39	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		04/22/10 18:39	98-82-8		
p-Isopropyltoluene	ND	ug/L	1.0	1		04/22/10 18:39	99-87-6		
Methylene Chloride	ND	ug/L	4.0	1		04/22/10 18:39	75-09-2		

Date: 04/26/2010 05:07 PM

### REPORT OF LABORATORY ANALYSIS

Page 7 of 20

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..





### ANALYTICAL RESULTS

Project: CRC City of Rochester  
Pace Project No.: 10126763

Sample: AS-Effluent		Lab ID: 10126763002	Collected: 04/16/10 12:01	Received: 04/19/10 13:55	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>624 MSV</b>		Analytical Method: EPA 624						
2-Methylnaphthalene	ND	ug/L	5.0	1		04/22/10 18:39	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		04/22/10 18:39	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		04/22/10 18:39	1634-04-4	
Naphthalene	ND	ug/L	4.0	1		04/22/10 18:39	91-20-3	
n-Propylbenzene	ND	ug/L	1.0	1		04/22/10 18:39	103-65-1	
Styrene	ND	ug/L	1.0	1		04/22/10 18:39	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		04/22/10 18:39	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		04/22/10 18:39	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		04/22/10 18:39	127-18-4	
Tetrahydrofuran	ND	ug/L	10.0	1		04/22/10 18:39	109-99-9	
Toluene	ND	ug/L	1.0	1		04/22/10 18:39	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	1		04/22/10 18:39	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	1		04/22/10 18:39	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		04/22/10 18:39	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	4.0	1		04/22/10 18:39	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		04/22/10 18:39	79-01-6	
Trichlorofluoromethane	ND	ug/L	4.0	1		04/22/10 18:39	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		04/22/10 18:39	96-18-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	1.0	1		04/22/10 18:39	76-13-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	1		04/22/10 18:39	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	1		04/22/10 18:39	108-67-8	
Vinyl acetate	ND	ug/L	20.0	1		04/22/10 18:39	108-05-4	
Vinyl chloride	ND	ug/L	0.40	1		04/22/10 18:39	75-01-4	
Xylene (Total)	ND	ug/L	3.0	1		04/22/10 18:39	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	1		04/22/10 18:39	1330-20-7	
o-Xylene	ND	ug/L	1.0	1		04/22/10 18:39	95-47-6	
Dibromofluoromethane (S)	117	%	75-125	1		04/22/10 18:39	1868-53-7	
4-Bromofluorobenzene (S)	97	%	75-125	1		04/22/10 18:39	460-00-4	
Toluene-d8 (S)	93	%	75-125	1		04/22/10 18:39	2037-26-5	
1,2-Dichloroethane-d4 (S)	124	%	75-125	1		04/22/10 18:39	17060-07-0	

### QUALITY CONTROL DATA

Project: CRC City of Rochester  
Pace Project No.: 10126763

QC Batch: MSV/14308      Analysis Method: EPA 624  
QC Batch Method: EPA 624      Analysis Description: 624 MSV  
Associated Lab Samples: 10126763002

METHOD BLANK: 777889      Matrix: Water  
Associated Lab Samples: 10126763002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	04/22/10 14:47	
1,1,1-Trichloroethane	ug/L	ND	1.0	04/22/10 14:47	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	04/22/10 14:47	
1,1,2-Trichloroethane	ug/L	ND	4.0	04/22/10 14:47	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	1.0	04/22/10 14:47	
1,1-Dichloroethane	ug/L	ND	1.0	04/22/10 14:47	
1,1-Dichloroethene	ug/L	ND	1.0	04/22/10 14:47	
1,1-Dichloropropene	ug/L	ND	1.0	04/22/10 14:47	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	04/22/10 14:47	
1,2,3-Trichloropropane	ug/L	ND	1.0	04/22/10 14:47	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	04/22/10 14:47	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	04/22/10 14:47	
1,2-Dibromo-3-chloropropane	ug/L	ND	4.0	04/22/10 14:47	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	04/22/10 14:47	
1,2-Dichlorobenzene	ug/L	ND	1.0	04/22/10 14:47	
1,2-Dichloroethane	ug/L	ND	1.0	04/22/10 14:47	
1,2-Dichloropropane	ug/L	ND	1.0	04/22/10 14:47	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	04/22/10 14:47	
1,3-Dichlorobenzene	ug/L	ND	1.0	04/22/10 14:47	
1,3-Dichloropropane	ug/L	ND	1.0	04/22/10 14:47	
1,4-Dichlorobenzene	ug/L	ND	1.0	04/22/10 14:47	
2,2-Dichloropropane	ug/L	ND	4.0	04/22/10 14:47	
2-Butanone (MEK)	ug/L	ND	4.0	04/22/10 14:47	
2-Chloroethylvinyl ether	ug/L	ND	10.0	04/22/10 14:47	
2-Chlorotoluene	ug/L	ND	1.0	04/22/10 14:47	
2-Hexanone	ug/L	ND	4.0	04/22/10 14:47	
2-Methylnaphthalene	ug/L	ND	5.0	04/22/10 14:47	
4-Chlorotoluene	ug/L	ND	1.0	04/22/10 14:47	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	04/22/10 14:47	
Acetone	ug/L	ND	10.0	04/22/10 14:47	
Acrolein	ug/L	ND	40.0	04/22/10 14:47	
Acrylonitrile	ug/L	ND	10.0	04/22/10 14:47	
Allyl chloride	ug/L	ND	4.0	04/22/10 14:47	
Benzene	ug/L	ND	1.0	04/22/10 14:47	
Bromobenzene	ug/L	ND	1.0	04/22/10 14:47	
Bromochloromethane	ug/L	ND	1.0	04/22/10 14:47	
Bromodichloromethane	ug/L	ND	4.0	04/22/10 14:47	
Bromoform	ug/L	ND	8.0	04/22/10 14:47	
Bromomethane	ug/L	ND	4.0	04/22/10 14:47	
Carbon disulfide	ug/L	ND	1.0	04/22/10 14:47	
Carbon tetrachloride	ug/L	ND	4.0	04/22/10 14:47	
Chlorobenzene	ug/L	ND	1.0	04/22/10 14:47	
Chloroethane	ug/L	ND	1.0	04/22/10 14:47	

Date: 04/26/2010 05:07 PM

### REPORT OF LABORATORY ANALYSIS

Page 9 of 20

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### QUALITY CONTROL DATA

Project: CRC City of Rochester  
Pace Project No.: 10126763

METHOD BLANK: 777889 Matrix: Water

Associated Lab Samples: 10126763002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloroform	ug/L	ND	1.0	04/22/10 14:47	
Chloromethane	ug/L	ND	4.0	04/22/10 14:47	
Chloroprene	ug/L	ND	1.0	04/22/10 14:47	
cis-1,2-Dichloroethene	ug/L	ND	1.0	04/22/10 14:47	
cis-1,3-Dichloropropene	ug/L	ND	4.0	04/22/10 14:47	
Dibromochloromethane	ug/L	ND	1.0	04/22/10 14:47	
Dibromomethane	ug/L	ND	1.0	04/22/10 14:47	
Dichlorodifluoromethane	ug/L	ND	1.0	04/22/10 14:47	
Dichlorofluoromethane	ug/L	ND	1.0	04/22/10 14:47	
Diethyl ether (Ethyl ether)	ug/L	ND	4.0	04/22/10 14:47	
Ethylbenzene	ug/L	ND	1.0	04/22/10 14:47	
Hexachloro-1,3-butadiene	ug/L	ND	4.0	04/22/10 14:47	
Iodomethane	ug/L	ND	4.0	04/22/10 14:47	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	04/22/10 14:47	
m&p-Xylene	ug/L	ND	2.0	04/22/10 14:47	
Methyl-tert-butyl ether	ug/L	ND	1.0	04/22/10 14:47	
Methylene Chloride	ug/L	ND	4.0	04/22/10 14:47	
n-Butylbenzene	ug/L	ND	1.0	04/22/10 14:47	
n-Propylbenzene	ug/L	ND	1.0	04/22/10 14:47	
Naphthalene	ug/L	ND	4.0	04/22/10 14:47	
o-Xylene	ug/L	ND	1.0	04/22/10 14:47	
p-Isopropyltoluene	ug/L	ND	1.0	04/22/10 14:47	
sec-Butylbenzene	ug/L	ND	1.0	04/22/10 14:47	
Styrene	ug/L	ND	1.0	04/22/10 14:47	
tert-Butylbenzene	ug/L	ND	1.0	04/22/10 14:47	
Tetrachloroethene	ug/L	ND	1.0	04/22/10 14:47	
Tetrahydrofuran	ug/L	ND	10.0	04/22/10 14:47	
Toluene	ug/L	ND	1.0	04/22/10 14:47	
trans-1,2-Dichloroethene	ug/L	ND	1.0	04/22/10 14:47	
trans-1,3-Dichloropropene	ug/L	ND	4.0	04/22/10 14:47	
Trichloroethene	ug/L	ND	1.0	04/22/10 14:47	
Trichlorofluoromethane	ug/L	ND	4.0	04/22/10 14:47	
Vinyl acetate	ug/L	ND	20.0	04/22/10 14:47	
Vinyl chloride	ug/L	ND	0.40	04/22/10 14:47	
Xylene (Total)	ug/L	ND	3.0	04/22/10 14:47	
1,2-Dichloroethane-d4 (S)	%	109	75-125	04/22/10 14:47	
4-Bromofluorobenzene (S)	%	102	75-125	04/22/10 14:47	
Dibromofluoromethane (S)	%	109	75-125	04/22/10 14:47	
Toluene-d8 (S)	%	94	75-125	04/22/10 14:47	

LABORATORY CONTROL SAMPLE & LCSD: 777890 7778780

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	53.0	51.2	106	102	75-129	3	20	
1,1,1-Trichloroethane	ug/L	50	50.1	46.3	100	93	73-144	8	20	

Date: 04/26/2010 05:07 PM

### REPORT OF LABORATORY ANALYSIS

Page 10 of 20

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### QUALITY CONTROL DATA

Project: CRC City of Rochester  
Pace Project No.: 10126763

LABORATORY CONTROL SAMPLE & LCSD:		777890	778780								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
1,1,2,2-Tetrachloroethane	ug/L	50	48.9	49.6	98	99	75-125	1	20		
1,1,2-Trichloroethane	ug/L	50	50.4	49.9	101	100	75-125	1	20		
1,1,2-Trichlorotrifluoroethane	ug/L	50	50.8	48.1	102	96	75-143	6	20		
1,1-Dichloroethane	ug/L	50	48.6	46.0	97	92	75-135	6	20		
1,1-Dichloroethene	ug/L	50	46.2	45.5	92	91	75-133	2	20		
1,1-Dichloropropene	ug/L	50	52.3	49.6	105	99	75-131	5	20		
1,2,3-Trichlorobenzene	ug/L	50	52.6	52.7	105	105	73-141	0	20		
1,2,3-Trichloropropane	ug/L	50	48.2	48.3	96	97	75-126	0	20		
1,2,4-Trichlorobenzene	ug/L	50	53.3	52.8	107	106	70-148	1	20		
1,2,4-Trimethylbenzene	ug/L	50	48.7	46.0	97	92	75-141	6	20		
1,2-Dibromo-3-chloropropane	ug/L	50	53.0	53.0	106	106	64-135	0	20		
1,2-Dibromoethane (EDB)	ug/L	50	52.1	51.8	104	104	75-125	1	20		
1,2-Dichlorobenzene	ug/L	50	51.3	50.0	103	100	75-125	3	20		
1,2-Dichloroethane	ug/L	50	48.5	47.5	97	95	75-136	2	20		
1,2-Dichloropropane	ug/L	50	48.0	47.7	96	95	75-130	1	20		
1,3,5-Trimethylbenzene	ug/L	50	47.9	45.5	96	91	75-141	5	20		
1,3-Dichlorobenzene	ug/L	50	49.9	48.2	100	96	75-125	3	20		
1,3-Dichloropropane	ug/L	50	52.6	52.3	105	105	75-125	0	20		
1,4-Dichlorobenzene	ug/L	50	49.6	47.6	99	95	75-125	4	20		
2,2-Dichloropropane	ug/L	50	50.6	48.0	101	96	50-150	5	20		
2-Butanone (MEK)	ug/L	50	55.4	53.3	111	107	58-138	4	20		
2-Chloroethylvinyl ether	ug/L	125	123	125	98	100	50-150	2	20		
2-Chlorotoluene	ug/L	50	51.3	48.6	103	97	75-132	5	20		
2-Hexanone	ug/L	50	51.1	50.3	102	101	65-135	1	20		
2-Methylnaphthalene	ug/L	50	46.3	50.9	93	102	62-150	10	20		
4-Chlorotoluene	ug/L	50	51.0	49.1	102	98	75-135	4	20		
4-Methyl-2-pentanone (MIBK)	ug/L	50	50.5	52.3	101	105	69-137	3	20		
Acetone	ug/L	125	137	137	110	109	52-141	0	20		
Acrolein	ug/L	500	495	522	99	104	50-150	5	20		
Acrylonitrile	ug/L	500	464	487	93	97	75-130	5	20		
Allyl chloride	ug/L	50	47.3	44.8	95	90	68-150	5	20		
Benzene	ug/L	50	49.6	47.0	99	94	75-125	5	20		
Bromobenzene	ug/L	50	48.2	46.3	96	93	75-125	4	20		
Bromochloromethane	ug/L	50	48.2	48.4	96	97	75-129	0	20		
Bromodichloromethane	ug/L	50	51.9	50.7	104	101	75-142	3	20		
Bromoform	ug/L	100	103	101	103	101	66-135	2	20		
Bromomethane	ug/L	50	47.6	52.8	95	106	57-150	10	20		
Carbon disulfide	ug/L	50	50.5	48.5	101	97	65-132	4	20		
Carbon tetrachloride	ug/L	50	52.7	48.4	105	97	75-148	9	20		
Chlorobenzene	ug/L	50	50.0	48.3	100	97	75-125	4	20		
Chloroethane	ug/L	50	45.1	47.2	90	94	66-142	4	20		
Chloroform	ug/L	50	47.9	45.0	96	90	75-131	6	20		
Chloromethane	ug/L	50	42.9	52.1	86	104	52-147	19	20		
Chloroprene	ug/L	50	52.5	49.8	105	100	71-147	5	20		
cis-1,2-Dichloroethene	ug/L	50	47.7	47.0	95	94	75-126	1	20		
cis-1,3-Dichloropropene	ug/L	50	53.7	52.3	107	105	69-150	3	20		
Dibromochloromethane	ug/L	50	57.0	55.6	114	111	73-138	2	20		
Dibromomethane	ug/L	50	47.3	48.0	95	96	75-127	1	20		

Date: 04/26/2010 05:07 PM

### REPORT OF LABORATORY ANALYSIS

Page 11 of 20

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



**QUALITY CONTROL DATA**

Project: CRC City of Rochester  
Pace Project No.: 10126763

LABORATORY CONTROL SAMPLE & LCSD: 777890		778780								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Dichlorodifluoromethane	ug/L	50	46.8	48.5	94	97	50-150	4	20	
Dichlorofluoromethane	ug/L	50	46.4	46.1	93	92	75-129	1	20	
Diethyl ether (Ethyl ether)	ug/L	50	43.5	50.5	87	101	75-126	15	20	
Ethylbenzene	ug/L	50	52.4	49.9	105	100	75-132	5	20	
Hexachloro-1,3-butadiene	ug/L	50	49.8	48.2	100	96	75-129	3	20	
Iodomethane	ug/L	50	40.1	41.3	80	83	73-150	3	20	
Isopropylbenzene (Cumene)	ug/L	50	56.6	53.3	113	107	75-142	6	20	
m&p-Xylene	ug/L	100	106	99.7	106	100	75-131	6	20	
Methyl-tert-butyl ether	ug/L	50	54.2	54.2	108	108	75-130	0	20	
Methylene Chloride	ug/L	50	47.0	46.7	94	93	71-125	1	20	
n-Butylbenzene	ug/L	50	53.9	50.2	108	100	70-148	7	20	
n-Propylbenzene	ug/L	50	51.9	48.9	104	98	75-136	6	20	
Naphthalene	ug/L	50	46.6	47.4	93	95	69-145	2	20	
o-Xylene	ug/L	50	54.9	53.1	110	106	75-129	3	20	
p-Isopropyltoluene	ug/L	50	48.9	46.3	98	93	75-132	5	20	
sec-Butylbenzene	ug/L	50	53.1	49.8	106	100	75-136	6	20	
Styrene	ug/L	50	49.8	48.7	100	97	75-125	2	20	
tert-Butylbenzene	ug/L	50	47.6	45.0	95	90	75-135	6	20	
Tetrachloroethene	ug/L	50	49.7	47.9	99	96	75-125	4	20	
Tetrahydrofuran	ug/L	500	492	511	98	102	63-144	4	20	
Toluene	ug/L	50	50.1	47.8	100	96	75-125	5	20	
trans-1,2-Dichloroethene	ug/L	50	46.3	43.4	93	87	72-135	6	20	
trans-1,3-Dichloropropene	ug/L	50	55.0	53.7	110	107	62-150	2	20	
Trichloroethene	ug/L	50	49.4	48.2	99	96	75-125	2	20	
Trichlorofluoromethane	ug/L	50	46.9	45.1	94	90	67-150	4	20	
Vinyl acetate	ug/L	50	45.6	48.0	91	96	55-150	5	20	
Vinyl chloride	ug/L	50	42.5	47.8	85	96	63-147	12	20	
Xylene (Total)	ug/L	150	161	153	107	102	75-130	5	20	
1,2-Dichloroethane-d4 (S)	%				97	100	75-125			
4-Bromofluorobenzene (S)	%				98	100	75-125			
Dibromofluoromethane (S)	%				96	95	75-125			
Toluene-d8 (S)	%				99	102	75-125			

MATRIX SPIKE SAMPLE: 778781		10126763002								
Parameter	Units	Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers			
1,1,1,2-Tetrachloroethane	ug/L	ND	20	19.3	96	70-136				
1,1,1-Trichloroethane	ug/L	ND	20	22.2	111	68-150				
1,1,2,2-Tetrachloroethane	ug/L	ND	20	18.4	92	75-125				
1,1,2-Trichloroethane	ug/L	ND	20	18.0	90	75-125				
1,1,2-Trichlorotrifluoroethane	ug/L	ND	20	24.7	123	75-150				
1,1-Dichloroethane	ug/L	ND	20	21.8	109	67-143				
1,1-Dichloroethene	ug/L	ND	20	23.2	116	75-147				
1,1-Dichloropropene	ug/L	ND	20	22.6	113	75-141				
1,2,3-Trichlorobenzene	ug/L	ND	20	20.8	104	71-141				
1,2,3-Trichloropropane	ug/L	ND	20	18.4	92	75-128				
1,2,4-Trichlorobenzene	ug/L	ND	20	20.1	100	61-148				

Date: 04/26/2010 05:07 PM

**REPORT OF LABORATORY ANALYSIS**

Page 12 of 20

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: CRC City of Rochester  
Pace Project No.: 10126763

MATRIX SPIKE SAMPLE:		778781		10126763002		Spike	MS	MS	% Rec	Qualifiers
Parameter	Units	Result	Conc.	Result	% Rec	Limits				
1,2,4-Trimethylbenzene	ug/L	ND	20	19.7	98	65-145				
1,2-Dibromo-3-chloropropane	ug/L	ND	20	19.7	99	64-135				
1,2-Dibromoethane (EDB)	ug/L	ND	20	18.7	93	75-126				
1,2-Dichlorobenzene	ug/L	ND	20	20.1	101	75-127				
1,2-Dichloroethane	ug/L	ND	20	18.7	94	70-138				
1,2-Dichloropropane	ug/L	ND	20	19.5	97	75-130				
1,3,5-Trimethylbenzene	ug/L	ND	20	19.9	100	61-150				
1,3-Dichlorobenzene	ug/L	ND	20	20.2	101	75-126				
1,3-Dichloropropane	ug/L	ND	20	19.1	96	75-125				
1,4-Dichlorobenzene	ug/L	ND	20	19.6	98	75-125				
2,2-Dichloropropane	ug/L	ND	20	23.0	115	50-150				
2-Butanone (MEK)	ug/L	4.9	20	23.1	91	50-141				
2-Chloroethylvinyl ether	ug/L	ND	50	14.0	28	50-150 P5				
2-Chlorotoluene	ug/L	ND	20	20.7	103	75-137				
2-Hexanone	ug/L	ND	20	16.8	84	66-135				
2-Methylnaphthalene	ug/L	ND	20	20.4	102	62-150				
4-Chlorotoluene	ug/L	ND	20	20.6	103	70-144				
4-Methyl-2-pentanone (MIBK)	ug/L	ND	20	17.6	88	62-142				
Acetone	ug/L	29.3	50	62.5	66	50-150				
Acrolein	ug/L	ND	200	122	61	50-150				
Acrylonitrile	ug/L	ND	200	181	91	70-135				
Allyl chloride	ug/L	ND	20	20.6	103	50-150				
Benzene	ug/L	ND	20	20.0	100	75-125				
Bromobenzene	ug/L	ND	20	19.4	97	75-125				
Bromochloromethane	ug/L	ND	20	20.0	100	73-137				
Bromodichloromethane	ug/L	ND	20	20.8	104	70-142				
Bromoform	ug/L	ND	40	37.5	94	55-135				
Bromomethane	ug/L	ND	20	51.3	256	50-150 M0				
Carbon disulfide	ug/L	ND	20	23.6	118	50-150				
Carbon tetrachloride	ug/L	ND	20	23.1	115	64-150				
Chlorobenzene	ug/L	ND	20	20.0	100	75-125				
Chloroethane	ug/L	ND	20	23.3	117	59-150				
Chloroform	ug/L	ND	20	20.3	101	75-132				
Chloromethane	ug/L	491	20	656	824	52-150 E,M0				
Chloroprene	ug/L	ND	20	23.7	118	54-150				
cis-1,2-Dichloroethene	ug/L	ND	20	20.5	103	64-144				
cis-1,3-Dichloropropene	ug/L	ND	20	19.4	97	56-150				
Dibromochloromethane	ug/L	ND	20	19.9	99	60-138				
Dibromomethane	ug/L	ND	20	19.2	96	75-127				
Dichlorodifluoromethane	ug/L	ND	20	28.5	142	50-150				
Dichlorofluoromethane	ug/L	ND	20	22.3	111	74-142				
Diethyl ether (Ethyl ether)	ug/L	ND	20	19.3	96	75-127				
Ethylbenzene	ug/L	ND	20	20.9	105	75-134				
Hexachloro-1,3-butadiene	ug/L	ND	20	24.0	120	63-150				
Iodomethane	ug/L	ND	20	28.6	143	50-150				
Isopropylbenzene (Cumene)	ug/L	ND	20	21.8	109	69-147				
m&p-Xylene	ug/L	ND	40	42.4	106	75-133				
Methyl-tert-butyl ether	ug/L	ND	20	20.3	101	73-131				

### QUALITY CONTROL DATA

Project: CRC City of Rochester  
Pace Project No.: 10126763

MATRIX SPIKE SAMPLE:		778781		10126763002		Spike	MS	MS	% Rec	Qualifiers
Parameter	Units	Result	Conc.	Result	% Rec	Limits				
Methylene Chloride	ug/L	ND	20	18.9	94	68-126				
n-Butylbenzene	ug/L	ND	20	22.3	112	59-150				
n-Propylbenzene	ug/L	ND	20	21.2	106	72-143				
Naphthalene	ug/L	ND	20	18.6	93	57-148				
o-Xylene	ug/L	ND	20	21.0	105	75-131				
p-Isopropyltoluene	ug/L	ND	20	20.5	103	75-137				
sec-Butylbenzene	ug/L	ND	20	22.1	110	75-144				
Styrene	ug/L	ND	20	19.5	98	75-134				
tert-Butylbenzene	ug/L	ND	20	20.4	102	68-150				
Tetrachloroethene	ug/L	ND	20	21.7	108	75-130				
Tetrahydrofuran	ug/L	ND	200	175	87	60-148				
Toluene	ug/L	ND	20	20.1	101	75-125				
trans-1,2-Dichloroethene	ug/L	ND	20	21.2	106	75-145				
trans-1,3-Dichloropropene	ug/L	ND	20	19.8	99	50-150				
Trichloroethene	ug/L	ND	20	20.9	105	73-132				
Trichlorofluoromethane	ug/L	ND	20	24.8	124	67-150				
Vinyl acetate	ug/L	ND	20	18.9J	94	50-150				
Vinyl chloride	ug/L	ND	20	26.4	132	63-150				
Xylene (Total)	ug/L	ND	60	63.4	106	72-138				
1,2-Dichloroethane-d4 (S)	%				102	75-125				
4-Bromofluorobenzene (S)	%				99	75-125				
Dibromofluoromethane (S)	%				98	75-125				
Toluene-d8 (S)	%				100	75-125				



**QUALITY CONTROL DATA**

Project: CRC City of Rochester  
Pace Project No.: 10126763

QC Batch: MSV/14331 Analysis Method: EPA 624  
QC Batch Method: EPA 624 Analysis Description: 624 MSV  
Associated Lab Samples: 10126763001

METHOD BLANK: 779349 Matrix: Water  
Associated Lab Samples: 10126763001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	04/24/10 12:26	
1,1,1-Trichloroethane	ug/L	ND	1.0	04/24/10 12:26	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	04/24/10 12:26	
1,1,2-Trichloroethane	ug/L	ND	4.0	04/24/10 12:26	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	1.0	04/24/10 12:26	
1,1-Dichloroethane	ug/L	ND	1.0	04/24/10 12:26	
1,1-Dichloroethene	ug/L	ND	1.0	04/24/10 12:26	
1,1-Dichloropropene	ug/L	ND	1.0	04/24/10 12:26	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	04/24/10 12:26	
1,2,3-Trichloropropane	ug/L	ND	1.0	04/24/10 12:26	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	04/24/10 12:26	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	04/24/10 12:26	
1,2-Dibromo-3-chloropropane	ug/L	ND	4.0	04/24/10 12:26	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	04/24/10 12:26	
1,2-Dichlorobenzene	ug/L	ND	1.0	04/24/10 12:26	
1,2-Dichloroethane	ug/L	ND	1.0	04/24/10 12:26	
1,2-Dichloropropane	ug/L	ND	1.0	04/24/10 12:26	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	04/24/10 12:26	
1,3-Dichlorobenzene	ug/L	ND	1.0	04/24/10 12:26	
1,3-Dichloropropane	ug/L	ND	1.0	04/24/10 12:26	
1,4-Dichlorobenzene	ug/L	ND	1.0	04/24/10 12:26	
2,2-Dichloropropane	ug/L	ND	4.0	04/24/10 12:26	
2-Butanone (MEK)	ug/L	ND	4.0	04/24/10 12:26	
2-Chloroethylvinyl ether	ug/L	ND	10.0	04/24/10 12:26	
2-Chlorotoluene	ug/L	ND	1.0	04/24/10 12:26	
2-Hexanone	ug/L	ND	4.0	04/24/10 12:26	
2-Methylnaphthalene	ug/L	ND	5.0	04/24/10 12:26	
4-Chlorotoluene	ug/L	ND	1.0	04/24/10 12:26	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	04/24/10 12:26	
Acetone	ug/L	ND	10.0	04/24/10 12:26	
Acrolein	ug/L	ND	40.0	04/24/10 12:26	
Acrylonitrile	ug/L	ND	10.0	04/24/10 12:26	
Allyl chloride	ug/L	ND	4.0	04/24/10 12:26	
Benzene	ug/L	ND	1.0	04/24/10 12:26	
Bromobenzene	ug/L	ND	1.0	04/24/10 12:26	
Bromochloromethane	ug/L	ND	1.0	04/24/10 12:26	
Bromodichloromethane	ug/L	ND	4.0	04/24/10 12:26	
Bromoform	ug/L	ND	8.0	04/24/10 12:26	
Bromomethane	ug/L	ND	4.0	04/24/10 12:26	
Carbon disulfide	ug/L	ND	1.0	04/24/10 12:26	
Carbon tetrachloride	ug/L	ND	4.0	04/24/10 12:26	
Chlorobenzene	ug/L	ND	1.0	04/24/10 12:26	
Chloroethane	ug/L	ND	1.0	04/24/10 12:26	

Date: 04/26/2010 05:07 PM

**REPORT OF LABORATORY ANALYSIS**

Page 15 of 20

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### QUALITY CONTROL DATA

Project: CRC City of Rochester  
Pace Project No.: 10126763

METHOD BLANK: 779349 Matrix: Water

Associated Lab Samples: 10126763001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloroform	ug/L	ND	1.0	04/24/10 12:26	
Chloromethane	ug/L	ND	4.0	04/24/10 12:26	
Chloroprene	ug/L	ND	1.0	04/24/10 12:26	
cis-1,2-Dichloroethene	ug/L	ND	1.0	04/24/10 12:26	
cis-1,3-Dichloropropene	ug/L	ND	4.0	04/24/10 12:26	
Dibromochloromethane	ug/L	ND	1.0	04/24/10 12:26	
Dibromomethane	ug/L	ND	1.0	04/24/10 12:26	
Dichlorodifluoromethane	ug/L	ND	1.0	04/24/10 12:26	
Dichlorofluoromethane	ug/L	ND	1.0	04/24/10 12:26	
Diethyl ether (Ethyl ether)	ug/L	ND	4.0	04/24/10 12:26	
Ethylbenzene	ug/L	ND	1.0	04/24/10 12:26	
Hexachloro-1,3-butadiene	ug/L	ND	4.0	04/24/10 12:26	
Iodomethane	ug/L	ND	4.0	04/24/10 12:26	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	04/24/10 12:26	
m&p-Xylene	ug/L	ND	2.0	04/24/10 12:26	
Methyl-tert-butyl ether	ug/L	ND	1.0	04/24/10 12:26	
Methylene Chloride	ug/L	ND	4.0	04/24/10 12:26	
n-Butylbenzene	ug/L	ND	1.0	04/24/10 12:26	
n-Propylbenzene	ug/L	ND	1.0	04/24/10 12:26	
Naphthalene	ug/L	ND	4.0	04/24/10 12:26	
o-Xylene	ug/L	ND	1.0	04/24/10 12:26	
p-Isopropyltoluene	ug/L	ND	1.0	04/24/10 12:26	
sec-Butylbenzene	ug/L	ND	1.0	04/24/10 12:26	
Styrene	ug/L	ND	1.0	04/24/10 12:26	
tert-Butylbenzene	ug/L	ND	1.0	04/24/10 12:26	
Tetrachloroethene	ug/L	ND	1.0	04/24/10 12:26	
Tetrahydrofuran	ug/L	ND	10.0	04/24/10 12:26	
Toluene	ug/L	ND	1.0	04/24/10 12:26	
trans-1,2-Dichloroethene	ug/L	ND	1.0	04/24/10 12:26	
trans-1,3-Dichloropropene	ug/L	ND	4.0	04/24/10 12:26	
Trichloroethene	ug/L	ND	1.0	04/24/10 12:26	
Trichlorofluoromethane	ug/L	ND	4.0	04/24/10 12:26	
Vinyl acetate	ug/L	ND	20.0	04/24/10 12:26	
Vinyl chloride	ug/L	ND	0.40	04/24/10 12:26	
Xylene (Total)	ug/L	ND	3.0	04/24/10 12:26	
1,2-Dichloroethane-d4 (S)	%	108	75-125	04/24/10 12:26	
4-Bromofluorobenzene (S)	%	112	75-125	04/24/10 12:26	
Dibromofluoromethane (S)	%	106	75-125	04/24/10 12:26	
Toluene-d8 (S)	%	100	75-125	04/24/10 12:26	

LABORATORY CONTROL SAMPLE: 779350

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	19.6	98	75-129	
1,1,1-Trichloroethane	ug/L	20	20.7	104	73-144	

Date: 04/26/2010 05:07 PM

### REPORT OF LABORATORY ANALYSIS

Page 16 of 20

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### QUALITY CONTROL DATA

Project: CRC City of Rochester  
Pace Project No.: 10126763

LABORATORY CONTROL SAMPLE: 779350

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,2,2-Tetrachloroethane	ug/L	20	16.7	83	75-125	
1,1,2-Trichloroethane	ug/L	20	18.3	92	75-125	
1,1,2-Trichlorotrifluoroethane	ug/L	20	20.3	101	75-143	
1,1-Dichloroethane	ug/L	20	19.1	95	75-135	
1,1-Dichloroethene	ug/L	20	20.7	103	75-133	
1,1-Dichloropropene	ug/L	20	19.9	99	75-131	
1,2,3-Trichlorobenzene	ug/L	20	18.1	90	73-141	
1,2,3-Trichloropropane	ug/L	20	19.5	98	75-126	
1,2,4-Trichlorobenzene	ug/L	20	18.4	92	70-148	
1,2,4-Trimethylbenzene	ug/L	20	20.6	103	75-141	
1,2-Dibromo-3-chloropropane	ug/L	20	18.3	91	64-135	
1,2-Dibromoethane (EDB)	ug/L	20	19.0	95	75-125	
1,2-Dichlorobenzene	ug/L	20	18.9	95	75-125	
1,2-Dichloroethane	ug/L	20	20.0	100	75-136	
1,2-Dichloropropane	ug/L	20	17.7	89	75-130	
1,3,5-Trimethylbenzene	ug/L	20	20.5	102	75-141	
1,3-Dichlorobenzene	ug/L	20	19.2	96	75-125	
1,3-Dichloropropane	ug/L	20	18.9	94	75-125	
1,4-Dichlorobenzene	ug/L	20	18.9	95	75-125	
2,2-Dichloropropane	ug/L	20	20.9	105	50-150	
2-Butanone (MEK)	ug/L	20	18.5	93	58-138	
2-Chloroethylvinyl ether	ug/L	50	45.2	90	50-150	
2-Chlorotoluene	ug/L	20	20.4	102	75-132	
2-Hexanone	ug/L	20	16.3	81	65-135	
2-Methylnaphthalene	ug/L	20	18.5	93	62-150	
4-Chlorotoluene	ug/L	20	20.7	104	75-135	
4-Methyl-2-pentanone (MIBK)	ug/L	20	15.8	79	69-137	
Acetone	ug/L	50	59.5	119	52-141	
Acrolein	ug/L	200	280	140	50-150	CH
Acrylonitrile	ug/L	200	175	88	75-130	
Allyl chloride	ug/L	20	20.6	103	68-150	
Benzene	ug/L	20	19.2	96	75-125	
Bromobenzene	ug/L	20	19.2	96	75-125	
Bromochloromethane	ug/L	20	21.2	106	75-129	
Bromodichloromethane	ug/L	20	19.4	97	75-142	
Bromoform	ug/L	40	35.5	89	66-135	
Bromomethane	ug/L	20	26.0	130	57-150	
Carbon disulfide	ug/L	20	20.0	100	65-132	
Carbon tetrachloride	ug/L	20	21.1	106	75-148	
Chlorobenzene	ug/L	20	18.6	93	75-125	
Chloroethane	ug/L	20	18.7	94	66-142	
Chloroform	ug/L	20	20.3	102	75-131	
Chloromethane	ug/L	20	17.3	87	52-147	
Chloroprene	ug/L	20	19.1	95	71-147	
cis-1,2-Dichloroethene	ug/L	20	19.8	99	75-126	
cis-1,3-Dichloropropene	ug/L	20	19.2	96	69-150	
Dibromochloromethane	ug/L	20	19.2	96	73-138	
Dibromomethane	ug/L	20	18.6	93	75-127	

Date: 04/26/2010 05:07 PM

### REPORT OF LABORATORY ANALYSIS

Page 17 of 20

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### QUALITY CONTROL DATA

Project: CRC City of Rochester  
Pace Project No.: 10126763

LABORATORY CONTROL SAMPLE: 779350

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Dichlorodifluoromethane	ug/L	20	15.7	78	50-150	
Dichlorofluoromethane	ug/L	20	19.7	99	75-129	
Diethyl ether (Ethyl ether)	ug/L	20	20.4	102	75-126	
Ethylbenzene	ug/L	20	18.9	95	75-132	
Hexachloro-1,3-butadiene	ug/L	20	19.0	95	75-129	
Iodomethane	ug/L	20	31.3	156	73-150	CH,L0
Isopropylbenzene (Cumene)	ug/L	20	18.7	94	75-142	
m&p-Xylene	ug/L	40	37.4	93	75-131	
Methyl-tert-butyl ether	ug/L	20	20.1	100	75-130	
Methylene Chloride	ug/L	20	19.0	95	71-125	
n-Butylbenzene	ug/L	20	19.3	97	70-148	
n-Propylbenzene	ug/L	20	19.7	99	75-136	
Naphthalene	ug/L	20	18.3	91	69-145	
o-Xylene	ug/L	20	18.5	92	75-129	
p-Isopropyltoluene	ug/L	20	19.8	99	75-132	
sec-Butylbenzene	ug/L	20	19.3	97	75-136	
Styrene	ug/L	20	18.7	93	75-125	
tert-Butylbenzene	ug/L	20	20.0	100	75-135	
Tetrachloroethene	ug/L	20	18.5	92	75-125	
Tetrahydrofuran	ug/L	200	180	90	63-144	
Toluene	ug/L	20	18.8	94	75-125	
trans-1,2-Dichloroethene	ug/L	20	19.9	99	72-135	
trans-1,3-Dichloropropene	ug/L	20	19.9	100	62-150	
Trichloroethene	ug/L	20	19.8	99	75-125	
Trichlorofluoromethane	ug/L	20	21.9	109	67-150	
Vinyl acetate	ug/L	20	15.9J	80	55-150	
Vinyl chloride	ug/L	20	17.4	87	63-147	
Xylene (Total)	ug/L	60	55.9	93	75-130	
1,2-Dichloroethane-d4 (S)	%			106	75-125	
4-Bromofluorobenzene (S)	%			114	75-125	
Dibromofluoromethane (S)	%			102	75-125	
Toluene-d8 (S)	%			102	75-125	

## QUALIFIERS

Project: CRC City of Rochester  
Pace Project No.: 10126763

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
ND - Not Detected at or above adjusted reporting limit.  
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.  
MDL - Adjusted Method Detection Limit.  
S - Surrogate  
1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.  
Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.  
LCS(D) - Laboratory Control Sample (Duplicate)  
MS(D) - Matrix Spike (Duplicate)  
DUP - Sample Duplicate  
RPD - Relative Percent Difference  
NC - Not Calculable.  
Pace Analytical is NELAP accredited. Contact your Pace PM for the current list of accredited analytes.  
U - Indicates the compound was analyzed for, but not detected.

### BATCH QUALIFIERS

Batch: MSV/14331

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

### ANALYTE QUALIFIERS

CH The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.  
E Analyte concentration exceeded the calibration range. The reported result is estimated.  
L0 Analyte recovery in the laboratory control sample (LCS) was outside QC limits.  
L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.  
M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.  
P5 The EPA or method required sample preservation degrades this compound, therefore acceptable recoveries may not be achieved in sample matrix spikes.

**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: CRC City of Rochester  
Pace Project No.: 10126763

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10126763001	AS-Influent	EPA 624	MSV/14331		
10126763002	AS-Effluent	EPA 624	MSV/14308		







Client Name: Cardinals

Project # 10126763

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace Other \_\_\_\_\_

Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  yes  no Seals Intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None  Other \_\_\_\_\_ Temp Blank: Yes \_\_\_\_\_ No X

Thermometer Used 80344042 or 179425 Type of Ice: Wet Blue None  Samples on Ice, cooling process has begun

Cooler Temperature 10.9°C Biological Tissue is Frozen: Yes No  
Temp should be above freezing to 8°C

Date and initials of person examining contents: SO 4-19-10

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. AS - different on coc, AS-110 on container AS - different on coc, AS-cut on container
-Includes date/time/ID/Analysis Matrix: <u>WT</u>		
All containers needing acid/base preservation have been checked. Noncompliance are noted in 13.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO3 <input type="checkbox"/> H2SO4 <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Samp #
Exceptions: <u>VOA</u> , Coliform, TOC, Oil and Grease, WI-DRO (water)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed <u>SO</u> Lot # of added preservative
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

Project Manager Review: [Signature]

Date: 4/20/10

# Attachment C

**Site Data Entry Worksheet for Soil Vapor Extraction Systems**

Enter site data for up to 5 SVE stacks in yellow cells.

<b>Project Name:</b>		Enter Distance from Stack#1 to Nearest Receptor or Property Boundary (in meters, minimum 10):			Enter Measured Gas Flow Rate through Vent Stack#1 (m <sup>3</sup> /sec):			
MN Bio Business Center		8	10	0.03				
<b>Date of Emission Test:</b>		<b>STACK 1</b>						
04/16/10		<b>ENTER EMISSION CONCENTRATIONS FOR STACK#1 in Column C</b>						
<b>Chemical Name</b>	<b>CAS or MPCA#</b>	Emission concentration stack#1 ug/m <sup>3</sup>	Gas flow rate through vent stack#1 m <sup>3</sup> /sec	Emission rate stack#1 ug/sec	Emission rate stack#1 lb/hr	Emission rate stack#1 tons/year	Total Annual Emissions (tons/year)	Cumulative Emission Rate (ug/sec)
Tetrachloroethylene (Perchloroethylene)	127-18-4	282000	3.4000E-02	9.5880E+03	7.6097E-02	3.3330E-01	3.3330E-01	9.5880E+03
Trichloro-1,2,2-trifluoroethane, 1,1,2- (Freon 113)	76-13-1	153000	3.4000E-02	5.2020E+03	4.1286E-02	1.8083E-01	1.8083E-01	5.2020E+03
Trichloroethylene	79-01-6	3730	3.4000E-02	1.2682E+02	1.0065E-03	4.4086E-03	4.4086E-03	1.2682E+02
							5.1855E-01	

**Site Data Entry Worksheet for Air Stripper Systems**

Enter Site Data for up to 5 air strippers in yellow cells.

Site/Project Name: **MN Bio Business Center**  
 Emission Test Date: **4/16/2010**

Enter Height of Stack: (meters)	Enter Distance from Stack to Nearest Receptor or Property Boundary: (in meters, minimum 10)	Air Stripper#1 influent flow rate [IFR] (liter/sec)
<b>8</b>	<b>10</b>	<b>0.03</b>

**Air Stripper #1**

Chemical Name	CAS or MPCA#	Influent Groundwater Concentration [IGC] (ug/L)	Effluent Groundwater Concentration [EGC] (ug/L)	Removal Factor [RF] (dimension less)	Emission Rate [ER = IGC*IFR*RF] (ug/sec)	Emission Rate (lbs/hr)	Emissions Rate (tons/yr)	Cumulative Emission Rate (ug/sec)	Total Annual Emissions (lbs/hr)	Total Annual Emissions (tons/year)
Acetone	67-64-1	0.00E+00	2.93E+01	#DIV/0!	#DIV/0!	0.00E+00	0.00E+00	#DIV/0!	0.00E+00	0.00E+00
Methyl chloride (Chloromethane)	74-87-3	1.07E+01	4.91E+02	-44.89	-1.30E+01	-1.03E-04	-4.51E-04	-1.30E+01	-1.03E-04	-4.51E-04
Methyl ethyl ketone (2-Butanone)	78-93-3	0.00E+00	4.90E+00	#DIV/0!	#DIV/0!	0.00E+00	0.00E+00	#DIV/0!	0.00E+00	0.00E+00
Tetrachloroethylene (Perchloroethylene)	127-18-4	4.86E+01	0.00E+00	1.00	1.31E+00	1.04E-05	4.56E-05	1.31E+00	1.04E-05	4.56E-05
Trichloro-1,2,2-trifluoroethane, 1,1,2- (Freon 113)	76-13-1	1.40E+00	0.00E+00	1.00	3.78E-02	3.00E-07	1.31E-06	3.78E-02	3.00E-07	1.31E-06

**Screening Emission Rates (SERs) and Chronic Risk Summary**  
 Based on site inputs provided on Soil Venting Worksheet and Air Stripper Worksheet

MN Bio Business Center  
**Site/Project Name:**  
**Emission Test Date:**  
 4/16/2010

Chemical Name	CAS # or MPCA #	Chronic Noncancer tox value (ug/m3)	Chronic Cancer tox value (ug/m3)	Annual Disp. Factor ((ug/m3)/g/s)	SER for Chronic Risk (ug/s)	Site Specific Emission Rate (ug/s)	Calculated Conc at Receptor for Chronic Risk (ug/m3)	Site HQ (Noncancer)	ELCR (Cancer)
Acetone	67-64-1	3.00E+04		4211	7.12E+06	#DIV/0!			
Methyl ethyl ketone (2-Butanone)	78-93-3	5.00E+03		4211	1.19E+06	#DIV/0!			
Tetrachloroethylene (Perchloroethylene)	127-18-4	1.00E+02	2.00E+01	1230	1.63E+04	9.59E+03	1.18E+01	0.1	5.9E-06
Trichloro-1,2,2-trifluoroethane, 1,1,2- (Freon 113)	76-13-1			1230		5.20E+03	6.40E+00		
Trichloroethylene	79-01-6	6.00E+02	3.03E+00	1230	2.46E+03	1.27E+02	1.56E-01	0.0	5.1E-07
<b>Additive Risk:</b>								<b>0.1</b>	<b>6.4E-06</b>

**Screening Emission Rates (SERs) and Acute Risk Summary**

Based on site inputs provided on Soil Venting Worksheet and Air Stripper Worksheet

**Site/Project Name:**

MN Bio Business Center

**Emission Test Date:**

3/25/2010

**\*Bolded chemicals are developmental toxicants. The acute toxic values are ceiling values that should not be exceeded.**

Chemical Name	CAS # or MPCA #	Acute toxicity value (ug/m3)	1-hr Disp. Factor ((ug/m3)/g/s)	SER [acute risk] (ug/s)	Site Emission Rate (ug/s)	Calculated Conc at Receptor for Acute Risk (ug/m3)	Site HQ (Noncancer) for acute risk
Acetone	67-64-1		85665		#DIV/0!		
Methyl ethyl ketone (2-Butanone)	78-93-3	10000	85665	1.17E+05	#DIV/0!		
Tetrachloroethylene (Perchloroethylene)	127-18-4	20000	3343	5.98E+06	9.59E+03	1.40E+02	0.0
Trichloro-1,2,2-trifluoroethane, 1,1,2- (Freon 113)	76-13-1		3343		5.20E+03	7.62E+01	
<b>Trichloroethylene</b>	<b>79-01-6</b>	<b>2000</b>	<b>3343</b>	<b>5.98E+05</b>	<b>1.27E+02</b>	<b>1.86E+00</b>	0.0
<b>Additive Risk:</b>							<b>0.0</b>

## Risk Evaluation Summary

RASS Version Used: RASS version number = 20060829 - RASS

This worksheet provides a summary of the results of the chronic and acute risk calculations based on site inputs from the Soil Venting and the Air Stripper worksheets. For both chronic and acute risk, an unacceptable risk is indicated in red if the Hazard Index exceeds 1. For chronic risk, an unacceptable risk is also indicated in red if the additive ELCR exceeds 10<sup>-5</sup>. This worksheet also indicates if levels of any acute developmental toxicants (which are considered ceiling values and should never be exceeded) pose an unacceptable risk.

<b>CHRONIC RISK SUMMARY</b>	
Number of Compounds with Hazard Quotient >1:	<b>0</b>
Number of Compounds with Cancer Risk > 10 <sup>-5</sup>	<b>0</b>
Noncancer Hazard Index:	<b>0.1</b>
Excess Lifetime Cancer Risk (ELCR):	<b>6.4E-06</b>

<b>ACUTE RISK SUMMARY</b>	
Number of Compounds with Hazard Quotient >1:	<b>0</b>
Hazard Index:	<b>0.0</b>

<b>Ceiling Values Exceeded?</b>	
Arsenic	<b>NO</b>
Benzene	<b>NO</b>
Carbon disulfide	<b>NO</b>
Carbon tetrachloride	<b>NO</b>
Cellosolve Acetate	<b>NO</b>
Chloroform	<b>NO</b>
Ethoxyethanol, 2-	<b>NO</b>
Ethylbenzene	<b>NO</b>
Ethyl chloride	<b>NO</b>
Mercury	<b>NO</b>
Methoxyethanol, 2-	<b>NO</b>
Propylene oxide	<b>NO</b>
Trichloroethylene	<b>NO</b>