

## Response to Request for Proposal

The Minnesota Pollution Control Agency and Minnesota Department of Agriculture

Professional / Technical Master Contract

Category B: Petroleum-Only Environmental Services

April 11, 2018

Prepared by: Antea®Group 5910 Rice Creek Pkwy, #100 Saint Paul, Minnesota 55126 1-651-639-9449 1-800-477-7411





## Response to Request for Proposal

The Minnesota Pollution Control Agency and Minnesota Department of Agriculture

Professional / Technical Master Contract

Category B: Petroleum-Only Environmental Services

April 11, 2018

Robert M. Karls

President

John R. Estes

Consultant

Jacob Knapp

Project Manager



## **Table of Contents**

1.0	)	COVER LETTER	1
2.0	)	QUALIFICATIONS AND CAPABILITIES	3
	2.1	Overall Company Capabilities	
		Staff Resumes and Matrix Table	
		Location of the firm's headquarters, local facilities and satellite offices4	
		Knowledge of the MPCA Petroleum Remediation Program, Underground Storage Tank (UST) and	
		Aboveground Storage Tank (AST) Release Cleanup Guidance and Fact Sheets Regulations	5
3.0	)	PROJECT DESCRIPTIONS: DESCRIBE TWO LIMITED SITE OR REMEDIAL INVESTIGATIONS  CONDUCTED BY THE PROPOSER	õ
4.0	)	SCOPE OF SERVICES	3
	4.1	Oversee site investigation services for soil boring advancement and monitoring well installation using both standard drilling methods and push probe methods	
	4.2	Conduct ground water, soil, surface water, sediment, and air sampling and monitoring1	1
		Conduct vapor/air monitoring for health and safety and air quality criteria16	
		Conduct and/or oversee site assessment activities (Phase I and Phase II), limited site investigations and remedial investigations	
	4.5	Conduct surface water, ground water, air and vapor receptor surveys22	
		Oversee construction to mitigate vapors and conduct non-construction mitigation measures such as using vans, etc	
	4.7	Conduct or oversee operation and maintenance on remedial systems25	
		Arrange for transportation, storage, and proper management of wastes27	
		Evaluate the need for and oversee the implementation of alternative drinking water, including point-of-use	9
	1 10	treatment (i.e. carbon filtration)	1
	4.10	Coordinate and cooperate with other State-contracted services such as sampling and analytical,	_
	1 1 1	emergency response contractors, and hazardous waste services	
		2 Oversee subcontractors and state contractors during investigation and cleanups and tanks removals3	
		Prepare and evaluate reports (e.g., investigation reports, monitoring reports, free product recovery	
		reports)34	
		Prepare Health and Safety Plans (HASPs)35	
		Arrange for site access	õ
	4.16	Coordinate utility locates by contacting the appropriate entity and, if applicable, coordinate traffic control	,-
	11-	7 Prepare and evaluate bid specifications	
		3 Evaluate invoices	
		Assist and provide training as requested by the MPCA. Training must be related to teh scope of this	,
	4.13	Master Contract	۵
	1 20	Follow MPCA green practices/procedures relative to remediation projects	
		Oversee hydrogeologic investigations including fate & transport modeling, capture zone analysis and	,
		pump tests	
		Prepare Engineering Evaluation Cost Analysis (EECA)43	
		3 Oversee or conduct bench-scale lab treatability studies and pilot tests and field demos46	
		FOversee equipment start-up and work out problems with the Contractor/Vendor47	
	4.25	Prepare and determine if the Stormwater Pollution Prevention Plan (SWPPP) is being followed and make	
		recommendations if revisions are needed during the life of the construction project48	
	4.26	5 Install stainless steel soil gas sampling ports using an electric drill to bore through floor slabs4	9



4.2	Collect and manage field and laboratory data for electronic submittal in a format specified by the		
	MPCA	.50	
5.0	PROJECT SCENARIOS.		51

#### Tables

Table 1 Staff Matrix

### Appendices

Appendix A Staff Resumes

iii



#### 1.0 COVER LETTER

April 11, 2018

Ms. Mary Henninger
Minnesota Pollution Control Agency
520 Lafayette Road North
St. Paul, Minnesota 55155-4194

Subject: The Minnesota Pollution Control Agency

**Remediation Master Contract** 

**Category B: Petroleum Only Remediation Environmental Services** 

Dear Ms. Henninger:

Antea®Group is pleased to provide the attached proposal in response to the Minnesota Pollution Control Agency (MPCA) February 28, 2018 Request for Proposal for Category B: Petroleum Only Remediation Environmental Services.

Antea Group is an international engineering and environmental consulting firm specializing in full-service solutions in the fields of environment, infrastructure, urban planning and water. By combining strategic thinking and multidisciplinary perspectives with technical expertise and pragmatic action, we do more than effectively solve client challenges; we deliver sustainable results for a better future. In the simplest terms, we help clients reduce their environmental footprints, mitigate safety risks, protect against engineering failures and minimize social impacts. With more than 3,000 employees in over 100 offices around the world, we serve multi-national clients ranging from global energy companies and manufactures to national governments and local municipalities.

In the United States, we are building on the strength and experience of our 25-year legacy brand Delta Consultants, incorporated in Minnesota in 1986. In 2008, Delta Consultants was acquired by Oranjewoud N.V., a Dutch publicly traded, engineering and environmental consulting firm. In 2011, Delta Consultants, along with the Belgian and French operations of Oranjewoud N.V., came together under one common brand and are now known in the marketplace as Antea Group. Since then, Antea Group has acquired a 110-person engineering and environmental consulting company in Colombia and a 32-person company in Brazil, expanding our reach into Latin America. In the Netherlands, engineering and environmental consulting services continue to be offered under the Oranjewoud name. Each of our home country operations (Belgium, Brazil, Colombia, France, Netherlands and USA) are managed by country CEO's and operate as separate profit and loss centers.

The added value Antea Group brings to the MPCA includes our experience in working with the MPCA as a multi-site State Contractor for 25 years. Our highly qualified and experienced staff of are equipped to promptly and effectively

antea group

support the MPCA and MDA with the entire scope of services for the Category B: Petroleum Only Remediation Environmental Services.

Mr. John Estes is the Antea Group designated MPCA proposal coordinator. As a Consultant located in our St. Paul office, Mr. Estes is usually in the office coordinating project activities and is knowledgeable of the capabilities of the technical personnel who will be working on the Contract. Consequently, it is likely that he will be reachable by one of the following forms of communication to interact with the MPCA's Contract users.

John R. Estes

Direct Phone: 651 697 5245

E-Mail: <u>john.estes@anteagroup.com</u>
Website: www.us.anteagroup.com/en-us

In the event Mr. Estes is unavailable or out of the office for an extended period of time, Mr. Jacob Knapp at 651.697.5253 is an alternative contact. It is Antea Group's intent to utilize 100% Minnesota local staff on this Contract, however we have the ability and flexibility to bring in expert resources from across the country should the need arise. The number and staff classifications of local personnel to be available are included in the enclosed staff matrix and accompanying resumes. In addition, Antea Group has two employees located in our St. Paul office that have current National Radon Proficiency Program training and are both Residential Measurement and Mitigation Providers.

Antea Group has reviewed the proposed Contract issued as an attachment to the RFP along with the associated Classification Levels and Rates (Schedule 1 and 2) and the Equipment and Supplies List. The terms and conditions of the Contract are acceptable. We also accept the Classification Levels and Rates and the Equipment and Supplies List used to perform services with prices.

Antea Group is not seeking veteran owned preference and as such the included Attachment I, has been marked as not applicable.

If you have any questions or comments regarding the requested contract modifications, please contact Mr. Estes. We invite you to review the attached proposal and look forward to hearing from you regarding your Consultant selections.

Sincerely,

Bob Karls President 651.639.9449

Bob.Karls@AnteaGroup.com

Antea Group

John R. Estes Consultant 651-697-5245

john.estes@anteagroup.com

m. G

Antea Group



#### 2.0 QUALIFICATIONS AND CAPABILITIES

#### 2.1 Overall Company Capabilities

3

Antea Group is an international engineering and environmental consulting firm specializing in full-service solutions in the fields of environment, infrastructure, urban planning and water. By combining strategic thinking and multidisciplinary perspectives with technical expertise and pragmatic action, we do more than effectively solve client challenges; we deliver sustainable results for a better future. In the simplest terms, we help clients reduce their environmental footprints, mitigate safety risks, protect against engineering failures and minimize social impacts. With more than 3,000 employees in over 100 offices around the world, we serve multi-national clients across diverse industries including automotive, chemical, energy, food & beverage, government, manufacturing, pharmaceutical, technology and transportation.

In the United States, we are building on the strength and experience of our 25-year legacy brand Delta Consultants, incorporated in Minnesota in 1986. In 2008, Delta Consultants was acquired by Oranjewoud N.V., a Dutch publicly traded, engineering and environmental consulting firm. In 2011, Delta Consultants, along with the Belgian and French operations of Oranjewoud N.V., came together under one common brand and are now known in the marketplace as Antea Group. Since then, Antea Group has acquired a 450-person engineering and environmental consulting company in Colombia, expanding our reach into Latin America. In the Netherlands, engineering and environmental consulting services continue to be offered under the Oranjewoud name. Each of our home country operations (Belgium, Colombia, France, Netherlands and USA) are managed by country CEO's and operate as separate profit and loss centers.

Antea Group can offer the capabilities of trained and experienced environmental professionals who appreciate the particular needs and concerns of the State. Antea Group has over 700 employees in 42 offices across the United States who are available to assist the State with its program needs. Our staff includes environmental and chemical engineers, health and safety specialists, environmental management consultants, training and performance consultants, hydrogeologists, information management consultants, toxicologists, environmental scientists, and air specialists.

Antea Group's focus is to first understand the State's environmental problems and project goals, then develop and provide timely, cost-effective services that meet those goals. This will be accomplished through frequent and open communication with the MPCA and MDA on project issues.

Antea Group's project managers consider effective and continual communication with our clients to be a prime responsibility. Our professionals pride themselves in responding quickly and efficiently to our client's needs. Antea Group professionals listen to our clients; we ask questions, study the problem, and review several possible options before recommending a particular course of action. Antea Group keeps our clients involved in every step of a project, seeking their input and suggestions and incorporating their concerns along the way.

Antea Group endeavors to develop client relationships that give feedback and knowledge necessary to shape our organization and consulting capabilities to best help our client's reach their goals. We pride ourselves on not only having exceptional technical expertise to develop custom-tailored solutions for our clients, but also having the



sensitivity to make sure that Antea Group performs and presents work in a manner compatible with our client's culture and expectations.

Antea Group holds the safety of its clients and employees as a core value in the operation of our business. Our employees are OSHA trained and certified and we conduct routine refresher courses for our employees. Our employees have a "work safely" motto engrained into their daily tasks. Our employees have a full understanding of Antea Group's performance goals, project quality assurance and quality control procedures, and health and safety concerns. "Work safely" is not just a catch phrase at Antea Group – it is how we do business.

Antea Group specializes in providing innovative, yet practical, environmental remediation design, due diligence services, and operation and maintenance services. Antea Group is a solution-oriented company that provides safe, timely, cost-efficient, and risk-based solutions that provide successful remediation at hazardous substance and nonhazardous waste sites. The key to Antea Group's success is in the planning and skilled management of time, resources, and budget. Whether the situation dictates the need for a Phase I assessment, or a more intrusive Phase Il assessment involving soil, groundwater, or air investigations, the primary goal is to provide solutions to the State's environmental problem sites. Antea Group identifies solutions by analyzing objectives and designing a remediation system to efficiently meet those needs. The State's needs involve: not only achieving the site cleanup objectives, managing the site safety concerns, and financial constraints, but also maintaining public awareness and involvement throughout the process. Time constraints, life cycle costs, availability of long- or short-term operation and maintenance resources, public image, and the State's specific final plans for use of the impacted property are all vital to the efficient solution to remediation needs.

Antea Group believes that the information provided in this response demonstrates the extent of our experience, the value of our resources, and our commitment to understanding and meeting the State's needs. Antea Group's qualifications and capabilities for providing services to the MPCA and MDA Programs are included in the following sections.

#### 2.2 Staff Resumes and Matrix Table

The staff matrix illustrated in the attached Table 1 summarizes the personnel who will be assigned to this contract. The matrix includes staff classification, OHSA certification, years of service with Antea Group, summary of educational experience, work experience, licenses and certifications held by each employee assigned to the Contract, and the work location of each individual. Profiles of each staff member are included in Appendix A of this proposal package.

#### 2.3 Location of the firm's headquarters, local facilities and satellite offices

Our US Facility Headquarters and the Minnesota local facility are both located at the following address:

5910 Rice Creek Parkway, Suite 100 Saint Paul, MN 55126 Phone: +1 651 693 9449

USA Toll-Free: +800 477 7411



Fax: +1 651 639 9473 http://us.anteagroup.com/

We also have satellite offices located in Alexandria and Annandale, Minnesota.

# 2.4 Knowledge of the MPCA Petroleum Remediation Program, Underground Storage Tank (UST) and Aboveground Storage Tank (AST) Release Cleanup Guidance and Fact Sheets Regulations

#### **PETROLEUM**

Antea Group, formerly known as Delta Consultants, was incorporated in Minnesota in 1986. Since inception, we have adhered to the Minnesota Pollution Control Agency (MPCA) and State petroleum guidance requirements and submitted thousands of reports to the variously-named MPCA petroleum programs utilizing MPCA published report templates. We also understand all applicable definitions stated in Minnesota Statutes § 115C.01 – 115C.13 as well as other statutory regulations that govern the development of the Petroleum Remediation Program. Our extensive variety of clients in which petroleum investigations are performed include the MPCA fund-financed sites, responsible parties and volunteers for petroleum-impacted properties, current or prior property owners, current or past storage tank owners or operators and local or state governments.

We value the MPCA Petroleum Remediation Program (PRP) mission to investigate petroleum releases and to evaluate and remove risks to human health and the environment resulting from those releases. We recognize the PRP priorities of prompt investigation, cleanup, and closure of petroleum tank release sites. Antea Group ensures the investigations, cleanups, and closures are completed in a timely manner without compromising the MPCA mandate to protect human health and the environment.

Antea Group shares the PRP objective in all of our work conducted in the State of Minnesota to ensure clean drinking water supplies, prevention of exposure from petroleum vapors, addressing surface water petroleum impacts, and prevention of dermal contact with contaminated soil. We attempt this by eliminating pathways linking contaminant sources to receptors.

We utilize site management decisions based on existing land use. Where risks to receptors are high, we understand the program works to make the risk low. Where risks to receptors are low, or where a high-risk plume is converted to a low-risk plume (by eliminating pathways linking contaminant sources to receptors), we recognize the program relies on natural attenuation for long-term risk reduction.

The robust MPCA PRP Guidance Documents (GD) provide a structure in which we conduct all petroleum investigative and remedial work in the State. Report submittals are documented utilizing the format of scope-specific activities (example: PRP GD 4-06 Investigation Report Form). In addition, as directed by MPCA Project Managers, PRP Corrective Action GD's are utilized for other State Programs such as Superfund, Brownfields and VIC. We implement risk-based approaches to petroleum-related investigations and corrective action according to risks targeted by the PRP and in accordance with all current PRP GD's.



## 3.0 PROJECT DESCRIPTIONS: DESCRIBE TWO LIMITED SITE OR REMEDIAL INVESTIGATIONS CONDUCTED BY THE PROPOSER

RI Example 1:

Project Name: Leak 17590 – Holiday Stationstore #29

Client: Holiday Stationstores, LLC

Client Contact: Ms. Camie Pederson

952-830-8899

Site Description:

6

Project Name &	Leak 17590 – Holiday Stationstore #29
Location:	320 3 <sup>rd</sup> Avenue East
	Alexandria, Minnesota
Client Contact:	Camie Pederson
	Environmental Manager
	Holiday Stationstores, LLC
	Contact: 952-830-8899
Brief Site	The site is an active petroleum retail service station. Leak No. 17590, the current release,
Description:	was opened in May 2009 after a vehicle hit a dispenser island and ruptured a gasoline
	supply line. A prior release, Leak No. 2192 was opened in December 1989 with the
	discovery of contaminated soil during the excavation and replacement of the USTs at the
	Site. Approximately 500 cubic yards of contaminated soil were excavated, and treated by
	landfarming off-site. Closure was received on December 20, 1990.
	An initial Limited Site Investigation was performed in 2009, with the advancement of five
	soil borings. A revised Limited Site Investigation was performed in 2011, with the
	advancement of three additional soil borings. An additional six soil borings, including one
	drilled into the regional drinking water aquifer, were advanced as part of this 2015-2016
	Remedial Investigation, and were converted to groundwater monitoring wells.
	The groundwater samples collected at the site indicate that only MW-2, located in the
	source area, has exceedances of BTEX and 1,2-DCA. The investigation at a leak site across
	the street indicated decreasing detections of 1,2-DCA to the northeast in the right-of-way
	in the shallow aquifer. Two deep wells are planned to be installed to the northeast to
	determine the extent of 1,2-DCA.



Tasks that were subcontracted out	Subcontracted tasks included: advancement of push probes, installation of monitoring wells, and soil and groundwater laboratory analyses.
Outcome achieved	The site is in the process of gaining off-site access to install additional deep downgradient monitoring wells to delineate the extent of 1,2-DCA to the northeast of the site.
Personnel who performed each task	<ul> <li>Project management: Chris Tufts</li> <li>Field activities: Molly Partridge, Jarrod Cicha, Jacy Christenson</li> <li>Data evaluation and report preparation: Chris Tufts, Molly Partridge</li> </ul>

#### RI Example 2:

Project Name: Leak 18101 – Holiday Stationstore #369

Client: Holiday Stationstores, LLC

Client Contact: Ms. Camie Pederson

952-830-8899

Site Description:

Project Name & Location:	Leak 18101 – Holiday Stationstore #369 7472 Excelsior Road
	Baxter, Minnesota
Client Contact:	Camie Pederson
	Environmental Manager
	Holiday Stationstores, LLC
	Contact: 952-830-8899
Brief Site	The site is an active petroleum retail service station. A release was discovered in July 2010
Description:	when the automatic tank gauging system indicated a line failure in the gasoline system
	beneath a product dispenser. An unknown amount of gasoline was released prior to
	repairs to the system by a petroleum service company. Antea Group was retained by the
	responsible party to provide environmental services associated with the release.
	A remedial investigation was performed at the site, which included the installation of
	several monitoring wells. A small amount of free product was observed in the source area
	monitoring well, and a sheen was observed on the bank of the drainage ditch located in
	the right-of-way due east of the site.
	A focused investigation was performed in 2015. A total of 42 Laser Induced Fluorescence



	(LIF) borings were advanced at the site to delineate the extent of LNAPL at the site. The LIF data depicted an area of smear zone thickness of up to approximately 7 feet, and an average thickness of 5.2 feet, with the UST area as the plume center. The cross sections of the site indicated that the smear zone generally aligned with the historic minimum and maximum depth to groundwater at the site.
	Based on the results of the focused investigation and a subsequent review of corrective action options in the conceptual corrective action design (CCAD) report, a pilot test of <i>insitu chemical oxidation</i> (ISCO) was recommended. The product chosen for the pilot test was PetroCleanze <sup>TM</sup> .
	The ISCO pilot test was conducted in May 2017. The results of the post-ISCO groundwater monitoring showed favorable results, and a full-scale ISCO injection was recommended for the site.
Tasks that were subcontracted out	Subcontracted tasks included: advancement of push probes, installation of monitoring wells, soil and groundwater laboratory analyses, and ISCO injection work.
Outcome achieved	Antea Group recommended the performance of a full-scale injection of PetroCleanze <sup>TM</sup> at the site. It is anticipated that a Remediation System Detailed Corrective Action Design Report (SDCAD) will be prepared in the near future to design the full-scale injection work, which will likely take place Fall 2018 or Spring 2019.
Personnel who performed each task	<ul> <li>Project management: Chris Tufts</li> <li>Field activities: Molly Partridge, Jarrod Cicha, Layne Kortbein, Jacy Christenson</li> <li>Data evaluation and report preparation: Jack Sheldon, Chris Tufts, Molly Partridge</li> </ul>

#### 4.0 SCOPE OF SERVICES

## 4.1 Oversee site investigation services for soil boring advancement and monitoring well installation using both standard drilling methods and push probe methods

Antea Group has completed hundreds of remedial investigations for various clients in Minnesota utilizing conventional drilling methods and/or push probes. These investigations include Superfund, Resource Conservation and Recovery Act (RCRA), and petroleum sites. Antea Group has worked with the MPCA Petroleum Remediation Program, Site Assessment, Brownfields, Voluntary Investigation and Cleanup (VIC), Petroleum Brownfields Program (formerly VPIC), and Emergency Response during these investigations.



Site investigations typically utilize push probe, hollow stem auger, air/mud rotary, and rotosonic drilling methods, as appropriate, and depending on site conditions. Prior to conducting a subsurface investigation, Antea Group reviews geologic maps and local well logs to evaluate site hydrogeologic conditions. Conditions that influence drilling method selection include soil type, depth to bedrock, and the projected vertical extent of the soil and groundwater impacts. Based on the various site conditions and the project objectives, an appropriate drilling method is selected.

In many situations, Antea Group utilizes both push probe and conventional drilling technologies in conjunction during the investigation phase. The push probe is typically utilized to delineate the horizontal and vertical extent of soil, soil vapor and groundwater impacts prior to installing permanent monitoring wells or permanent vapor sampling points. Utilizing this approach, monitoring wells and vapor sampling points can be optimally positioned to monitor plume migration, groundwater quality trends and soil vapor conditions, thus minimizing project costs associated with unnecessary monitoring wells or poorly placed wells and sampling points. Likewise, when drilling in bedrock, Antea Group often utilizes packer tests to identify preferential fracture flow pathways in an effort to position open hole wells optimally for efficient delineation of impacts. During subsurface investigations, Antea Group's geologists carefully log soil conditions and screen for the presence of contaminants using photoionization detectors equipped with appropriate ionization potential bulbs. Antea Group also utilizes the MPCA risk-based guidance for selecting the appropriate drilling methodology.

During investigations in southeastern Minnesota, Antea Group evaluates the potential that karst conditions may be present and conducts the investigation to appropriately address the situation. Multi-level sampling bedrock wells may need to be installed to evaluate multiple potential fracture pathways.

Antea Group is proficient utilizing direct sensing Geoprobe<sup>™</sup> technologies: laser induced fluorescence (LIF), membrane interface probe (MIP), and soil conductivity results for completing site investigations. LIF directly senses free product in the soil and groundwater while MIP can directly sense volatile organic compounds in the soil and groundwater. Soil conductivity probes are used to measure soil conductivity for determination of soil lithology and potential preferential flow pathways.

Antea Group does not own drilling or push probe equipment, which promotes competitive bidding and provides the best service for our clients. Antea Group utilizes Minnesota Department of Health licensed well drillers for the installation of push probes, soil borings, and monitoring and recovery wells. Following installation, all wells are surveyed to a common datum to determine site coordinates and the elevation of the top of casing.

### Example: Former Gasoline Station Two Harbors, Minnesota

Antea Group utilized previously obtained data to determine appropriate locations to place monitoring wells to monitor a groundwater plume originating from two separate source areas at a former gasoline station which had been converted to a residential building. Prior to installation, each monitoring well location was investigated utilizing direct push methods for stratigraphy and sampling purposes. Monitoring wells were then installed utilizing hollow stem auger methods at each location. Following analysis of data collected during the well installation, Antea Group



completed further investigation utilizing MIP technologies to define the extent of petroleum saturated soil and direct push methods to further define the extent of soil, soil vapor and groundwater impacts.

Upon completion of defining the extent and magnitude of petroleum saturated soil and dissolved phase impacts, Antea Group completed an excavation of the two separate source areas where approximately 863 tons of petroleum saturated soil was removed and transported off-site for disposal. During the excavation activities Antea Group discovered the presence of a previously unknown drain tile extending from one of the source areas to the area of a nearby wetland. The backfill of the drain tile was observed to be petroleum saturated and the drain tile and backfill was excavated to the extent feasible to the approximate edge of the wetland. Following the completion of the excavation Antea Group installed two additional monitoring wells utilizing hollow stem auger techniques to monitor the success of the excavation.

Following excavation Antea Group conducted further investigation of the drain tile within the wetland utilizing direct push methods. The results of the push probe investigation indicated that additional investigation within the wetland was not necessary and impacts were defined near the remaining drain tile. Following confirmation groundwater sampling and delineation of the drain tile area Antea Group achieved regulatory closure for this site.

This site demonstrates Antea Group's capability of utilizing push probes, traditional drilling techniques and advanced technology for investigation, remedial design and corrective action to achieve remedial goals.

### Example: Crude Oil Pipe Line Leak Tioga, North Dakota

Antea Group was contracted by an integrated oil company to provide emergency response oversight, remediation strategies and implementation oversight to a pipeline release of approximately 800,000 gallons of Bakken crude oil. The release occurred on a geographic high point resulting in oil spreading in multiple directions.

Antea Group provided immediate response to investigate the vertical and horizontal extent of crude oil impacts and develop an interim remedy. Antea Group provided initial delineation of the release area by advancing more than 125 direct push probes and installing groundwater monitoring wells using hollow stem auger. The interim remedy included installation of a network of oil collection trenches and vertical recovery points. The interim remedy provided a rapid transition from emergency response to remedial investigation and corrective action.

Antea Group developed a remedial investigation strategy employing multiple investigation techniques including: direct push probes and real-time laser induced fluorescence (LIF) evaluation to quickly provide the information required it aid in the development of the site remedial strategy. Real time site updates to the entire project team during the LIF investigation reduced cost, number of probes advanced and provided the client with continuous updates.

The site remedy selected was remediation by excavation and onsite exsitu thermal desorption. During the excavation, several high permeability zones were encountered where oil had migrated away from the main body of impacted soil. To integrate this information into a more refined site conceptual model additional investigations were proposed. Additional investigation included rotosonic borings and passive soil gas sampling to identify discrete sand lenses where migration of crude had occurred.



Routine three-dimensional modeling and data visualization incorporating data collected from probes, LIF, sonic borings and excavation data provided an ongoing understanding of remedial progress and provide a budget planning tool for the ongoing remediation.

The comprehensive site investigation and remediation strategy development has provided the client with a comprehensive understanding of the site with respect to the extent, magnitude and transport mechanisms of the crude oil release.

The remedial treatment at the site is ongoing. Antea Group continues to work with the client, remediation contractors, regulatory agencies and property owners to reduce costs while working to restore the property to its original use.

Antea Group worked with the client and remedial contractors to reduce costs by continuous evaluation of remediation technologies, excavation methods and screening protocols.

Fate and transport modeling performed by Antea Group has also assisted in negotiation of a site-specific cleanup goals for the project.

Antea Groups rapid response provided project continuity through all phases of the project and provides a solid basis for the client's site management decision

## 4.2 Conduct ground water, soil, surface water, sediment, and air sampling and monitoring PETROLEUM ENVIRONMENTAL SERVICES

Antea Group has extensive experience sampling multiple media types inclusive of groundwater, soil, surface water, sediment and air and associated ongoing monitoring as appropriate. Antea Group's field staff receives extensive training and carefully follows MPCA guidelines when collecting groundwater, soil, surface water, sediment, and air samples. Proper collection of samples is important to ensure the accuracy of the results. The following provide an overview of our various sampling qualifications.

#### **Groundwater Sampling**

Antea Group conducts groundwater sampling in accordance with MPCA Guidance Documents 4-01 and 4-05. Groundwater sample collection is often performed during push probe advancement or after monitoring wells have been installed, developed, and allowed to equilibrate with the ambient aquifer conditions. While groundwater sampling can be performed from direct-push probes, the results are not reproducible and consequently are utilized only for screening purposes. Groundwater samples are often also collected from water supply wells to assess potential impacts to human health and to further evaluate the magnitude of impacts extending over a regional area. Based on suspected sources and site operational history, a list of contaminants of concern (COC) is identified and utilized to determine appropriate Data Quality Objectives (DQO) and preparation of a Quality Assurance Project Plan (QAPP). Once the DQO and QAPP are in place, a site sampling plan is prepared which details the sampling sequence, sample nomenclature, stabilization criteria, analytical sample requirements, quality assurance / quality control (QA/QC) sampling requirements, and chain-of-custody protocol. Antea Group then mobilizes to the site to perform the following activities: 1) measure water and product elevations; 2) purge each monitoring well a minimum of three



well volumes until the groundwater is stabilized for pH, specific conductance, dissolved oxygen, oxidation-reduction potential, and temperature; and 3) collect groundwater sample(s) in appropriate laboratory grade glassware.

The MPCA guidance provides specific methods for groundwater sampling and the preference for different methods. The highest quality samples are collected by purging with a bladder pump, utilizing a flow through cell to determine when a well is stabilized and collecting a discrete sample using a clean disposable bailer. Groundwater samples are collected in the appropriate sample bottles, preserved and shipped to a prequalified laboratory for analysis. During each monitoring event, all groundwater conditions are recorded on field sampling forms. The data collected is entered into a project database for data storage and evaluated for data trends.

Groundwater samples are collected by Antea Group geologists and/or field technicians, or in some cases, by our subcontractors if it is more cost effective. Antea Group has all the necessary equipment to collect groundwater samples unless unique field conditions require the use of a subcontractor with specialized equipment. Groundwater samples are typically analyzed in the field for natural attenuation parameters and groundwater samples collected for laboratory analysis for petroleum volatile organic compounds (PVOC), gasoline range organics (GRO), and diesel range organics (DRO) and / or other specific COC, as appropriate or prescribed by MPCA guidance.

## Example: Former Retail Petroleum Facility Duluth, Minnesota

Antea Group has developed and implemented a groundwater sampling program for a fund-financed site located in Duluth, Minnesota. The well network consists of five groundwater monitoring wells at or near the subject site. The monitoring wells are sampled quarterly. Groundwater elevations are gauged quarterly at all monitoring wells to evaluate groundwater flow at the subject site. Water samples collected are submitted for laboratory analysis of petroleum volatile organic compounds (PVOC), by EPA Method 8260B, and GRO and DRO, each by the Wisconsin modified method.

#### **Soil Sampling**

Antea Group has conducted soil sampling activities at a wide variety of sites. Our experience includes soil sampling for various chemicals of concern. We have experience collecting soil samples from surface and subsurface samples utilizing a wide variety of compositing techniques. For subsurface sampling Antea Group has experience collecting samples using hand augers, direct-push drill rigs, hollow-stem auger rigs, sonic drilling methods, coring machines, and other sampling equipment. We have conducted soil sampling in excavations and designed detailed confirmation sampling plans. In addition, we have experience collecting samples and obtaining laboratory results for grain size analysis, permeability, porosity, total organic carbon, and bulk density to evaluate the physical parameters of the soil and its characteristics for contaminant transport.

Antea Group staff utilizes MPCA Guidance Documents 3-01, 4-01 and 4-04 as guidance for collecting soil samples. Upon collecting a soil sample, the Antea Group geologist or field technician first records the geologic description. Then a portion of the sample is screened with a photoionization detector to collect an organic vapor reading and the results are recorded. A soil sample is collected and placed in the appropriate laboratory container and submitted to the laboratory for analysis according to MPCA Guidance Documents. During a Limited Site Investigation or initial site



investigation at least three soil samples from different locations are collected for grain size analysis. Sampling equipment is cleaned and/or replaced between each sample to avoid cross contamination.

#### Air Sampling

Antea Group has conducted numerous Vapor Intrusion Assessments (VIA) involving indoor air, ambient air, sub-slab air and subsurface air sampling. Antea Group follows MPCA best management practices (BMP) for all VIA investigations.

#### **Indoor and Ambient Air Sampling**

Indoor air samples are generally collected using Summa® canisters (individually certified by the laboratory) with 24 hour regulators concurrently with ambient (outdoor) air samples. Summa® canisters placed in indoor spaces are generally placed with the canister intake within the breathing zone and in a central part of the room. The Summa® canisters can be analyzed for a wide variety of contaminants, but most often VOCs utilizing United States Environmental Protection Agency (EPA) Method TO-15 for compounds on the Minnesota soil gas list and total hydrocarbons (THC). Prior to collection of indoor air samples Antea Group performs a *Vapor Intrusion Interior Building Survey* following MPCA Guidance 4-01a and MPCA vapor intrusion best management practices (BMP).

During the air monitoring and sampling activities, Antea Group personnel will document the following:

- Building foundation type and integrity;
- Number and location of windows, outdoor air exchangers, or other air intakes;
- Building use and population, including identification of sensitive populations, disadvantaged populations, and potential exposure pathways;
- Potential sources located within buildings which may interfere with sample integrity;
- Any requests made to building occupants to limit potential sample interference;
- Any actions taken to limit potential interference (i.e. sealing doors to attached garages, removing gasoline or paint cans from buildings),
- Potential off-site sources of contaminants, including ambient outdoor and indoor emission sources.

Air quality is also monitored when remediation systems such as a soil vapor extraction (SVE) system are discharging vapors directly into the atmosphere. Emission rates for each compound detected are calculated and compared to the significant emission rate (SER) or other applicable discharge criteria, to assure that vapor discharges are not exceeding established limits. On all its sites with air emissions, Antea Group generally collects air bag samples for laboratory analysis to monitor air quality, but may use Summa® cans depending upon site analytical requirements.

#### **Sub-Slab Air Sampling**

Sub-Slab air sampling is conducted following MPCA BMP for vapor intrusion investigations and include: Installing the appropriate number of vapor sampling ports depending on the building use and size of the building footprint; performing water dam leak tests, shut in testing to ensure sample train integrity, use of individually certified Summa® canisters, and; collection of micromanometer readings to gauge pressure differential between the indoor and sub-slab air. Shut in testing is performed by affixing valves and a gauge to the sample train following protocols in the MPCA VIA BMP. After shut in test connections are made a vacuum of approximately 30 inches of mercury is applied to the sample train and is held for five minutes to ensure that leaks in the sample train are not present.



Sub-Slab samples are submitted for laboratory analysis by EPA method TO-15 for compounds on the Minnesota soil gas list and THC. Results of sub slab samples are compared to the MPCA intrusion screening values (ISV) and/or the appropriate MPCA soil gas value based on building use (occupants) and building and/or slab condition, as appropriate.

#### **Subsurface Air Sampling**

Subsurface air sampling is conducted following MPCA Guidance Document 4-01a. The depths of the probes are determined by the proximity to buildings with basements. Soil gas probes are advanced either utilizing direct push technology or manual methods to the required depth. Each sampling point is fitted with new/unused polyethylene inert tubing and purged a minimum of three volumes via a graduated syringe. An in-line moisture trap is installed prior to obtaining each air sample. One soil vapor sample is collected from each soil vapor intrusion probe and submitted for laboratory analysis utilizing EPA method TO-15 (full scan) for compounds in the Minnesota Soil Gas List and THC. Each soil vapor sample is accompanied by a PID scan from the sampling depth.

Air samples are collected by attaching the top of inert tubing to a Summa® canister. The air samples are monitored via a vacuum gauge to evaluate the collection progress of each sample and to assure that canisters retain some vacuum at the conclusion of the sample collection. After obtaining the sample, the Summa® canister valve is closed. The inert tubing is then connected to a portable PID to record the relative volatile organic content of the sample. The PID measurement is recorded on the chain-of-custody form. Each form records the following information: project name and location, project number, shipped by, shipped to, sampling point and location, field identification number, sample depth, vacuum of the Summa® canister (start and end), date and time collected, sample type, number of containers, analysis required and the sampler's signature. Following sampling, each probe is abandoned utilizing a bentonite grout in accordance with MDH guidelines.

Where previously observed soil gas sampling laboratory analytical results indicate elevated contaminant constituents, Antea Group has installed permanent vapor sampling points either in areas surrounding the site or within the buildings in which vapor intrusion presents a risk in accordance with MPCA Guidance Document 4-01a and MPCA BMP.

### Example: Former Gasoline Station Two Harbors, Minnesota

Antea Group utilized previously obtained data to determine appropriate locations to place monitoring wells to monitor a groundwater plume originating from two separate source areas at a former gasoline station which had been converted to a residential building. Prior to installation each monitoring well location was investigated utilizing direct push methods for stratigraphy and sampling purposes. Monitoring wells were then installed utilizing hollow stem auger methods at each location. Following analysis of data collected during the well installation, and quarterly groundwater monitoring, Antea Group completed further investigation utilizing LIF technologies to define the extent of petroleum saturated soil and direct push methods to further define the extent of soil, soil vapor and groundwater impacts.

Antea Group also utilized direct push methods to investigate potential off-site impacts on a neighboring property. Here soil, groundwater and soil vapor samples were collected utilizing direct push methods following appropriate

14

#### Response to Request for Proposal Professional / Technical Contract

#### Category B: Petroleum-Only Environmental Services



MPCA Guidance. Soil and groundwater samples collected indicated that petroleum impacts were not present on the neighboring property. Soil vapor samples collected indicated the presence of petroleum related compounds above regulatory action levels near a residential building on the neighboring property. In coordination with the property owner, Antea Group collected indoor air, and ambient air samples following MPCA Guidance 4-01a, *Vapor Intrusion Assessments Performed During Site Investigation*, to further evaluate the potential for a completed vapor intrusion pathway. Indoor air and ambient air samples collected did not indicate the presence of a completed vapor intrusion pathway at the neighboring property.

Vapor intrusion pathways related to the on-site residential building were also investigated utilizing sub-slab and indoor air samples. An elevated groundwater table near the on-site residential building did not allow for soil vapor probes to be advanced near the slab-on-grade building. Antea Group collected indoor air samples from locations in the on-site residential building and evaluated data collected from sub-slab and other indoor air locations by others to evaluate the potential vapor intrusion pathway. Sub-slab and indoor air samples collected and evaluated indicated that the presence of residual soil impacts remaining at the site was not affecting indoor air quality within the on-site residential building.

#### **Surface Water Sampling**

In situations where a release may discharge and/or migrate to a surface body of water, Antea Group staff will collect a surface water sample to evaluate potential impacts. Antea Group has conducted surface water sampling at a wide variety of sites. We have completed stream, wetland, lake, spring/seep, and sinkhole sampling. Our approach has been to work from downstream collecting samples upstream to minimize any disturbance of the surface water or sediments prior to collecting the sample.

Antea Group has also conducted surface water sampling in the karst area of southeastern Minnesota in seep areas and in springs.

#### **Sediment Sampling**

Sediment samples may be collected in wetlands, rivers, and lakes where releases may be impacting these water bodies. Sediment samples can be collected by hand with a hand core tool or in deeper water situations utilizing sediment samplers.

#### Example: Crude Oil Pipeline Release Lockport, Illinois

Antea Group conducted a sediment sampling program and surface water sampling program at a crude oil pipeline release. The release had flowed beneath railroad tracks and into a wetland. The wetland drained into nearby river, and the regulatory agencies required that surface water samples be collected along the flow paths in the wetland. Surface water was collected daily for 60 days at fifteen locations and analyzed for Volatile Organic Compounds (VOC), Semi-volatile Organic Compounds (SVOC) and Priority Pollutant Metals. The analytical results from the surface water sampling indicate that dissolved phase petroleum constituents have migrated beyond the boundaries of the spill containment area and appear to be flowing along a pathway to the northwest. Dissolved phase petroleum constituents, including benzene, ethylbenzene, toluene and xylenes (BTEX) have been identified at surface water sampling points in decreasing concentrations along the surface water flow path.



Sediment samples were collected weekly for 2 months at fifteen locations and analyzed for VOC, SVOC and Priority Pollutant Metals. The analytical results from the sediment sampling indicated that petroleum constituents were not present in the sediment beyond the boundaries of the spill containment area.

#### 4.3 Conduct vapor/air monitoring for health and safety and air quality criteria

Prior to the start of field work, Antea Group performs a health and safety risk assessment of the project site and the work to be performed to understand what hazards workers and the general public may face during the duration of the project. Antea Group uses the information learned from the risk assessment to prepare a Site Health and Safety Plan (HASP) to outline the potential hazards and the actions to be taken to mitigate them.

Vapor/air monitoring is an important part of Antea Group's HASP as inhalation of airborne contaminants of concern (COCs) is often a primary exposure pathway for site workers. Prior to site mobilization, the project personnel evaluate the potential COC so that the proper monitoring/sampling equipment and site control measures are selected. Knowing both the potential types of contaminants and their potential concentrations are critical to understanding how to protect workers. From this, a site-specific air monitoring plan is developed within the HASP to outline the appropriate number and location of monitoring/sampling points, the types of monitoring/sampling equipment, and parameters to monitor or sample for.

Antea Group performs air quality monitoring and sampling to continuously evaluate air quality at environmental investigation and remediation sites. Air monitoring can be conducted with photoionization detectors (PIDs), organic vapor monitors, explosimeters (multi-gas meters), personal air quality monitoring devices and detector tubes, depending on the potential contaminants of concern (COCs) at the site. Air samples are collected in the field via sampling pumps or monitoring badges; samples can be collected in air bags, charcoal sampling tubes, passive badges or Summa canisters. These samples are analyzed by a laboratory to identify specific compounds and evaluate exposure criteria.

Antea Group uses the American Conference of Governmental Industrial Hygienists ACGIH Threshold Limit Values TLVs for determining safe air quality levels and protective action levels when controls must be implemented. In the absence of ACGIH values, the most stringent applicable regulatory values are used (e.g. OSHA permissible exposure levels).

Antea Group follows the hierarchy of first trying to eliminate hazardous air conditions via engineering controls (e.g. dust suppression or ventilation). If the hazard cannot be eliminated, Antea Group implements administrative controls (e.g. site control/exclusion zones, stop work criteria) and/or uses personal protective equipment (e.g. Level C or B PPE) to protect workers from potential exposures.

Air quality is also monitored when remediation systems such as a soil vapor extraction (SVE) system are discharging vapors directly into the atmosphere. Emission rates for each compound listed are calculated and compared to the Significant Emission Rates (SER) or other applicable discharge criteria, to assure that the vapor discharges are not exceeding the established limits. On all sites with air emissions, Antea Group collects samples for laboratory analysis to monitor air quality.



## 4.4 Conduct and/or oversee site assessment activities (Phase I and Phase II), limited site investigations and remedial investigations

#### **Phase I Environmental Site Assessments**

Antea Group staff performs more than 100 Phase I Environmental Site Assessments (ESA) each year. Many of these are done in conjunction with large industrial sector merger and acquisition activities occurring across North America and worldwide. At a minimum, the objective of the Phase I ESA is to identify recognized environmental conditions associated with a property according to the (ASTM) International E 1527-13 Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process. A typical ATSM E 1527-13 standard scope of work would include:

#### Task 1 – Review Existing Subject Property Information

This task is intended to identify past property use and activities that may be relevant in identifying potential environmental risks associated with the subject properties. The records review would at a minimum include the following searches:

- Review of available historical data which reflect property and surrounding property use which may include but are not limited to, the following items: aerial photographs, Sanborn fire insurance maps, plat maps, topographic maps and city directories.
- Review of available, pertinent state, county, and city governmental agency records which may include, but are not limited to: fire department, municipal planning/zoning office, building department, county/local environmental health departments, tax assessor.
- Review of available, site-specific geology and hydrogeology, published regional geologic and hydrogeologic information and water well records.
- Inquiry with the EPA, the MPCA, or county departments for locations of abandoned and existing solid and hazardous waste landfills.
- Inquiry with EPA, state, and appropriate local bodies for the existence of recorded past or pending enforcement actions against the subject property, compliance status of the subject property, and spill notification reports involving the subject property.
- Review of commercially available public databases concerning permit applications or issued permits and inspection reports concerning hazardous waste activities, waste water discharges; and underground storage tank registration at the subject and surrounding properties.
- Review of facility operational records to identify materials used during operations, documentation of spills and cleanup, citations, and other pertinent forms. The site contact must provide these documents or arrange for Antea Group representatives to have access to them.

#### ■ Task 2 – Subject Property Reconnaissance

Prior to conducting a subject property visit, a Health and Safety Plan would be prepared. The subject property reconnaissance would include a visual survey of the accessible areas of the subject property. Adjoining land use would be surveyed from the subject property. Antea Group employee's familiar with applicable regulations and standard environmental assessment procedures would conduct the subject property reconnaissance.



The subject property reconnaissance will include the following activities:

- o Interview with the current and past site employees and owner concerning historical and current uses of the subject property.
- o Review of design drawings, as-built drawings, and subject property surveys (when available) for septic systems, underground storage tanks, storm drains, and drains leading to municipal sewers.
- Visual observations of the subject property for evidence of historic and present use that may contribute to environmental risks. Observe conditions that suggest a past or potential release of hazardous substances (i.e. stressed vegetation or soil staining) and note any chemical use, storage, treatment, or disposal practices occurring on site.
- o Visual identification of equipment and structures that are commonly known to contain polychlorinated biphenyls (PCBs) including electrical and hydraulic equipment.
- Observation and description of current land uses on adjoining properties to assess potential environmental impacts to the subject property. A subject property location map would be included in the final report.
- Photograph current subject property activities.
- Preparation of site diagram.
- o If requested Antea Group will conduct or coordinate, visual identification of potential asbestoscontaining building materials, evaluate for presence of radon, sample for lead based paint, wetland delineation, evaluate regulatory compliance, evaluate site ecological resources, evaluate the site for endangered species, evaluate site indoor air quality, evaluate the site for cultural and historical resources, evaluate site health and safety practices and industrial hygiene.

#### ■ Task 3 - Prepare Phase I ESA Report

Following review of the existing subject property information and subject property visit, Antea Group would prepare a Phase I ESA Report. The report would contain a discussion of the subject property with associated appendices. Antea Group would provide the client with requested hard copy reports along with an electronic version of the report. The report would address the following items:

- Scope-of-work for the Phase I ESA
- Discussion of the subject property reconnaissance. A summary of information gathered from the records review including past and present subject property owners/operators; interviews; and reasonably attainable Federal, State, and local records involving the subject property
- A summary of all potential environmental risks discovered during the assessment. A qualitative evaluation of the potential environmental liabilities associated with the subject property

In addition to performing Phase I ESA in accordance to ASTM 1527 E, Antea Group has conducted many ESAs in accordance with guidance for brownfield redevelopment projects (Guidance Document #8, Phase 1 Investigation). For certain Phase I's conducted in Minnesota, if required or requested, Antea Group has experience with utilizing ASTM 1527 E Phase I standards and augmenting them as applicable (i.e. review of Minnesota Department Transportation files, review of Minnesota Department of Natural Resources observation well monitoring network data, review of historic land appraisals, review of corporate reports and newspaper searches etc.). Antea Group's Phase I ESA experience



includes but is not limited to: multi-site manufacturing facilities worldwide, dry cleaners, battery manufacturing facilities, gasoline stations, refineries, petroleum repackaging facilities, petrochemical manufacturing and bulk storage facilities, petroleum terminals and pipelines, scrap metal yards, residential lawn care and chemical manufacturing companies, bulk storage agricultural chemical facilities, shingle manufacturing facilities, industrial dry cleaning/laundering facilities, food processing facilities, photograph development and processing facilities, bulk storage liquid feed facilities, specialty metal plating facilities, foundries, ore processing facilities, high rise office buildings, paper and cardboard manufacturing facilities, paper industry sawmills, landfills, offset and lithographic printing facilities, commercial properties, and agricultural properties.

#### **Phase II Environmental Site Assessments**

Performing Phase I and II ESAs are primary services in Antea Group's Transaction Support Practice. The majorty of our Phase I ESAs are performed in accordance with the current ASTM 1527-13 Standard. We are tracking the updates already approved by ASTM that are anticipated to be approved later this year by EPA, and formalized as ASTM 1527-13. Our staff have applied the ASTM Standard 2600-15 for *Vapor Encroachment Screening on Property Involved in Real Estate Transactions*. We use the ASTM-1527 and all appropriate inquirary (AAI) protocols in researching the often long history of developed use in areas where industrial activities take place.

Antea Group has an experienced team, specializing in due diligence, project management and meeting client expectations. The majority of Antea Group's team members are qualified as environmental professionals under the United States Environmental Protection Agency's (US EPA's) All Appropriate Inquiry (AAI) definition. Since our inception in 1986, environmental due diligence has been a core practice area of Antea Group. Antea Group staff participated on the American Society of Testing and Materials (ASTM) committee that promulgated the Phase I Environmental Site Assessment (ESA) standards in 1992, 2000 and 2005, and Antea Group staff has conducted thousands of Phase I ESAs in accordance with these standards. Antea Group has also developed alternative due diligence methods where Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) protection is not sought, and assessed properties for additional criteria such as sensitive receptors, hazardous building materials, radon, vapor intrusion and earthquake and fault zones. In order to provide more reliable estimates of environmental liabilities (costs) on contaminated properties, Antea Group has developed sophisticated probabilistic cost modeling practices following ASTM-E2137. We have worked with public and private organizations through all of the contaminated property asset lifecycles from Phase I historic use assessments through remediation and redevelopment.

Of the hundred plus Phase I ESA Antea Group conducts each year, approximately 30 percent require Phase II Environmental Site Assessments. The purpose of the Phase II ESA is typically to; a) verify the presence of soil and groundwater impacts resulting from spills or the potential of spills or releases of hazardous substances on the subject property, b) identify source areas and chemicals of concern, c) identify potential receptors and migration pathways, d) determine horizontal and vertical extent of release(s) and, e) collect sufficient data necessary to propose a corrective action if necessary.

Prior to initiating subsurface activities, and if not already previously done, Antea Group would evaluate the subject property history to determine locations of chemical handling, locations of historic spills, etc. In addition, Antea



Group would prepare, if requested to do so, a Phase II Investigation work plan in accordance with applicable portions of the State's Risk Base Site Evaluation manual (i.e. Site Characterization and Sampling Document and Risk Based Site Evaluation Checklist).

Antea Group has successfully completed Phase II ESA investigations across Minnesota, the United States and the World. Like their Phase I ESA counterparts, Antea Group has completed Phase II ESA on a wide variety of properties, from retail petroleum facilities, chemical manufacturing facilities, bulk chemical agricultural facilities and industrial laundry/dry cleaning facilities, etc. Antea Group has professional staff knowledgeable in the following skill areas that are commonly called upon when conducting a Phase II ESA.

- Oversight of soil boring and test pits
- Logging of soil and rock core borings
- Soil sample collection from, hand auger, direct push soil borings, hollow stem auger and rotosonic borings
- Groundwater sample collection from groundwater monitoring wells and soil borings
- Collection of surface water and sediment samples
- Oversight and documentation of groundwater monitoring well installations and abandonments
- Monitoring well development and surveying
- Conducting vapor surveys
- Conducting groundwater and surface water surveys
- Hydrogeologic evaluations (i.e. rising and falling head slug tests, steady state and step pump tests)
- Data evaluations (comparison of data to soil leaching values, soil residual values etc.)
- Analytical data validation
- Report preparation

#### **Limited Site Investigations**

Antea Group conducts Limited Site Investigations (LSI) to evaluate the extent and magnitude of a known release and evaluate potential risk to nearby receptors. Antea Group conducts LSI in accordance with all applicable MPCA guidance documents, including:

4-01 Soil and Groundwater Assessments Performed during Site Investigations (c-prp4-01)

4-01a Vapor Intrusion Assessments Performed during Site Investigations (c-prp4-01a)

Vapor Intrusion Interior Building Survey Form

4-01c Intrusion Screening Values (c-prp4-01c)

4-02 Risk evaluation and site management decision at petroleum release sites (c-prp4-02)

4-04 Soil Sample Collection and Analysis Procedures (c-prp4-04)

4-05 Groundwater sample collection and analysis procedures (c-prp4-05)

4-06 Investigation Report (c-prp4-06)

4-09 Groundwater investigations in Karst areas (c-prp4-09)

Assessment of sensitive groundwater conditions (c-prp4-18)



Investigation Requirements for Ethanol-blended Fuel Releases

Prior to initiating subsurface activities, and if not already previously done Antea Group evaluates the subject property history, to determine locations of chemical handling, locations of historic spills, etc. In addition, Antea Group prepares, if requested to do so, an Investigation work plan in accordance with applicable client requirements or state guidance.

Antea Group has successfully completed limited site investigations across Minnesota, the United States and the World. Antea Group has completed LSI on a wide variety of properties, from retail petroleum facilities, chemical manufacturing facilities, bulk chemical agricultural facilities and industrial laundry/dry cleaning facilities, etc. Antea Group has professional staff knowledgeable in the following skill areas that are commonly called upon when conducting a LSI.

- Oversight of soil boring and test pits
- Logging of soil and rock core borings
- Soil sample collection from, hand auger, direct push soil borings, hollow stem auger and rotosonic borings
- Groundwater sample collection from groundwater monitoring wells and soil borings
- Collection of surface water and sediment samples
- Oversight and documentation of groundwater monitoring well installations and abandonments
- Monitoring well development and surveying
- Conducting vapor surveys
- Conducting groundwater and surface water surveys
- Hydrogeologic evaluations (i.e. rising and falling head slug tests, steady state and step pump tests)
- Data evaluations (comparison of data to soil leaching values, soil residual values etc.)
- Analytical data validation
- Report preparation

Antea Group's approach to site investigations is to determine if there are any immediate impacts to potential receptors and evaluate site conditions to determine if impacts at the release site could result in completed receptor pathways. If completed receptor pathways are present or if there is unacceptable risk based on site conditions Antea Group will address any immediate receptor exposure and continue to evaluate the site by performing a Remedial investigation.

#### **Remedial Investigations**

Antea Group has 30+ years of proven experience achieving site incident closures by providing sustainable strategies for soil and groundwater remediation challenges. We have designed, specified, installed, operated and decommissioned thousands of remedial solutions for automotive, chemical, energy, manufacturing, mining, pharmaceutical and transportation sector clients. We are considered a leader in petroleum, chlorinated solvents, pesticides and metals remediation due to our comprehensive understanding of industry operations, client-dedicated project teams, local regulatory knowledge and cost-effective, yet technically innovative solutions.



Our site investigation and remediation professionals utilize a project management framework that provides consistency and quality assurance to facilitate the most applicable and effective technology to meet project-specific goals.

- Appraise Assess the extent of impact and evaluate the potential receptors and pathways to define risk
- Select Identify the best remedial technology options based on site conditions, cost, risk, likelihood of success, and alignment with asset management objectives
- Define Complete the design and define the scope of the remedial strategy
- o Execute Implement the remedial strategy with efficiency and safety
- Operate Eliminate the risk and monitor technology performance

Setting us apart from our competitors, we adhere to a formal engineering assurance process that ensures a consistent level of engineering competence to each remediation project, provides audit and review structure, and reduces potential for engineering error. Antea Group strives to maintain best in class relationships with all key stakeholders in the permitting and regulatory review process allowing us to advance projects quickly and cost effectively through both formal submittals and informal meetings and site visits.

Antea Group performs remedial investigations in accordance with applicable MPCA Guidance Documents depending on the specific site conditions and site management decisions.

#### 4.5 Conduct surface water, ground water, air and vapor receptor surveys

Antea Group completes surface water, groundwater and vapor receptor surveys to evaluate potential receptors and risk at sites in accordance with MPCA Guidance Document 4-02 *Risk Evaluation and Site Management Decision at Petroleum Release Sites* and Guidance Document 2-07 *Petroleum Release Notification Follow Up.* 

#### **Surface Water Survey**

Antea Group completes surface water receptor surveys by identifying all water bodies within ¼ mile of the release site. Surface waters are identified utilizing aerial photography, United States Geological Survey (USGS) topographical maps and a 500-foot walking survey. Other features that may be less visible on aerial photographs and maps (ditches, drain tiles, storm sewers, etc.) are also identified during the 500-foot walking survey. Results of surface water surveys are reported by developing a detailed scaled map and table which identifies the location of the surface water feature and distance and direction from the release site.

Surface water survey results are utilized to develop sampling locations, sampling plans, evaluate risk to nearby surface waters based on geologic conditions and to develop recommendations for additional investigation or corrective action.

#### **Groundwater Receptor Survey**

Antea Group performs groundwater receptor surveys to identify water wells near a release site that may be at risk due to contaminant impacts. Additional information regarding geology and groundwater use near the site is also evaluated during a groundwater receptor survey. The following tasks are completed during a groundwater receptor survey:



- a) A walking survey is conducted consisting of:
  - a. A base map illustrating property boundaries and relevant features such as buildings, roads, rivers, etc. within 500 feet of the source and a corresponding table is generated. The table generated includes:
    - o Whether the property has a water supply well;
    - o Connection to public water supply, and confirmation with the local municipality;
    - o How was the information obtained (visual observation, personal contact, returned postcard);
    - o Presence of basements
    - o Presence of sumps,
    - o Presence of possible petroleum or contaminant sources on site;
    - o And comments specific to a property.
  - b. Contacting residents, property owners, tenants, business owners, and other stakeholders within 500 feet of the source to determine whether water wells basements or sumps exist on each property. Contact is first attempted in person, followed by leaving a stamped self-addressed questionnaire, brief letter or postcard or by telephone. Letters, postcards and questionnaires include questions which correspond with items listed above, a brief explanation that the purpose of the request is to evaluate risk to nearby water wells and properties, and a statement that if no reply is received in a set time period it will be assumed that there are no wells, basements or sumps at the property.
  - c. Identifying and documenting the location of wells on the properties within the survey area.
  - d. Identifying and documenting the location of subsurface structures, such as basements, utilities, manholes and catch basins within the survey area, manholes, catch basins and other utility access points are screened for vapor intrusion criteria during a walking survey.
  - e. Identifying and documenting the location of obvious surface water features such as creeks, rivers, ponds and lakes within the survey area.
  - f. Identifying and documenting the location of possible petroleum or other contaminant release sources, such as underground storage tanks, above ground storage tanks, etc. within the survey area.
- b) Public Water Supply Confirmation
  - a. A list of all properties within the survey area is submitted to the city utility billing department to confirm the status of water supply to those addresses.
- c) Well Records Search and review
  - a. The Minnesota Department of Health county well index is accessed to obtain well construction records.
  - b. Municipalities are contacted to determine location and construction of municipal wells within ¼ mile of the release site, where applicable.
- d) Assessment of Sensitive Groundwater Conditions
  - a. Sensitive groundwater assessments are completed following MPCA Guidance Document c-prp4-18 and include:
    - o Determining whether the site is located within a protected area of a public water supply; if so
    - o Determining if the site is within a shallow bedrock area
    - o Determining if a sole-source aquifer is present
    - o Determining if the site is located within an area with a shallow sand and gravel aquifer.
  - b. If any of the sensitive groundwater conditions are present Antea Group
    - Assesses risk to the public water supply aquifer, and;
    - o Reports findings of the public water supply risk assessment and follow necessary appropriate and actions.



#### Completion of an air and vapor receptor survey

Antea Group completes vapor receptor surveys by identifying the location and type of nearby potential vapor receptors and vapor migration pathways within 500 feet of a source. Potential vapor receptors include basements, crawl spaces, sanitary and storm sewers, utility conduits and other subsurface structures where contaminant vapors could accumulate. Backfill of buried utility structures can provide preferential flow paths for vapors to migrate or accumulate. Following MPCA GD 4-02, utility manholes, catch basins and access points are screened with a photoionization detector and four-gas meter (hydrogen sulfide, methane [LEL], oxygen and carbon monoxide), and mapped during the 500-foot walking survey. Utility owners are also contacted for information as part of a vapor receptor survey to obtain utility construction information including:

- Utility material;
- Depth;
- Elevation;
- Liquid flow direction;
- Condition

Occupants of potentially impacted buildings are contacted during the 500-foot walking survey to determine whether they have noticed odors within their buildings. Potential vapor receptors and migration pathways within 500 feet are mapped and reported in MPCA Guidance Document 4-06 *Investigation Report Form*.

In addition to the above-mentioned screenings as part of MPCA Guidance Document 4-02, Antea Group conducts water line intrusion screening when necessary.

## 4.6 Oversee construction to mitigate vapors and conduct non-construction mitigation measures such as using vans, etc.

Antea Group has provided design and oversight of a wide variety of projects where vapor mitigation has been necessary. Many of these projects have included periodic vapor monitoring followed by an assessment of the data to determine the potential risk to public health and safety. Antea Group's experience includes designing and installing soil vapor extraction systems at numerous petroleum and non-petroleum volatile organic compound release sites, installation of vapor barriers for new construction projects, installation of passive and semi-passive soil venting systems, or a combination of multiple mitigation methods. Antea Group has also provided oversight of sites utilizing vapor mitigation technologies through sub slab depressurization techniques.

### Example: Chemical Distribution Warehouse St. Paul, MN

As part of ongoing remedial actions at a chemical distribution warehouse Antea Group designed and installed a subslab depressurization system in the site building and at a nearby daycare. Sub slab concentrations of chlorinated solvents (PCE and TCE) at both the site building and daycare indicated vapor mitigation was necessary, especially given the sensitive receptor at the day care property.

Based on the analytical results from sub-slab sampling and the size of the site building it was determined that partial building mitigation was necessary. Antea Group worked with a radon mitigation subcontractor to perform initial



pressure field extension (PFE) testing on potential fan and blower options. Based on the findings of the initial PFE diagnostics, it was determined that the portion of the building affected could be mitigated using four large suction pits and a single blower mounted on the roof of the building. Additional optimization of the system was achieved through pipe dampers and a variable frequency drive to optimize influence and reduce power consumption. Mitigation of potential vapor intrusion at the daycare building was accomplished using three suction pits with three separate, smaller radon fans.

The approach taken at each building was optimized to provide effective mitigation considering the limits and use of each building. At the site building the open floor plan allowed for larger piping, larger suction pits and a more robust blower to achieve the mitigation goal. While the constraints of the floor plan and limitations of the building at the daycare required a different approach using multiple, smaller systems to achieve the mitigation goal.

#### 4.7 Conduct or oversee operation and maintenance on remedial systems

Diligent operation and maintenance of remedial systems is critical in moving the project site to closure. Antea Group staff performs operation and maintenance (O&M) activities on the remedial systems that we install, ensuring that consistent operation is achieved and the system functions as designed. Our scientists, engineers and technicians work together to successfully evaluate and operate our remediation systems.

Antea Group has a national program for an annual review of every one of our remediation systems. This remedial system check is referred to as the Optimize Audit program. Every fall, each of our remedial system sites is checked to confirm that permit compliance is maintained, simple operating functions of high alarms, site signage, fire extinguishers have been maintained, health and safety plans are updated, cold weather protection is in place and working, maintenance records are updated and equipment is protected from weather and unauthorized access. These checks are done during regular operation and maintenance visits. Additionally, each site is reviewed by a registered engineer who is not part of the regular project team. This allows a different technical review by someone who will audit the operational effectiveness, cost effectiveness of the system as installed, confirm the basic schedule is being met, confirm permit compliance, assure adequate system up time is being met and evaluate any client specific requirements are being accommodated. These reviews provide Antea Group and our clients a level of assurance that our remedial sites are being effectively managed and the appropriate level of technical expertise is being applied to these projects. Auditors of active remediation sites share best practices they have identified during these audits and share audit findings as well to allow all remediation management teams the opportunity to learn from the findings.

Field O&M activities typically include monthly site visits to remedial systems to perform monitoring and routine maintenance activities, and troubleshooting as needed. O&M schedules are adjusted for each project to ensure proper operation of each system. Remediation systems can also employ telemetry systems via a modem or cellular connection to evaluate operation on a daily or weekly basis from the office.

During O&M visits, Antea Group staff collects system performance and operational data that is used to track trends and determine whether system modifications are necessary to maximize performance. Treatment discharge samples required by the MPCA or other governmental agencies are collected to monitor the system's discharge criteria, mass



removal, and system performance. After the O&M visit, the collected data is entered into a project database for tracking and trend analysis. In many cases, field parameters and groundwater monitoring are also used to confirm the success of the system's operation.

Office O&M activities typically use the database to track the performance of key operational and monitoring data. Following each field visit, Antea Group staff will evaluate the data collected to gauge the effectiveness and efficiency of each system. Remediation progress is continually compared to the remedial objectives. The project team meets as needed, typically monthly or quarterly, to evaluate the system and discuss operational changes that may be needed to reach the remedial objectives. During these meetings, the remedial objectives are discussed to validate the current technology and effort.

Antea Group focuses on meeting the remedial objective to minimize project costs and duration. Quarterly project updates and annual operation and maintenance reports are prepared by Antea Group to update our clients on system performance. Antea Group also works closely with the State and other stakeholders to communicate system performance and progress toward site closure. Antea Group utilizes the Remediation System Operation Monitoring Report (RSOM) guidance document 7-08. These reports contain the following site-specific information:

- General information (site contact, accountable person, site background);
- System installation information;
- Operation monitoring sampling frequencies and schedule, data points, system configurations, etc.;
- System performance evaluation duration of remediation, wastes, contaminants removed, costs; etc.;
- Post-shutdown monitoring describe duration of system critical dates, shut down monitoring;
- Site conceptual model update; and
- Recommendations continued operation, rebound test, permanent shutdown, or additional site information needed.

The Antea Group technical team will review these reports with the state to determine the effectiveness of the remedial systems. The goal is to operate the systems safely and cost effectively while removing the site contaminants completely or to an acceptable risk level at which time active remediation can stop.

### Example: Pipeline Release – Constantine, Michigan 2016 to present

Antea Group oversaw system installation and currently oversees the operation, maintenance and monitoring of an air sparge system at the subject site. A release of unleaded gasoline occurred in 2010 at the above-mentioned site. The LNAPL and dissolved phased plume has been defined and groundwater flow is to the south. In order to mitigate downgradient impact, off site migration and potential discharge to a ditch on the south boundary of the site, an air sparge curtain system comprised of 12 air sparge wells was installed in 2016. Based on the performance and maintenance requirements of this system, operation and maintenance visits are performed quarterly along with groundwater gauging and sampling and product gauging to monitor the system effectiveness and site conditions. Antea Group performs field monitoring and annually completes a full safety audit of the system.



#### 4.8 Arrange for transportation, storage, and proper management of wastes

In its 30+ years in business, Antea Group has been involved in hundreds of projects involving the sampling, characterization, removal, transportation, storage, and disposal of waste. This experience is as varied as it is numerous and allows Antea Group to provide its clients with a comprehensive suite of waste handling services.

#### These services include:

- Waste Sampling Antea Group maintains staff knowledgeable in the sampling of liquid and solid waste.
- Waste Characterization Antea Group can determine if a waste is non-hazardous waste, hazardous waste, special waste, or a universal waste. This may involve evaluating the origin of a waste to determine if it is a Resource Conservation and Recovery Act (RCRA) listed hazardous waste. TCLP testing may also be necessary to determine if the waste exhibits one or more of the characteristics of a hazardous waste (toxicity, ignitability, corrosivity, and/or reactivity). Antea Group prides itself in helping its clients meet their goals of waste reduction, and is continually evaluating options for reuse, recycling, or remanufacturing of waste products (i.e., thin spreading of agricultural chemical impacted soils at an appropriate application rate, thus eliminating need for land filling and preserving landfill space).
- Waste Removal Antea Group has overseen the removal of wastes by properly trained, licensed, and reputable subcontractors and maintains contact with those subcontractors that are located throughout the state and country. If the situation warrants, Antea Group will prepare emergency response or contingency plans to address any spills or releases that may occur during waste removal.
- Waste Transportation Antea Group can coordinate and oversee the proper transportation of waste. This may include ensuring containers are sturdy, leak-proof, and have no material defects; containers have a Hazardous Materials (HM) designation (DOT packaging specification) that is appropriate for the hazards of the waste being stored and shipped; containers are appropriately sized; and if the contents are hazardous waste and it has not already been done, Antea Group will apply a hazardous waste label on the storage containers that identifies general information about the facility (name, address, EPA ID#, and the EPA waste number), type of waste, DOT shipping name of waste, and start date for waste accumulation. Antea Group will also assure, and properly label containers with non-hazardous waste contents that identify, name of waste, name and address of facility and start date for waste accumulation. In addition, Antea Group can ensure that shipping papers and waste manifests are accurately and consistently completed.
- Storage and Disposal If a material cannot be reused, recycled, or remanufactured, the waste will be shipped to a reputable treatment, storage and disposal (TSD) facility that is previously agreed to by the client. Antea Group shall ensure that the generator obtains the generator copies of the waste manifests and assurances of proper disposal or recycling offered by the TSD or recycling facility.

### Example: Former ConocoPhillips Refinery Wrenshall, Minnesota

The Wrenshall Products Terminal is located on property formerly occupied by a petroleum products refinery located in Wrenshall, Minnesota. The property is currently maintained and operated as a petroleum pipeline terminal,



including several aboveground storage tanks, refined petroleum product lines and a truck loading rack. Antea Group's completed remedial efforts were part of the overall response actions being undertaken at the site.

The east-central portion of the facility contained a holding basin which consisted of a shallow, water-filled impoundment underlain by between four to six feet of petroleum-impacted sediment. The sediment was underlain by varying thicknesses of petroleum-impacted soil. The surface of the impoundment lies approximately 20-25 feet below surrounding grade and is surrounded by steep slopes.

A Technical Specification Document was prepared to provide Contractors a basis for submitting a proposal to perform the treatment, excavation, hauling, and disposal of approximately 15,000 cubic yards of sediment and soil impacted with petroleum hydrocarbons and metals. The primary focus of the work was to eliminate all visually-impacted sediment within the holding basin through stabilization/treatment followed by excavation and offsite disposal. In addition, a similar quantity of underlying petroleum-impacted soil was to be excavated, stockpiled, and either land-applied within one of two on-site land treatment areas, or processed for offsite disposal.

The scope of work consisted of the following:

- Site Preparation;
- Pond Dewatering and Stormwater Management;
- Excavate and Stockpile Clean Land Treated Backfill Material;
- Treat, Excavate, Stockpile, Load, Transport and Dispose of Impacted Sediment;
- Excavate, Stockpile, Load, Transport and Dispose of Petroleum-Impacted Soil;
- Furnish, Place and Compact Clean Backfill;
- Tilling of Land Treatment Areas;
- Site Restoration, Cleanup and Demobilization.

As proposed in the supplemental remedial action plan, the impacted sediment and soil was mixed in place during the excavation activities utilizing dried Portland cement mix as a reduction agent for the elevated lead levels to pass paint filter testing for approval for landfill disposal.

Due to the surface of the impoundment lying approximately 20-25 feet below surrounding grade, which was surrounded by steep slopes, a staging area for loading the excavated material was necessary for transport to the landfill. A pre-existing landfarm on-site was utilized to stage the excavated material and subsequent loading and transportation to the landfill.

### Example: Retention Pond Eddyville, IA

In 2015, a chemical plant in Iowa experienced a release of hydrochloric acid into their on-site retention pond. This dropped the pH of the pond to about 2.0. Antea Group oversaw the neutralization of the pond water and its transportation off site for treatment. Approximately 3.2 million gallons of pond water was neutralized and transported for offsite disposal as non-hazardous waste. After the acid-impacted water was removed, Antea Group sampled sediment from the wet pond bottom and soil from the edges of the pond to determine the extent of impacts and for waste characterization purposes. Approximately 18 cubic yards of sediment from the pond was



filter pressed and containerized and transported to an approved landfill for disposal as non-hazardous special waste.

## 4.9 Evaluate the need for and oversee the implementation of alternative drinking water, including point-of-use treatment (i.e. carbon filtration)

Antea Group has evaluated groundwater impacts based on human exposure and use standards such as the Maximum Contaminant Level (MCL) established by the EPA and the Health Risk Limit (HRL) established by the Minnesota Department of Health (MDH) for hundreds of release sites in Minnesota. Antea Group has experience evaluating alternative drinking water options for sites where drinking water has been impacted or is imminently threatened by the release of petroleum related compounds, chlorinated volatile organic compounds and other contaminant threats to drinking water.

In an emergency situation, a bottled water service can be initiated until a more cost effective and long-term alternative can be selected. For short-term needs, an alternative temporary water supply (large tanks connected to a buildings plumbing service) or point of entry treatment is identified to provide affected residents with clean drinking water. For long-term needs, an alternative analysis is conducted to determine the best method for obtaining a clean water supply. Alternatives typically analyzed include wellhead treatment (i.e. activated carbon treatment), installation of a new residential, municipal or rural supply well or purchasing water from another source with an adequate supply.

#### **Example:** Pipeline Release

#### Suburban Milwaukee, Wisconsin

As part of an emergency response to a release of gasoline, Antea Group evaluated and provided oversight to arrange for alternative temporary drinking water supplies for approximately 70 residential properties in response to a "Flush Only" water use restriction issued near the release. Temporary water supplies included installation of approximately 10 large holding tanks for residential and agricultural purposes which were connected to the plumbing of the residential building and bottled water service for affected residences. As part of the response to the release Antea Group evaluated available data and provided oversight for installation of point-of-entry carbon treatment systems at approximately 70 residential properties, including those with temporary water supplies, in order to protect drinking water use at properties which had been affected by or in the immediate vicinity of the contaminant release.

### Example: Former Gas Station Bradford, Minnesota

During quarterly monitoring a release at a former gas station was found to be impacting a downgradient residential water supply well above drinking water standards. At the time that elevated impacts were discovered Antea Group arranged for a bottled water delivery service to provide the residential property with a temporary water supply. Additional investigation at the site property and the downgradient residential property indicated that groundwater



impacts were limited to the upper aquifer which is separated from a deeper, unimpacted, groundwater zone by clay till.

Based on the results of the additional investigation, Antea Group installed a new drinking water supply well at the impacted down-gradient property and at the site property to provide a long-term water supply for these properties. The new drinking water wells were installed with a protective casing set into the clay till to isolate the intake of the new well in the deeper groundwater. The installation and protective construction of the new supply wells provides a long-term protective solution to the residential properties.

## 4.10 Coordinate and cooperate with other State-contracted services such as sampling and analytical, emergency response contractors, and hazardous waste services

In managing and coordinating project activities on literally hundreds of projects, Antea Group's St. Paul project team understands the importance of communicating and working with a variety of subcontractors, other vendors contracted directly by our clients and other state contractors. Antea Group staff work with the state-contracted laboratories on a daily basis and we are fully aware of the emergency response, hazardous waste and drilling firms under contract to the State of Minnesota. We will work with the MPCA/MDA project managers and other state contractors, as necessary or requested, to achieve the project objectives in a safe, timely, and cost-effective manner. It is our goal to provide seamless delivery of all services to the MPCA/MDA staff by coordinating and cooperating with the subcontractors, and vendors.

Our staff is also well experienced in working with other regulatory agencies and multiple other environmental service providers contracted by others on large complex projects. Recent examples include lead emergency response management consultant on multiple pipeline releases in the region (e.g. Tesoro Pipeline release near Tioga North Dakota) and as a Health and Safety and Environmental Sampling oversight consultant on the Deepwater Horizon response team in the Gulf of Mexico.

#### 4.11 Arrange for geophysical activities

Antea Group staff design and oversee geophysical testing utilizing qualified subcontractors to perform the actual geophysical field work. Geophysical techniques that Antea Group has utilized include seismic reflection and refraction, electrical resistivity surveys, downhole logging by natural gamma rays, resistivity, and ground penetrating radar. Antea Group also uses downhole video cameras to inspect open bore holes, well screens and casings. Antea Group also subcontract the use of direct sensing technologies such as, laser induced fluorescence (LIF), ultraviolet fluorescence (UVF) membrane interface probe (MIP), and soil conductivity techniques. LIF and UVF directly sense free product in the soil and groundwater, while MIP can directly sense volatile organic compounds in the soil and groundwater. Soil conductivity probes are used to measure soil conductivity to determine soil lithology.

#### Response to Request for Proposal Professional / Technical Contract

Category B: Petroleum-Only Environmental Services



Example: ConocoPhillips Former Service Station – Phillips Store #1647 St. Paul, Minnesota

To evaluate remedial technologies to remove residual product at this site, an understanding of the volume remaining was imperative. Antea Group submitted a recommendation to the MPCA to conduct a free product recoverability study to gain a better understanding of volume remaining. LIF and cone penetrometer testing (CPT) technologies were proposed to help define the horizontal and vertical extent of product. The MPCA agreed with Antea Group's recommendation and Antea Group subsequently proceeded with the work. The investigation yielded the following results: the network of probes completed during this investigation was sufficient to adequately define the horizontal and vertical extent of known free product accumulations at the site. Determining this extent and volume was the primary focus of the investigation. Readings indicative of elevated levels of gasoline-type hydrocarbon impact were identified in five of the eight probes. Fluorescence readings indicative of gasoline-type free product were identified in two of the eight probes. The remaining probe, in which elevated fluorescence readings were not observed, served to define the southeastern perimeter of the hydrocarbon-impacted area.

## 4.12 Oversee subcontractors and state contractors during investigation and cleanups and tanks removals

Antea Group has extensive experience in providing oversight of State contractors. Prior to overseeing work, we ensure that all subcontracted personnel that will be conducting work on site has completed the required and appropriate health and safety training in accordance with all OSHA requirements and any other applicable laws. Verification of certificates of completion are reviewed for accuracy and assurance that all field personnel training is in compliance.

Antea Group prepares health and safety plans (HASP) as part of pre-field work preparation. All Antea Group and subcontractor personnel are required to adhere to the Antea Group HASP. In the event Antea Group staff are working with contractors that have been hired by other entities, a robust communication plan is formulated that involves all of the project stakeholders. It is Antea Group's corporate policy that in the event any unsafe act or condition is identified during any work-related activity, all site personnel are authorized to issue stop work authority. If stop work authority is issued, the Antea Group Project Manager immediately notifies the client Project Manager.

As a current Multi-Site Contractor, we have comprehensive experience utilizing the MPCA Contractor and Subcontracting Purchasing Manual (purchasing manual) and adhering to all requirements of the manual. In accordance with the MPCA purchasing manual, Antea Group first determines if there is a State Contract available for the required subcontractor work. If a State Contract is not available, Antea Group secures a subcontractor following the requirements of the purchasing manual.

#### Response to Request for Proposal Professional / Technical Contract

Category B: Petroleum-Only Environmental Services



Example: Former Bradford Garage Bradford, Minnesota

Volatile organic compounds (VOC), specifically benzene and 1,2-dichloroethane (1,2-DCA), were historically detected in a private water supply well located on the east-adjoining downgradient property. This well supplied water to the residence, which was also a multi-tenant living space, and to a small office building on the property.

Due to the VOC present in the off-site private well, and the potential for impacts from the site to both the on-site commercial workshop and residential wells, all three wells were replaced with two deeper water supply wells (one on each property) and appropriate supply connections. By providing replacement wells constructed utilizing methods to case off the impacted aquifers, both residences were provided with acceptable alternative water supplies, thus eliminating the receptors and risk associated with site impacts.

Antea Group provided field oversight of the boring advancements for both supply wells that were advanced to a depth of 105 feet below grade surface (bgs) via rotosonic techniques coupled with advancement of outer protective casings to prevent vertical migration of contamination from the shallow aquifer.

Oversight activities consisted of observing installation of the replacement wells and piping for connection of the new on-site well to the residence and on-site workshop via directional drilling techniques. The piping for connecting the new off-site well to the residence was connected utilizing an extension to existing water supply piping from the former supply well via traditional trenching. Antea Group also oversaw the final electrical and all associated well connections to the new well.

#### **Tank Removals**

Antea Group has performed, managed or participated in hundreds of underground and aboveground storage tank decommissioning and removal projects in Minnesota. Our primary experience has been as project managers or environmental consultants. In these roles, we have worked with numerous MPCA Certified Tank Removal Contractors to remove tanks from 265 to 30,000 gallon capacity. We have also decommissioned several Petroleum Tank Terminal facilities in Wisconsin, Illinois and other states. Our experience covers tanks that stored the range of petroleum products including leaded, unleaded and ethanol blend gasoline, aviation fuel, diesel and heating oil including #6 fuel oil. We have managed projects and sampled sites where USTs have been closed in place with permission from the local or State Fire Marshall.

Tank removals have the potential to create unsafe conditions. Safety is our top priority during tank removals and Antea Group staff is trained to recognize potential safety issues. We work closely with the Certified Tank Removal Contractor to ensure that the client's and our safety requirements are met. Antea Group works with MPCA Certified Tank Removal Contractors to:

- Ensure that 10-day advance notification is given
- Excavation is conducted under the supervision of a Competent Person as required by OSHA
- Tanks are properly purged of explosive vapors
- Other site safety concerns including oxygen deficient environments and confined space entry are properly managed



 Applicable MPCA Guidance is followed concerning sample collection and any excavation, management and disposal of contaminated soil

During excavation to remove tanks, lines and dispensers, Antea Group staff field screen soil for evidence of a tank release using the Field Screening Procedures in MPCA Guidance Documents 3-01 and 4-04. These procedures include PID headspace analysis and the petroleum sheen test. These field screening procedures provide good qualitative measures of the presence and degree of petroleum and other volatile contaminants, and along with visual evidence indicate whether a tank release has occurred.

In addition to field screening, UST closure requires that the soil around tank system components are assessed by collecting soil samples following the requirements outlined in Guidance Document 3-01 "Excavation of Petroleum Contaminated Soil" and laboratory analyzed as provided in Guidance Document 4-04 based on the product type of the tank contents. Antea Group follows the requirements for sampling for contamination when removing an AST in MN Rules 7151.8400 Contamination Determination, and incorporates many of the Guidance protocols for USTs.

If a leak is detected during a tank removal, we assess its extent and notify our client. The leak is immediately reported to the Minnesota State Duty Officer. Antea Group field staff and Project Manager evaluate the site conditions for the approximate volume of contaminated soil, presence of petroleum saturated soil, whether groundwater has been impacted, how recent the release appears, if the site was a previously closed Leaksite and whether there are other high-risk conditions present. Using these conditions outlined in Section II *Excavation during tank system removals or installations* of Guidance Document 3-01, we determine, often in consultation with the MPCA Project Leader, whether or not contaminated soil should be excavated in conjunction with the tank removal. If contaminated soil is removed, soil samples are collected from the sidewalls and bottom of the excavation following Section III, *Soil sampling requirements during tank or tank system component removal*, of MPCA Guidance document 3-01 to provide data documenting contamination remaining in place. Contaminated soil is also properly managed, including an impermeable barrier beneath and covering any stockpile, and proper transport and disposed in accordance with the soil Treatment and Disposal Guidance Documents 3-03 through 3-15.

When petroleum contamination is encountered during an excavation, Antea Group completes Guidance Document 3-02 "General Excavation Report Worksheet" to document the actions, data and site conditions. In instances where no evidence of a petroleum release is detected, Antea Group prepares a Tank Closure Assessment letter report to document the tank removal actions and required soil sampling results for the tank owner to retain. We also work with the Certified Tank Removal Contractor and the Tank Owner to complete, sign and submit the "Notification of Installation or Change in Status" form to the MPCA UST Program within 30 days of completing the tank removal.

Our experience in oversight of tank decommissioning and removal, and conducting closure assessments has documented the site conditions after tank removal and accomplished closure through targeted excavation at minimally contaminated sites. It has also collected data to document contamination remaining to support limited site investigations and full remedial investigations. One example of oversight of UST removal at a closed retail petroleum facility is profiled below.

#### Response to Request for Proposal Professional / Technical Contract

Category B: Petroleum-Only Environmental Services



Example: Retail Petroleum Facility Canopy and UST Removal Leaksite 18365 - Wells, Minnesota

Antea Group performed a Limited Site Investigation at this retail facility in Wells, Minnesota and had concluded that although soil and groundwater impacts had been adequately delineated and presented minimal risks to area receptors, further soil vapor assessment was warranted. When the tank owner decided to close the facility, and remove the UST system, they retained Antea Group to manage the removal of the canopy and the UST System.

Antea Group's Project Manager defined the scope of work, solicited bids from four MPCA Certified Tank Removal contractors and conducted a pre-bid meeting on-site. The scope of work included an option to remove and dispose of up to 150 cubic yards of petroleum contaminated soil (PCS) in the event that removal of soil would address the remaining soil vapor risk. The contractors were instructed to present this option and related costs on Minnesota Petrofund Bid forms. Questions that arose in the pre-bid meeting were addressed, contractor bids were evaluated and Antea Group recommended that the tank owner contract for the services of one of the contractors.

Prior to the tank removal, the two dispensers were removed by the owner. The dispensers were located beneath a canopy which was positioned partially over the two USTs. The USTs were of 10,000 and 6,000-gallon capacity, both containing gasoline. The canopy was raised and the concrete pavement over the USTs was removed. The USTs were removed the following day. One closure assessment sample was taken beneath each of the former dispenser locations prior to excavating to remove the tanks. Soil samples around the excavation were field screened using a PID and headspace protocols. Based on the PID readings and visual observations of significantly contaminated tank backfill material in the south end of the basin but minimal impact to the native soil, it was determined that most of the significantly contaminated soil could now be removed. After consultation with the MPCA Project Manager, approximately 70 cubic yards of significantly impacted and petroleum saturated soil was excavated and transported to a landfill for proper disposal. Arrangements had been made previously with the Landfill to accept the PCS for use as daily cover. To document closure assessment and contamination remaining, one soil sample was collected beneath the 6,000 gallon UST, two samples were collected beneath the 10,000 gallon UST and two soil samples were also collected from the south excavation sidewalls. All were submitted for laboratory analysis by the WI Modified GRO Method.

Conditions observed and analytical results from samples collected during the tank removal and soil excavation confirmed that the excavation of PCS had successfully reduced the remaining risks presented at the site. The site management recommendation to conduct additional soil vapor intrusion assessment was no longer supported, and the site was issued file closure.

### 4.13 Prepare and evaluate reports (e.g., investigation reports, monitoring reports, free product recovery reports)

Antea Group prepares all reports for submittal to the MPCA in accordance with MPCA Guidance Documents and the Petroleum Remediation Program General Policies. In addition, other reports (e.g. National Pollutant Discharge Elimination System (NPDES) Reports) are prepared and submitted in accordance with State and Federal



requirements. The list of MPCA Guidance Documents Antea Group has prepared and submitted to the MPCA include, but are not limited to, the following:

- 1-03a Spatial Data Collection at Petroleum Remediation Sites
- 2-03 Light Non-Aqueous Phase Liquid Recovery Report
- 2-05 Release Information Worksheet
- 3-02 General Excavation Report Worksheet
- 3-02a Corrective Action Excavation Report Worksheet
- 4-06 Investigation Report Form
- 4-08 Monitoring Report
- 7-02 Conceptual Corrective Action Design Report
- 7-03 Focused Investigation Work Plan
- 7-04 Focused Investigation Report
- 7-05 Pilot Test Work Plan
- 7-06 Pilot Test Report

development of the HASP.

- 7-07a Remediation System Detailed Corrective Action Design Report
- 7-07b Excavation Detailed Corrective Action Design Report (EDCAD)
- 7-08 Remediation System Operation Monitoring Report (RSOM)

#### 4.14 Prepare Health and Safety Plans (HASPs)

The Health and Safety Plan (HASP) is a document designed to describe the hazards that may be encountered during the course of fieldwork and specifies protective equipment, work procedures, and emergency information, including emergency phone numbers and the route to the nearest hospital. Antea Group's HASP is designed to meet hazard communication requirements and employee emergency preparedness requirements for Antea Group employees performing work at a variety of commercial, industrial, and environmental work sites. Completion and use of this plan is essential for the protection of personnel working in hazardous environments. The HASP addresses site specific hazards and tasks and is consistent with the requirements of U.S. Environmental Protection Agency (EPA) Occupational Health and Safety Manual and all applicable State and federal rules and regulations as warranted. Antea Group prepares site specific HASPs for all Antea Group projects. Fieldwork cannot begin on an Antea Group project until the HASP is written, reviewed and approved. Antea Group's Site Health and Safety Assessments and Plans program outlines the procedures and responsibilities for completing and implementing the HASP on-site. The site project manager is responsible for ensuring that the HASP is written for the site. Project managers are accountable for the approval process of all HASPs. Health and Safety Specialists support the project managers in the

Antea Group's site specific HASP include, but are not limited to, the following: identification of the site safety officer (on-site Antea Group personnel responsible for reviewing the HASP with all members of the field crew, including Antea Group employees and subcontractors and any visitor(s) on-site); planned site activities and associated



hazards; local emergency telephone numbers and driving directions and map to the local hospital; emergency contacts; evacuation route and meeting location; site characterization information; general facility description; regulatory contacts; waste characterization information; remediation system information, when applicable; hazard evaluation data; personal protection and monitoring equipment guidelines and; safety standard operating procedures.

Each Antea Group team member, subcontractor employee and visitor(s) must review, sign and date the HASP before they can commence work at the project site. A signature on the HASP denotes that an individual will comply with all safety procedures outlined in the plan. The HASP is kept in the field for the duration of the project and returned to the project file upon completion of field activities. The HASP is updated whenever new hazards and control practices are identified, new project team members begin working on the project, or the scope-of-work changes. At a minimum, the HASP is reviewed annually by the project manager to verify that the plan content remains appropriate for the planned activities.

As presented in the site-specific HASP, all field crew members, including Antea Group staff and subcontractors, working in the contamination zone or who may be exposed during the course of the work are required to have completed the OSHA 40-hour HAZWOPER and annual refresher training (29 CFR 1910.120), CPR training, and First Aid training.

#### 4.15 Arrange for site access

Antea Group staff routinely deals with the need for accessing site properties, or properties surrounding the site, for completion of various investigation activities. The properties may be privately owned, owned by the local municipality, the State, the Federal government, or on Reservation Property which exercises independent, sovereign, regulatory authority within its boundaries. Antea Group has negotiated property access at all levels of ownership and our staff has become astute at early identification of problematic issues.

A variety of access issues have been successfully dealt with by Antea Group staff, including: performance bonds, MNDOT right-of-way agreements, railroad access agreements (including associated insurance requirements, safety training, etc.), remote ownership and third-party agreements, multiple party agreements, data sharing agreements, and coordination of property purchase.

Antea Group has assisted the MPCA with obtaining access agreements through a variety of measures for State fund-financed projects. We have participated in and assisted MPCA Project Leaders through the process of utilizing the Minnesota Attorney General's Office on multiple site projects in order to obtain access. These activities included preparation and review of affidavits, meetings with property owners, MPCA Project Leaders and the Attorney General assigned to the project. We have participated in Court Orders from the beginning through obtaining the final agreement which were conducted in order to obtain site access.

### Response to Request for Proposal Professional / Technical Contract

Category B: Petroleum-Only Environmental Services



**Example:** Clover Valley Store

Two Harbors, Minnesota

Antea Group, on behalf of the MPCA, conducted site investigation activities which included the installation of four groundwater monitoring wells on site, completion of one quarterly groundwater monitoring sampling event of the well network, sampling of the potable well located on-site and the off-site potable wells located south and west of the site, soil vapor intrusion assessment and sampling of a drainage ditch, due to observed product sheen, located immediately adjacent to the southeastern site property boundary. In addition, due to product sheen observed on the surface water in the ditch located immediately adjacent to the southeastern site property boundary and elevated dissolved phase hydrocarbons detected, Antea Group conducted additional investigation utilizing laser induced fluorescence (LIF) to evaluate the vertical and horizontal extent of free product at the site.

Based on the limited delineation of the downgradient extent of the plume it was possible that groundwater impacts discharged to surface waters in both the unnamed wetland and the surface water found within the ditch located south and east of the site. Soil, groundwater and surface water data indicated petroleum impacts adjacent to the off-site property may be present at concentrations exceeding regulatory action levels and the downgradient extent of these impacts were undefined due to the denial of access to the off-site property.

Antea Group personnel worked with the MPCA Assistant Attorney General and the MPCA Project Leader to prepare an Affidavit for the State of Minnesota District Court, County of St. Louis, Sixth Judicial District, to assist in obtaining off-site access. Antea Group participated in a judicial hearing with the Attorney General, MPCA Project Leader and the site property owners in which an Administrative Inspection Order was issued granting site access.

### 4.16 Coordinate utility locates by contacting the appropriate entity and, if applicable, coordinate traffic control.

The first task conducted by Antea Group at any site in Minnesota where intrusive work is to be performed is to contact Gopher One Call and a private utility locator (if necessary) to mark all public and private subsurface utilities.

In the event that traffic control is necessary, traffic control plans which conform to MnDOT and/or City/County right-of-way requirements are prepared and followed. Antea Group also references the Field Manual of MnDOT Minnesota Manual on Uniform Traffic Control Devices which describes temporary traffic control (TTC) standards. The goal of a TTC zone is to provide safe and efficient movement of traffic around a location where normal function of the roadway is temporarily suspended due to assessment and or corrective action activities. Prior to commencing work on any public road right-of-way permission is obtained from the governing road authority who approves the TTC plan prior to implementation.

Example: Utility Backfill Investigation New Ulm, Minnesota

As part of a site assessment Antea Group investigated potential preferential flow pathways within subsurface utility backfill utilizing hydrovacuum and air knife techniques to expose various utility lines and collect backfill and groundwater samples. Antea Group first contacted the City of New Ulm to verify that the investigation was to be conducted within City right-of-way and to verify the depths and type of utilities present. Due to the investigation

**37** 



being conducted on a truck route located near a residential neighborhood the city requested a more extensive detour be utilized to limit truck traffic through neighborhood streets (for safety and street weight limit purposes).

Due to the nature of the utility investigation work Antea Group requested through Gopher One Call that a utility meet be scheduled so that locators and utility owners were aware of the nature of the work and provide accurate utility mark outs. The traffic control and utility mark out procedures implemented by Antea Group resulted in investigation goals being met safely.

#### 4.17 Prepare and evaluate bid specifications

To provide cost effective solutions for complex remedial actions, frequently prepares and evaluates bid specifications for remedial activities including remediation of soil, groundwater and free phase product. Antea Group utilizes a process which organizes and integrates data collected during site investigations, results of feasibility and treatability studies, pilot tests and risk assessments to provide an alternative analysis and/or focused feasibility study. Alternatives analysis and focused feasibility studies also evaluate Applicable and Relevant and Appropriate Requirements (ARAR) for the site against remedial options in order assure that the designed remedy will meet the regulatory standards and clean up objectives.

Once a remedy is selected, a comprehensive remedial action design is prepared detailing the technical design, installation schedule and projected costs to remediate the site. Based on the design, Antea Group prepares a detailed specification and bidding package, which is submitted to qualified bidders for solicitation of bids. The bid specifications detail applicable codes or permitting, site health and safety, schedule, change order, insurance, contract and/or performance issues the subcontractor must follow. Antea Group provides a specific scope of work in the bid package to ensure there is no uncertainty as to the subcontractor's responsibilities. After the receipt of bids, a contractor is selected to conduct the specified work based on cost, qualifications and the ability to meet the project schedule.

Where applicable, a senior engineer who is experienced with the technology utilized in the designed corrective action reviews every design and specification package developed by Antea Group. When applicable, a licensed professional engineer supervises Antea Group staff preparation of bid packages involving remedial technology design services.

As a Multi-Site Contractor with the MPCA Antea Group is proficient at completing bid specifications and procuring subcontractors for services and construction projects which are less than \$50,000 following the MPCA Subcontractor Purchasing Manual (Purchasing Manual) and MPCA specific bidding forms. The MPCA purchasing manual process is similar to the process utilized by Antea Group in purpose, detail and review by senior staff. Antea Group also utilizes Target Group/Economically Disadvantaged (TG/ED) when possible as a practice and following Purchasing Manual requirements. When utilizing the process described in the Purchasing Manual, Antea Group provides the MPCA with all applicable forms which detail the requested remedial design specifications or description of services and a complete package for posting on the Minnesota Department of Administration (MDA), Materials Management Division website for advertising the solicitation, as necessary. Following, posting and solicitation of bid specifications under the MPCA Purchasing Manual Process, Antea Group collects, tallies and evaluates the returned bids to



recommend a contractor for the award of the work. The recommendation considers cost, qualifications and ability to meet the project schedule.

Antea Group also is proficient at completing the Minnesota Department of Administration bidding process for procuring subcontractors following MDA procurement procedures and forms for MPCA projects which cost \$50,000 or higher. This process is similar to the MPCA Purchasing Manual process; however, bids are procured through MDA processes and forms rather than the MPCA Purchasing Manual process and forms. Antea Group has utilized either the MDA process or MPCA Purchasing Manual process to procure more than a dozen contracts on behalf of and in cooperation with the State of Minnesota during the past several years.

#### 4.18 Evaluate invoices

During every billing cycle, Antea Group's corporate accounting department provides Project Managers with prebilling analysis reports (PBR's) for every project. The PBR's provide an itemization of all costs (labor, expense, subcontractor charges, etc.) specific to each project during that billing cycle. The PBR's also contain summaries for each site-specific task including the current fee, previously billed amount, remaining budget available to bill, and budget balance. The PBR's are reviewed for accuracy and changes made as applicable prior to the issuance of a final invoice to the client. Budget spreadsheets are completed each month for each project to assure all projects are being completed in a cost-effective manner. Both the schedule and budget are updated monthly and compared with the project's projected percent completion to evaluate budget and resource capacity.

All subcontractor (example: drilling or laboratory services) and expenses (example: vehicle mileage or per diem costs) billed to a project are reviewed by the Project Manager prior to processing. Subcontractor invoices are referenced to proposals and cost itemizations provided by the subcontractors prior to completing the work.

Invoices are submitted to a client on a monthly basis for work completed during the prior month, unless no costs were incurred during that billing cycle. Documentation itemized on the submitted invoices include, but are not limited to, the following: Contractor name, work order/project/contract number, invoice number and date, invoicing period, itemized list of work performed and associated labor rates and staff classifications, supplies and equipment utilized, itemized expenses and associated backup documentation/receipts (example: hotel receipts), subcontractor invoices and associated backup documentation, budget status reports and an update of tasks completed for the submitted invoice.

## 4.19 Assist and provide training as requested by the MPCA. Training must be related to the scope of this Master Contract

A key strength of the Antea Group staff located in the St. Paul office is providing a variety of training for various subject matters. Our stringent corporate health and safety internal requirements have necessitated the certification of trained staff and development of health and safety training modules that may be provided to our employees or as a service offering to our clients including but not limited to the following:

- Accident prevention;
- Contractor safety;

39



- Emergency response;
- Excavation;
- Hazard communication;
- HAZWOPER 8-hr refresher;
- Incident reporting;
- Personal protective equipment; and
- Site control and work zones.

Our diverse client base has also necessitated the certification of technical trained staff in our St. Paul office to provide the following to our employees or as a service offering:

- RCRA Hazardous Waste Management for LQG and SQG;
- RCRA Hazardous Waste Management for CESQG;
- Universal Waste Management;
- Spill Prevention Control and Countermeasure Plans;
- Chemical Management;
- Spill Response;
- Storm Water Management;
- Storm Water Pollution Prevention Plans;
- Wastewater Management;
- Air Emissions Management, and
- DOT HazMat Awareness Training.

Antea Group has a long history of working with clients in the development and delivery of a wide range of training topics from environmental, health and safety regulatory compliance to train the trainer and development and implementation of on-line Storage Tank Operator Training. Antea Group has multiple expert level training delivery specialists ready to assist the MPCA or MDA in the preparation of training materials which can be effectively used to present the designed materials to any target audience. Antea Group has worked with clients representing industries ranging from electronics manufacturing, to pulp and paper, to heavy manufacturing. Antea Group works with these clients to develop materials customized to their needs and specific to their application, thus helping to assure effective communication of the chosen training topic.

Our staff has also designed and delivered workshops on various environmental technologies at statewide regulatory staff meetings, including coursework provided instruction on concepts of remedial technology, design criteria and engineered alternatives. In addition, we have given several presentations at the EPA-sponsored and 50-states attended National UST/LUST Conference.

#### 4.20 Follow MPCA green practices/procedures relative to remediation projects

To reduce environmental and economic impacts of remediation projects, Antea Group utilizes green and sustainable remediation (GSR) initiatives when feasible. Opportunities for employing GSR concepts are considered in development of the overall remediation approach and corrective action goals. GSR technology alternatives that enhance natural conditions, reduce carbon footprints and provide economic value compared to conventional remediation techniques are utilized by Antea Group to provide innovative and socially responsible approaches.



Since 2009, Antea Group has been implementing and documenting use of green practices on all MPCA fund-financed site remediation projects in accordance with the *Recovery Act LUST Requirements* and have incorporated the *Recovery Act LUST Green Practices Appendix A* spreadsheet into all submitted Work Plan/Cost Proposals (for PRP, Superfund, VIC and Closed Landfill Programs' sites). The Green Practices implemented subsequent to completion and final close out of an MPCA fund-financed project work order are documented in the Green Practices Metrics Table provided in a Work Order Summary Report.

Antea Group provided a design specification for a leaking UST carbon footprint calculator under contract through EPA Region 9. This calculator is now online and available to regulatory program managers and stakeholders for their use in calculating the carbon footprints of LUST remediation sites. The calculator evaluates five remedial approaches including excavation, pump-and-treat, soil vapor extraction, multi-phase extraction and MNA.

Below is a project example in which Antea Group utilized GSR practices in remediation system design and installation.

#### **Example:** Isanti Schumacher Superfund Site

#### West Point, Minnesota

The Isanti Schumacher site was once the location of an unauthorized burial pit for drums of industrial waste. These drums contained a variety of compounds including: halogenated and non-halogenated solvents, paint residues and sludges, varnish resins, metals, polychlorinated biphenyls (PCB), and volatile organic chemicals (VOC). In 1982 a contractor working for the EPA excavated, packaged and transported 843 drums to out of state disposal sites. Borings were conducted through the floor of the pit to determine the depth of contamination. The floor of the pit was then capped using a PVC liner and the excavated pit was backfilled with clean fill, however VOC impacts remained in the adjacent soils.

In the years since removal of the drums, assessment activities indicated a VOC groundwater plume migrating in the direction of the Rum River. The MPCA subsequently requested Antea Group to design a temporary SVE system to address residual VOC impacts in the former drum burial area.

#### GCR practices utilized in system design and installation:

- The remediation system building and several key system components were recycled from two separate existing MPCA remedial projects located in Brooklyn Center. Antea Group and MPCA personnel inspected the two systems configurations and site decisions were made in cooperation with the MPCA for those portions of the existing systems to be incorporated into the component design of the temporary SVE system.
- Soil generated during SVE well installation was thin spread in the immediate vicinity of the wells and native soil was utilized to backfill system trenching. Therefore, no waste requiring off-site disposal was generated during installation of the SVE wells or system installation.
- A wireless telemetry system was linked to the SVE system control panel. The telemetry utilizes a cellular network connection to send out fault or alarm notifications via electronic mail. This decreased the vehicle



miles traveled to conduct system checks and allows for sufficient identification of alarms prior to mobilization to the site.

In addition to the benefits of utilizing the above GSR practices, the above approach saved the MPCA significant costs compared to a new system and accelerated the installation timeframe.

### 4.21 Oversee hydrogeologic investigations including fate & transport modeling, capture zone analysis and pump tests

Antea Group has designed, prepared and implemented hundreds of site and remedial investigation Work Plans at a variety of sites that have involved hydrogeologic investigations. These sites have included: petroleum retail, terminals and refineries; chemical processing, manufacturing; landfills; brownfield redevelopment, and Ag-Chem sites with COCs consisting of: VOCs, SVOCs, PAHs, PCBs, PFCs, heavy metals, fertilizers and pesticides. The primary objective of these investigations is to characterize the subsurface hydrogeology to the extent necessary to assess potential contaminant migration pathways and to delineate the extent of subsurface impacts in both the unsaturated and saturated horizons for purposes of evaluating remedial alternatives. Our hydrogeologists are familiar with the current MPCA risk-based site evaluation process (RBSE) guidance documents, and understand the iterative approach often required to compile sufficient regional and site specific hydrogeologic information to perform fate and transport modeling. Antea Group utilizes a variety of literature and technical resources (i.e., DNR, MDH, MGS, and USGS) in addition to conducting site specific hydrogeologic investigations, as necessary, to support our development of reasonable conceptual site models (CSM) which is a critical initial step in any model development effort.

Site-specific hydrogeologic investigations often include the collection of undisturbed unsaturated and saturated soil or core samples of unique geologic units encompassing the extent of delineated COCs to assess soil and or fracture properties that are useful in evaluating contaminant migration such as: porosity, grain size distribution, fractional organic carbon, pore saturation if NAPL is present, total organic carbon, bulk density, vertical permeability and fracture density. Depending on the fate and transport questions to be answered, the characteristics of the COCs and the site complexity, 1-D or 2-D transport models such as BIOSCREEN, BIOCHLOR-AT, or VS2DTI that incorporate dispersion, adsorption and biotransformation may be sufficient in addressing the fate and transport of dissolved phase COCs under relatively simple groundwater flow conditions. Antea Group often applies these types of models to sites where monitored natural attenuation (MNA) is being evaluated.

For more complex sites, Antea Group can utilize a variety of field tests to assess the site-specific spatial variability of the saturated units or formations hydraulic characteristics including: slug tests, tracer studies, specific capacity tests and if warranted, aquifer pumping tests. Data obtained from these tests is typically analyzed using aquifer testing analysis software (i.e., AQTESOLV) or analytical calculations to obtain estimates of the aquifer's hydraulic conductivity (K), transmissivity (T), and specific storage (S) for use in development of a more rigorous 3-D groundwater flow model using MODFLOW.

Once a MODFLOW flow model is developed and calibrated, it can be coupled with MT3D to evaluate contaminant fate and transport. Model defined source cells are setup to reproduce the source types as defined by the conceptual



site model (CSM) in the appropriate model layers and the modeled layers are assigned representative transport properties including storativity, porosity, and dispersivity values. COC reaction or decay rates are also incorporated into the model to assess contaminant attenuation. Calibration to existing monitoring well concentrations is an iterative approach using historical analytical trend data. In addition, sensitivity and uncertainty analyses are performed using the calibrated MODFLOW/MT3D model prior to using the model to predict future fate and transport scenarios.

### Example: Fate and Transport Regional Model

Using the transient version of the MODFLOW model discussed in the groundwater flow modeling example (Conduct surface water and groundwater modeling), Antea Group incorporated the use of MT3D to evaluate the fate and transport of non-reactive COCs released from former municipal and industrial landfills within the study area. The model was developed to assess the long-term impacts to the existing and future municipal wells and the potential need for secondary treatment prior to groundwater use.

#### 4.22 Prepare Engineering Evaluation Cost Analysis (EECA)

Engineering Evaluation Costs Analyses (EECA) have been prepared by Antea Group at many sites to evaluate remedial alternatives (RA), evaluate engineering options, and provide a cost analysis for a project situation that requires corrective action. Antea Group has performed EECAs at sites with many different contaminant challenges: including petroleum hydrocarbons, metals, and chlorinated solvents. The EECAs have been developed to identify relevant and appropriate RAs and provide a general evaluation of each alternative including effectiveness, feasibility of implementation, advantages and disadvantages, and approximate total cost.

Antea Group has many licensed professional engineers with many years of experience in these fields that perform this work. Criteria utilized for the evaluation of RA include: effectiveness, implementability, and total estimated durational cost. The estimated capital, annual operation and maintenance, monitoring, and/or future costs can be expressed as present values. Present value costs account for annual inflation and depreciation rates and are typically evaluated assuming a five percent discount rate. A summary of the advantages and disadvantages of each RA are presented also.

The process that Antea Group utilizes for EECAs is to develop a life-cycle cost estimate of all project costs that will be incurred during design and implementation of a final corrective action, including costs for any ongoing interim corrective action, complementary corrective actions, site investigation, and site monitoring. Cost estimates are based on the most likely costs for each corrective action being evaluated using present-day costs or present value costs. Antea Group's assumptions are outlined to support the estimates for each corrective action alternative. Antea Group refines the cost estimate for the selected corrective action alternative after key milestones in the project life cycle (such as pilot testing). In order to evaluate the cost effectiveness of each alternative, Antea Group compares the life-cycle cost estimates while considering their probability of meeting the corrective action goal within a reasonable time frame.

#### Response to Request for Proposal Professional / Technical Contract

#### Category B: Petroleum-Only Environmental Services



An example of using EECAs to determine the best approach for a site is the evaluation of the different forms of excavation as a remedial alternative. Excavation of impacted soils has been utilized as a remediation activity employed by Antea Group when appropriate. The process involves removing the contaminated soil, transporting it to a permitted disposal facility or treating the soil on site and returning the treated soil to the excavation. Antea Group has used excavation as a treatment technique on soils impacted with a wide variety of contaminants including petroleum hydrocarbons, chlorinated organics, metals, and agricultural chemicals. Antea Group's experience has encompassed varying depths, shoring, stockpiling, stabilization and hazardous/non-hazardous disposal issues.

Antea Group has used a variety of soil disposal and treatment techniques including:

- Excavation and soil disposal at a licensed landfill.
- Excavation and soil landfarming at a permitted landfarming facility.
- Excavation and soil treatment by biological treatment in an engineered biopile.
- Excavation and soil treatment by thermal desorption.

Each of these different excavation alternatives were subjected to an engineering evaluation and cost analysis in order to help select the most viable alternative for remediating the various sites.

Example: Class 1 Railroad Rail Yard

Des Moines, IA

**Contamination:** Soil and groundwater on the Site are impacted with diesel fuel. The maximum concentration of diesel found at the Site was 31,000 mg/kg, which exceeds the Iowa Soil Standard of 3,800 milligrams per kilogram (mg/kg)

#### **Alternatives Reviewed:**

- Soil Excavation with Various Disposal/Remediation Alternatives:
  - o Landfill disposal;
  - o On-site thermal desorption;
  - o On-site treatment with Fenton's Reagent;
  - o Limited excavation with land use controls
- LNAPL Source Area Excavation in Conjunction with:
  - o Monitored Natural Attenuation;
  - o Injection of catalyzed persulfate;
  - Air Sparge/Soil Vapor Extraction;
- LNAPL Source Area Dual-Phase Extraction in Conjunction with:
  - o Air Sparge/Soil Vapor Extraction;
- Full-Scale Steam Injection.

44

#### Category B: Petroleum-Only Environmental Services




Several other technologies were considered for application at the site, but were not deemed appropriate for varying reasons. The most cost effective option that met the technical requirements of the project was chosen (Limited excavation with land use controls) and successfully implemented.

Antea Group has specialized experience in addressing uncertainty around environmental reserves through cost modeling, decision analysis and stakeholder communication to help evaluate risks, enhance efficiencies in the decision-making process, and put numbers to hard-to-quantify business drivers.

Antea Group works with our clients to model potential choices for uncertain situations through a decision analysis combined with Monte Carlo simulation and other innovative tools. Our process is fit for purpose: it starts with identifying those uncertain variables, assigning value ranges to those variables and using scenario planning to help understand the available options and finally validating the process with industry experts. The process leads to focusing decisions and quantifying uncertainties with output as a communication tool for your teams and leadership.

Unlike linear cost estimation, we use a well-defined and proven probabilistic modeling process that incorporates both scope and cost variability into a decision tree framework, letting you visually map out complex, multi-layered decisions in a sequential and organized manner. We follow current Best Practices set by <u>ASTM E2137</u> for Estimating Monetary Costs and Liabilities for Environmental Matters.



Antea Group has specialized experience in addressing uncertainty around environmental reserves through cost modeling, decision analysis and stakeholder communication to help you evaluate risks, enhance efficiencies in the decision-making process, and put numbers to hard-to-quantify site management decisions.

Antea Group will work with you to model potential choices for uncertain situations through a decision analysis combined with Monte Carlo simulation and other innovative tools. Our process is fit for your purpose: it starts with



identifying those uncertain variables, assigning value ranges to those variables and using scenario planning to help understand the available options and finally validating the process with industry experts. The process leads to focusing decisions and quantifying uncertainties with output as a communication tool for your teams and leadership. Our cost modeling services can be applied to many scenarios including portfolio optimization and remediation planning.

#### 4.23 Oversee or conduct bench-scale lab treatability studies and pilot tests and field demos

Antea Group regularly oversees the planning and execution of bench-scale treatability studies and pilot tests. Emphasis is always placed on laboratory selection, practicality of the testing, and use of state-of-the-art methods. Antea Group maintains a list of approved treatability laboratories from coast to coast. Several of the laboratories are specialists in bioremediation, chemical oxidation or reduction, or heating technologies. For bench tests, we strive to develop methods that use a soil to water ratio as close to reality as possible.

Bench scale treatability and pilot tests provide vital information to the design process and optimization of a specific technology, but even more important is their ability to uncover issues that might arise on a larger scale. These issues might preclude the use of the technology all together or might require a strategic change in direction or alteration to a technology.

Typical bench and pilot tests that we oversee will begin with a plan that clearly defines the objective for the test. The number of test conditions is determined and the sample collection size and test vessel size is determined. Methods of analysis are indicated and proper controls are setup along with the various treatment conditions. The duration of testing is established. Bench tests may compare different technologies or multiple conditions within a given technology; field tests most often focus on a single approach or a combination of technologies working in concert.

At the completion of bench or field pilot tests, a report is prepared documenting sample collection, test setup, procedures used, parameters measured, and conclusions/recommendations from the test. Longer term bench tests or field pilot tests may have interim reports that document specific periods of time or sampling events and generally contain similar information has a final report.

At Antea Group >80% of our projects have bench and/or field pilot testing depending on information needed for design, site characteristics, and regulatory/client familiarity and comfort with a technology. When there is high certainty with a technology, our preference is to field pilot test so information can be gathered while a level of treatment occurs.

Example: Former BP Service Station (Milpitas, CA) 2011 -2012

Antea Group contracted with a specialized in situ chemical oxidation lab (JAG/PTS Laboratories) to address a complex buffering issue in high organic content soils at an off-site property where plume migration of gasoline has remained an issue. The site has significant access issues and considerable landscaping that had to be worked around. Initially,



a traditional alkaline activated persulfate approach was taken at this off-site property with multiple injections made via direct push. Maintaining a high pH proved to be impossible, even with high doses of sodium hydroxide.

Antea Group oversaw the development of the test method and discussed field observations and objectives for the test. Antea Group performed QA/QC on the data generated from the testing as well as all associate analysis from an analytical lab supporting the project. Antea Group led all technical discussions on the testing program.

This test evaluated the total oxidant demand (TOD) and the oxidant persistence during chemical oxidation treatment using stabilized hydrogen peroxide activated sodium persulfate, an approach that does not require high pH. Antea Group discussed results and subsequent report content with the lab that showed the stabilized hydrogen peroxide activated persulfate could not maintain an acidic pH and did not perform well on the TPH-gasoline present. A high oxidant demand was determined and additional groundwater tests showed high iron and alkalinity much greater than had been observed at the site before. This testing led to a discussion of new alternatives for the site and possibly could support a determination of technical impracticability.

#### 4.24 Oversee equipment start-up and work out problems with the Contractor/Vendor

Once construction of the remediation system is complete, Antea Group's experienced remediation engineering team, along with the installation contractor/vendor, perform complete inspections of all system components and performance. The engineering team ensures that the contractor has performed the system installation in accordance with the system design specifications. The contractor, at the least, is required to provide an upper level technician experienced with system startup for the first several days.

The following are some contractor requirements Antea Group typically specifies for remedial system startup.

- Conduct initial system startup over a planned duration of 3 days
- Confirm all electrical connections to the system have been properly installed
- Test all critical fail-safe/interlock mechanisms for proper function
- Test components response to manual and automated control of the system
- Inspect and repair any mechanical failures or leaks in equipment, piping, connections, etc.
- Record all operating parameters for the system (e.g., amp readings, hour meters, pressures, temperatures, and flow etc.) throughout the duration of the system startup period.
- Ensure compatibility of all aspects of the system
- Test remote monitoring telemetry communications (if applicable)
- Make required adjustments and/or modifications to the system as necessary to achieve design performance specified.

Antea Group ensures that all specified system installation and startup requirements are fulfilled by the installation contractor. There are often times some minor issues that become apparent during the startup process. Antea Group works closely with the installation contractor to identify and correct any issues that may exist.



# 4.25 Prepare and determine if the Stormwater Pollution Prevention Plan (SWPPP) is being followed and make recommendations if revisions are needed during the life of the construction project

Antea Group has prepared Storm Water Pollution Prevention Plans (SWPPP) for multiple industrial facilities throughout the United States including Minnesota. Industries represented by the SWPP Plans developed by Antea Group include pulp and paper facilities, heavy manufacturing facilities, and transportation related railroad properties. Each Plan details how facilities control and monitor storm water runoff to minimize storm water impact. These plans address significant industrial materials stored on-site and industrial activities having the potential for storm water exposure. In addition, the plans describe facility best management practices, material transfer procedures, inventory control, inspection procedures and frequency, secondary containment, identification of non-storm water discharges, and spill response procedures and training.

Antea Group has extensive experience completing Erosion Control Plans, particularly as a component of storm water management projects. Storm water permits issued and managed by the MPCA require that facilities have sediment and erosion control measures in place to prevent the presence of solids in storm water runoff from facilities to waters of the state. Sediment and erosion control measures often include, but are not limited to: paved and swept surfaces, vegetation, rip rap, retention ponds, coir logs, straw wattles, silt fencing, and other filter media.

Examples of projects where Antea Group has prepared Storm Water Pollution Prevention Plans (SWPPPs) and implemented erosion control measures includes numerous railroad yards, food production facilities, and a large remedial excavation project. Implementation activities have included installation of erosion controls (e.g., coir logs, rip rap), preparation of erosion control maintenance documentation, site control after storm events, repairs of erosion controls, and decommissioning of erosion controls during shutdown of a temporary Site.

Erosion control measures are periodically reviewed and evaluated for each Site to determine if changes must be made to further prevent erosion at the Site. If construction occurs at a Site, erosion controls are evaluated and changed as needed to maintain effective erosion control throughout the Site. Additionally, as part of the MPCA industrial storm water permit, Antea Group has advised clients in evaluating sediment and erosion controls after storm water sample Total Suspended Solids (TSS) exceedances, including oversight of installation and maintenance of erosion control Best Management Practices (BMPs).

#### Example: Oil Spill Site

#### Tioga, North Dakota

Antea Group oversees and implements erosion control practices at the Tioga, North Dakota remediation project site. During initial remediation and excavation phases of the project, Antea Group developed an action plan to reduce storm water runoff from the project site in coordination with the State of North Dakota. This action plan utilizes sediment basins within the project site and coir logs around the perimeter of the site, preventing suspended solid migration and water runoff. Fiber coir logs are placed along parts of the property boundary of the project area to provide the same sediment-control capability as a sediment basin.



The coir log placement is chosen based on the surface drainage direction. The coir logs are inspected and maintained at least once every 14 days and within 24 hours of any rainfall event greater than 0.5 inches. The logs are cleaned out when sediment reaches 1/3 to ½ the height of the BMP or fabric logs. Previously, silt fencing was used for erosion control at the site; however, due to frequent destruction from strong winds, fiber coir logs have been installed as the preferred BMP.

Once inspection occurs and inadequacies are discovered, the revised SWPPP must implement these changes within 7 calendar days. Inspection reports summarize the scope of the inspections, names, and qualification of the inspector. In addition, they include inspection dates, major observations, and remedial actions taken. These records are retained as part of the SWPPP for at least 3 years after the date of inspection. Record keeping of precipitation events is also included in the project documentation logs.

### 4.26 Install stainless steel soil gas sampling ports using an electric drill to bore through floor slabs

Antea Group completes property specific vapor intrusion investigations by installing, when necessary, stainless steel soil gas sampling ports. Antea Group prefers to install self-sealing Vapor Pin™ stainless steel sampling ports. Antea Group installs Vapor Pin sampling ports following the manufacturer's instructions and tests each port installed for leaks using water dam testing procedures. Vapor Pin sampling ports are self-sealing in that they use a silicon sleeve surrounding the sampling port which compresses during installation to hold and seal the sampling port to the surrounding concrete. Using self-sealing sampling ports eliminates the need for a concrete seal and thus the need to wait for the concrete to cure prior to sample collection.

Antea Group installs sampling ports using a Bosch RH850VC rotary hammer drill. Sampling ports are installed using a 5/8-inch bit drilled through the thickness of the slab. Dust and debris is removed from the drilled hole continuously with a multipurpose utility vacuum cleaner to prevent binding while the hole is drilled and to minimize dust released during the drilling. If recessed mounting is completed a 1-1/2-inch bit is used prior to the 5/8-inch bit to over drill the upper portion of the sample port location. The over drilled portion is used for water dam leak testing and houses the Vapor Pin allowing space for a stainless-steel cover to protect the sample port while not in use.

When non-recessed installations are used, Antea Group, uses a 5/8-inch bit to drill a hole through the thickness of the slab and installs the self-sealing sampling port so that the upper access portion rises above the slab. The sampling port is sealed with a vinyl cap to seal off the sub slab and indoor air pathway. A water dam test is performed using a section of polyvinyl chloride piping surrounding the sample port and sealed to the floor with non-VOC clay. Water dam leak testing is performed following manufacturer's instructions and the MPCA best management practices.

Following the manufacturer's instructions, Antea Group prefers to install sampling ports recessed into the slab to provide normal, unimpeded use of the area when the sample port is not in use. Vapor Pins installed recessed into the concrete are sealed using a vinyl cap and then a stainless-steel cover is threaded onto the sampling port. The stainless-steel cover provides a flush surface with the surrounding concrete which eliminates trip hazards, provides



protection for the sampling port and provides security for the sampling port. The stainless-steel covers require a special tool from the manufacturer to remove the cover and access the Vapor Pin below.

Antea Group is also familiar with the installation of other designs of vapor sampling ports when slab conditions do not allow for the use of Vapor Pins. Conditions which wouldn't allow installation of Vapor Pins include thin, crumbling or porous slabs that are easily damaged at the drilling location using a hammer drill. In these cases, Antea Group installs an alternative stainless-steel sampling point which uses cement to seal and hold the sampling port into the slab. The cement also seals any damage created by the hammer drill surrounding the sampling port.

### 4.27 Collect and manage field and laboratory data for electronic submittal in a format specified by the MPCA

For more than 10 years, Antea Group has employed EarthSoft's Environmental Quality Information System (EQUIS) database to store, report, and export field and laboratory analytical data for over 30 facilities in Minnesota in addition to multiple facilities and portfolios of sites across the country. Antea Group's project teams populate field data collection forms, or electronic data deliverables (EDDs), using a data collection device or manually once back in the office for importing into EQUIS. Once the project team completes the data collection, they submit the EDDs to Antea Group's Capture, Analyze, Visualize electronically (CAVe) team. The CAVe team reviews the EQUIS Data Processor (EDP), if there are no errors the data is loaded into EQUIS. Laboratories submit analytical result EDDs to the CAVe team who then review the EDD in EDP and if there are no errors, load the data into EQUIS.

Antea Group has extensive experience managing data deliverables in formats specified by the MPCA, from Excel table formats to electronic databases. Utilizing EQuIS's EDP, the CAVe team has created both field and analytical EDDs for submission to the MPCA.

#### **Examples:**

**MPCA SW Fridley Site:** Antea Group received gauging and analytical data from participating facility operators in various formats. The Antea Group CAVe team compiled the data provided by the various responsible parties in various formats and loaded it into Antea Group's EQuIS database. Antea Group provided EDDs to the MPCA for loading into the MPCA's instance of EQuIS.

**Farmington Site:** Antea Group participated in the MPCA's Electronic Data Gathering Engine (EDGE) Pilot Program to record and submit field sampling information and generate chains of custody (COCs) in the MNCOC format. Staff populated field and analytical data into the MPCA's customized EDGE product and submitted the resultant field EDD to the MPCA. During this pilot program Antea Group provided feedback and evaluation of the MPCA EDGE users guide and evaluated processes to prevent double entry of data between the MPCA required format and Antea Groups database format.



#### 5.0 PROJECT SCENARIOS

#### Scenario B: Petroleum-Only Environmental Services:

Please see Attachment A: Example Workplan

Please see Attachment B: Example Scenario Project Spreadsheet



### Table 1

Staff Matrix

Table 1 MPCA Staff Matrix - 2018

Antea Group Team Member	Classification	OSHA Certifications	Years of Antea Group Service	Education	Total Years of Experience	Licenses/ Certifications	Location
Joy Rooney	<ul><li>Field Technician</li><li>Scientist 1</li><li>Scientist 2</li><li>Engineer 1</li><li>Engineer 2</li></ul>	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>	6	<ul> <li>BS – Biosystems and Bi- products</li> </ul>	12	<ul> <li>Engineer In-Training: Minnesota - License #140168</li> </ul>	Regional
Tara Duffy	- Field Technician - Scientist 1 - Scientist 2	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li><li>OSHA 30-Hr</li></ul>	10	■ BS – Geology	11	<ul> <li>Accredited Office Ergonomics         Evaluator (AOEE) – June 2014</li> <li>Professional Member, American Society         of Safety Engineers</li> </ul>	Local
Paul Durkee	- Project Manager	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>	28	<ul> <li>BA – Biology, Gustavus Adolphus College – St. Peter, Minnesota</li> <li>MA – Aquatic Biology, Bemidji State University – Bemidji, Minnesota</li> </ul>	30	•	Local
John Estes	- Scientist 1 - Scientist 2 - Project Manager	<ul> <li>40-Hour HAZWOPER</li> <li>HAZWOPER Supervisor Course</li> <li>Annual 8-Hr Refreshers</li> </ul>	19	■ BS – Geology	22	<ul> <li>Certified Petroleum Release Remediator: South Dakota</li> </ul>	Local
Jessica Highfill	<ul><li>Field Technician</li><li>GIS/CADD Specialist</li><li>Scientist 1</li><li>Scientist 2</li></ul>	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refreshers</li></ul>	14	BS – Environmental Biology, University of Dayton – Dayton, Ohio	18	•	Regional
Wayne Hutchinson	- Scientist 2 - Project Manager	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refreshers</li></ul>	13	■ MS – Geology ■ BA – Geology	45	<ul> <li>Professional Geologist: Wisconsin – License #201-13</li> <li>Professional Geologist: Illinois – License #196.000842</li> <li>Professional Hydrologist: Wisconsin – License #106-111</li> </ul>	Regional

Table 1 MPCA Staff Matrix - 2018

Antea Group Team Member	Classification	OSHA Certifications	Years of Antea Group Service	Education	Total Years of Experience	Licenses/ Certifications	Location
Bob Karls	- Project Manager	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>	31	<ul><li>MS – Hydrology</li><li>BS – Earth Science/ Geology</li></ul>	38	<ul> <li>Professional Geologist: Minnesota – License #30067</li> <li>Professional Geologist: Wisconsin – License #632</li> <li>American Institute of Professional Geologists, CPG #7348</li> </ul>	Local
Keith Knoke	- Project Manager	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refreshers</li></ul>	21	<ul> <li>MS – Geology</li> <li>BA – Geology</li> <li>BA – History</li> </ul>	25	<ul> <li>Professional Geologist: Minnesota – License #30277</li> <li>Professional Geologist: Wisconsin – License #1141-013</li> <li>Professional Geologist: Illinois – License #196-000386</li> </ul>	Local
Jacob Knapp	<ul><li>Field Technician</li><li>Scientist 1</li><li>Scientist 2</li><li>Project Manager</li></ul>	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>	11	<ul> <li>BA – Environmental Studies-Environmental Sciences Concentration</li> </ul>	14	<ul> <li>Certified Radon Mitigation and Measurement Provider (ARST/NRPP)</li> </ul>	Local
Dean Krebs	- Scientist 1 - Scientist 2 - Engineer 1 - Engineer 2 - Engineer 3 - Project Manager	<ul> <li>40-Hour HAZWOPER</li> <li>HAZWOPER Supervisor Course</li> <li>Annual 8-Hr Refreshers</li> </ul>	24	■ BS – Geological Engineering	24	<ul> <li>Professional Engineer: Minnesota – License #26540</li> <li>Professional Engineer: Texas – License #89822</li> <li>Professional Engineer: Illinois – License #062.059808</li> <li>Professional Engineer: Iowa – License #18322</li> </ul>	Local
Aaron Lapine	- Scientist 2 - Project Manager	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refreshers</li></ul>	19	<ul> <li>MS – Environmental Science</li> <li>BA – Botany and Political Science</li> </ul>	22	<ul><li>Environmental Professional:</li><li>Connecticut – License #522</li></ul>	Regional
Corey Mecham	- CADD Specialist - Scientist 2 - Project Manager	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>	17	■ BS – Meteorology	17	■ Illinois GIS Association	Regional

Table 1 MPCA Staff Matrix - 2018

Antea Group Team Member	Classification	OSHA Certifications	Years of Antea Group Service	Education	Total Years of Experience	Licenses/ Certifications	Location
Cindy Meldrum	- Field Technician - Scientist 1 - Scientist 2	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refreshers</li></ul>	24	<ul> <li>AAS – Business, Scott</li> <li>Community College –</li> <li>Bettendorf, Iowa</li> </ul>	24	•	Regional
Mark Nelson	- Scientist 1 - Scientist 2 - Engineer 1 - Engineer 2 - Engineer 3 - Project Manager	<ul> <li>40-Hour         HAZWOPER</li> <li>Annual 8-Hr         Refreshers</li> </ul>	23	■ BS — Civil Engineering	24	<ul> <li>Professional Engineer, Minnesota – License #25828</li> <li>Professional Engineer: Illinois – License #062-055081</li> <li>Professional Engineer: Florida – License #65189</li> <li>Professional Engineer: California – License #6359</li> <li>Professional Engineer: Louisiana – License #35631</li> </ul>	Local
Jared Otto	- Scientist 2 - Project Manager	■ 40-Hour HAZWOPER	14	■ BS – Geology	24	■ Professional Geologist: Minnesota	Local

Table 1 MPCA Staff Matrix - 2018

Antea Group Team Member	Classification	OSHA Certifications	Years of Antea Group Service	Education	Total Years of Experience	Licenses/ Certifications	Location
Jon Pesicka	- Scientist 2 - Engineer 2 - Engineer 3 - Project Manager	<ul> <li>40-Hour         HAZWOPER</li> <li>Annual 8-Hr         Refreshers</li> </ul>	27	■ BS – Civil Engineering	31	<ul> <li>Professional Engineer: California –         License #46093</li> <li>Professional Engineer: Wyoming –         License #8380</li> <li>Professional Engineer: Washington –         License #35514</li> <li>Professional Engineer: Arizona –         License #32539</li> <li>Professional Engineer: South Dakota –         License #6666</li> <li>Professional Engineer: Colorado –         License #32708</li> <li>Professional Engineer: Michigan –         License #6201046313</li> <li>Professional Engineer: Utah – License #4814077-2202</li> <li>Professional Engineer: Idaho – License #9908</li> <li>Professional Engineer: Ohio – License #64415</li> </ul>	Local
Brent Puck	- Scientist 2 - Project Manager	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refreshers</li></ul>	14	<ul><li>MS – Physics</li><li>BA – Physics</li></ul>	21	<ul> <li>Certified Groundwater Professional: lowa</li> </ul>	Regional
Don Reeder	- CADD Specialist	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refreshers</li></ul>	15	BS – Horticulture, University of Minnesota – Minneapolis, Minnesota	20	•	Local

Table 1 MPCA Staff Matrix - 2018

Antea Group Team Member	Classification	OSHA Certifications	Years of Antea Group Service	Education	Total Years of Experience	Licenses/ Certifications	Location
Nancy Rodning	<ul><li>Field Technician</li><li>Scientist 1</li><li>Scientist 2</li><li>Project Manager</li></ul>	<ul> <li>40-Hour HAZWOPER</li> <li>Annual 8-Hr Refresher</li> <li>HAZWOPER Supervisor</li> </ul>	15	■ BS – Geology, University of Wisconsin	20	<b>•</b>	Local
Tony Rossano	- Scientist 2	<ul> <li>40-Hour         HAZWOPER</li> <li>Annual 8-Hr         Refresher</li> <li>DOT Hazardous         Materials         Certification</li> </ul>	16	BS – Chemistry, Columbus State University – Columbus, Georgia	35	<ul> <li>DOT Hazardous Materials (HazMat Employee) Certification</li> <li>Lead Inspector (Target Housing and Child-Occupied Facilities)</li> <li>On-Scene Incident Commander (Hazardous Waste Operations and Emergency Response)</li> <li>Hazardous Materials Technician (Hazardous Waste Operations and Emergency Response)</li> <li>Asbestos Operational and Maintenance Worker</li> <li>Asbestos Emergency Response Act (AHERA) Building Inspector</li> <li>American Chemical Society Member (30+ years)</li> <li>Air and Waste Management Association Member</li> </ul>	
Pete Schwalbach	- Scientist 2 - Project Manager	<ul> <li>40-Hour         HAZWOPER</li> <li>HAZWOPER         Supervisor         Course</li> <li>Annual 8-Hr         Refreshers</li> </ul>	24	<ul> <li>BS – Civil &amp; Environmental Engineering, University of Wisconsin – Madison, Wisconsin</li> </ul>	26	•	Regional

Table 1 MPCA Staff Matrix - 2018

Antea Group Team Member	Classification	OSHA Certifications	Years of Antea Group Service	Education	Total Years of Experience	Licenses/ Certifications	Location
Jack Sheldon	- Scientist 2 - Project Manager	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>	8	<ul> <li>MS – Environmental Microbiology</li> <li>BS – Bacteriology and Public Health</li> </ul>	35	<ul><li>American Society for Microbiology</li><li>National Groundwater Association</li></ul>	Regional
Darius Szewczak	- Scientist 1 - Scientist 2 - Project Manager	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>	15	<ul> <li>Master of Environmental Management</li> <li>BS – Environmental Sciences and Resource Management</li> </ul>	24	<ul> <li>Certified Hazardous Materials Manager (CHMM) Master Level #12563</li> <li>Advanced Safety Certificate; National Safety Council, 2003</li> </ul>	Local
Karen Thole	- Scientist 1 - Scientist 2 - Project Manager	<ul> <li>40-Hour         HAZWOPER</li> <li>HAZWOPER         Supervisor         Course</li> <li>Annual 8-Hr         Refreshers</li> </ul>	22	<ul><li>MS – Geology</li><li>BS - Geology</li></ul>	25	<ul> <li>Professional Geologist: Wisconsin, License #711-013</li> </ul>	Local
Gary Turgeon	- Scientist 2 - Project Manager	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>	15	<ul> <li>BA – Speech Communications, University of Minnesota</li> </ul>	30	<ul> <li>Minnesota Groundwater Association Member</li> <li>Minnesota Petroleum Marketers Association Member</li> <li>League of Minnesota Cities Member</li> <li>Minnesota Petroleum Tank Release Compensation Fund Rule Advisory Committees</li> </ul>	Local
Jonathan Zimdars	- Scientist 1 - Scientist 2 - Project Manager	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>	20	■ BS – Geology	27	<ul> <li>Professional Geologist: Pennsylvania, License #2166</li> </ul>	Local

Table 1 MPCA Staff Matrix - 2018

Antea Group Team Member	Classification	OSHA Certifications	Years of Antea Group Service	Education	Total Years of Experience	Licenses/ Certifications	Location
Sara Austin	- GIS/CADD Specialist - Scientist 1	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>	3	<ul> <li>MGIS – Geographic Information Science University of Minnesota – Minneapolis, Minnesota</li> <li>BLA – Landscape Architecture Ball State University – Muncie, Indiana</li> </ul>	5	■	Local
Dacre Busch	- Project Manager	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>		<ul> <li>Graduate Courses in Hydrogeology, Engineering, Geology, and theoretical Geophysics</li> <li>BS – Geology, California State University - Northridge, California</li> <li>BA – Earth Science/ Geography, California State University - Northridge, California</li> </ul>	25	•	Regional
Jarrod Cicha	- Field Technician - Scientist 1 - Scientist 2	<ul> <li>40-Hour HAZWOPER</li> <li>Annual 8-Hr Refresher</li> </ul>	2	<ul> <li>MS – Earth and Climate Science (Hydrogeology focus), University of Maine - Orono, Maine</li> <li>BA – Geology</li> <li>BA – Environmental Science, University of Minnesota - Morris, Minnesota</li> </ul>	4	<b>•</b>	Local
Jacy Christenson	- Field Technician - Scientist 1	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>	4	BS – Natural Resources,     University of Minnesota	4	•	Local

Table 1 MPCA Staff Matrix - 2018

Antea Group Team Member	Classification	OSHA Certifications	Years of Antea Group Service	Education	Total Years of Experience	Licenses/ Certifications	Location
Eric Feenstra	<ul><li>Field Technician</li><li>Scientist 1</li><li>Scientist 2</li><li>Engineer 1</li><li>Engineer 2</li></ul>	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>	3	<ul> <li>BS – Geological Engineering, Michigan Technological University</li> </ul>	5	■ Engineer In-Training – Michigan	Regional
Stan Freedman	- GIS Technician - Field Technician - Scientist 1	•	4	<ul> <li>BS – Geology, University of Puget Sound – Tacoma, Washington</li> </ul>	4	<ul> <li>Post-Graduate Certificate – Geographic Information Systems, Portland Community College – Portland, Oregon</li> <li>Geological Society of America</li> </ul>	
Cathy Grams	- GIS/CADD Specialist - Scientist 1 - Scientist 2	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>	10	<ul> <li>BS – Geology, minor</li> <li>Computer Science,</li> <li>University of Minnesota –</li> <li>Duluth, Duluth, Minnesota</li> </ul>	15	•	Local
Craig Johnson	- Scientist 1 - Scientist 2 - Project Manager	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>	15	<ul> <li>A.S. – HVAC Systems         <ul> <li>Installation, Service and</li> <li>Operation, Dunwoody</li> <li>College of Technology,</li> <li>Minnesota</li> </ul> </li> <li>A.S. – Environmental         <ul> <li>Design Technology,</li> <li>Dunwoody College of</li> <li>Technology, Minnesota</li> </ul> </li> </ul>	30	•	Local
David Koppel	- Field Technician - Scientist 1 - Scientist 2 - Project Manager	<ul> <li>40-Hour HAZWOPER</li> <li>Annual 8-Hr Refresher</li> <li>First Aid/ CRP/AED</li> </ul>	2	<ul> <li>BA – Geology, Gustavus Adolphus College</li> <li>MS – Geology (Surface Processes), Ohio University</li> </ul>	7	<ul> <li>AARST – NRPP Residential Measurement and Mitigation Provider</li> </ul>	Local

Table 1 MPCA Staff Matrix - 2018

Antea Group Team Member	Classification	OSHA Certifications	Years of Antea Group Service	Education	Total Years of Experience	Licenses/ Certifications	Location
Layne Kortbein	- Field Technician - Scientist 1 - Engineer 1	<ul> <li>40-Hour HAZWOPER</li> <li>Annual 8-Hr Refresher</li> <li>First Aid/ CRP/AED</li> </ul>	1	<ul> <li>BA – Bioproducts and Biosystems Engineering; Sustainability Studies University of Minnesota</li> </ul>	1	<ul> <li>Engineer in Training (EIT): Minnesota, License #152343</li> </ul>	Local
Todd Kremmin	<ul><li>Field Technician</li><li>GIS/CADD Specialist</li><li>Scientist 1</li><li>Scientist 2</li></ul>	<ul> <li>40-Hour HAZWOPER</li> <li>Annual 8-Hr Refresher</li> <li>First Aid/ CRP/AED</li> </ul>	2	<ul> <li>MS – Earth and Environmental Studies, University of Minnesota – Duluth, Minnesota</li> <li>BA – Geology Gustavus Adolphus College</li> </ul>	6	<ul> <li>Geologist In-Training (GIT): Minnesota, License #150242</li> </ul>	Local
Laura Maki	- Field Technician - Scientist 1 - Scientist 2	<ul> <li>40-Hour HAZWOPER</li> <li>Annual 8-Hr Refresher</li> <li>First Aid/ CRP/AED</li> </ul>	4	■ BS – Physics and Math, Winona State University	5	<b>-</b>	Local
Becky Matich	- Field Technician - GIS/CADD Specialist - Scientist 1 - Scientist 2	<ul> <li>40-Hour         HAZWOPER</li> <li>Annual 8-Hr         Refresher</li> <li>First Aid/         CRP/AED</li> </ul>	4	<ul> <li>BS – Environmental Studies, Bemidji State University</li> </ul>	5	<ul> <li>Accredited Office Ergonomics Evaluator (AOEE) – June 2014</li> <li>AIHA – Fundamentals of Industrial Hygiene</li> </ul>	Local
Molly Partridge	<ul><li>Field Technician</li><li>GIS/CADD Specialist</li><li>Scientist 1</li><li>Scientist 2</li></ul>	<ul> <li>40-Hour HAZWOPER</li> <li>Annual 8-Hr Refresher</li> <li>First Aid/ CRP/AED</li> </ul>	3	<ul> <li>MS – Geological Science, Central Washington University</li> <li>BS – Geological Science, Winona State University</li> </ul>	3	<b>-</b>	Local

Table 1 MPCA Staff Matrix - 2018

Antea Group Team Member	Classification	OSHA Certifications	Years of Antea Group Service	Education	Total Years of Experience	Licenses/ Certifications	Location
Christine Tufts	- Scientist 1 - Scientist 2 - Project Manager	<ul> <li>40-Hour HAZWOPER</li> <li>Annual 8-Hr Refresher</li> <li>First Aid/CPR/ AED</li> </ul>	10	<ul> <li>MS – Water Resources         Science, University of         Minnesota</li> <li>BS – Geology, Michigan         Technology University</li> </ul>	12	<ul> <li>Professional Geologist: Minnesota, License #48960</li> <li>Member, Minnesota Groundwater Association</li> <li>Member, American Institute of Professional Geologists</li> </ul>	Local
Paul Meier	- Field Technician - Scientist 1 - Scientist 2	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>	13	<ul> <li>BS – Geology, Winona State University – Winona, Minnesota</li> </ul>	30	<ul> <li>Professional Geologist: Wisconsin</li> </ul>	Regional
Cortney Malloy	- Field Technician - Scientist 1	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>	1	■ BS – Geology, Northwest Missouri State University	1	•	Regional
Beth Firkins	- Field Technician - Scientist 1	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>	4	BS – HTRM, University of Wisconsin-Stout – Menomonie, Wisconsin	4	•	Local
Lawanda Olin	- GIS/CADD Specialist	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>	12	<ul> <li>MA – English Literature</li> <li>AAS – Civil Engineering Technology</li> </ul>	12	•	Regional
Chris Vandegrift	- Scientist 2 - Engineer 2 - Engineer 3 - Project Manager	<ul><li>40-Hour HAZWOPER</li><li>Annual 8-Hr Refresher</li></ul>		<ul> <li>BS – Civil Engineering,</li> <li>University of Pittsburgh –</li> <li>Johnstown, Pennsylvania</li> </ul>	25	<ul> <li>Professional Engineer: Pennsylvania, West Virginia, Ohio, Delaware, Maryland, and Georgia</li> <li>Remediation Specialist: West Virginia</li> <li>Member, National Society of Professional Engineers</li> <li>Member, National Council of Examiners for Engineering and Surveying</li> </ul>	



### Appendix A

**Staff Resumes** 



#### Sara Austin

#### Title

Project Professional

#### **Education**

MGIS-Geographic Information Science University of Minnesota, Minneapolis, MN

BLA- Landscape Architecture Ball State University, Muncie, IN

#### Language

English

#### **Experience Summary**

Sara Austin, Project Professional, has been with Antea Group for 2 years as a part of the CAVe program. She is the Drafting Coordinator. Her background includes GIS, data management, AutoCAD, and modeling site conditions. Prior to joining Antea Group, she has approximately five years of experience working in a variety of fields managing teams of contractors for maintenance and design implementation for property management and landscape design as well as managing spatial databases.

#### **Related Projects**

- Wrote and executed a program for watershed delineation and determination of stream locations using digital elevation models.
- Designed and implemented templates for Source Vulnerability Assessment figures for international projects.
- Created web application to interactively illustrate historical site features and potential contaminate sources.
- Managed and created maps for a variety of Antea Group projects, both static and mobile.
- Prepared and created diagrammatic and map based figures for presentations.
- Created 3 Dimensional and time lapsed models of underground chemical plumes.
- Designed and oversaw implementation of residential landscape projects as the principle designer, emphasizing native plants and ecologically friendly designs.
- Designed and created a database and analyzed data for a non profit helping alleviate food insecurity in Kossoye, Ethiopia.
- Created GIS maps to illustrate noise levels around the Memphis International Airport for use in illustrating areas of concern for noise pollution to be presented to the FAA and United States Congress.
- Undergraduate thesis- designed a comprehensive campus master plan for the University of Hyderabad in Hyderabad, India, using a variety of geological visualization techniques and emphasizing ecological conservation and preservation, water management, and intelligent growth.





#### Dacre L. Bush

#### **Experience Summary**

Dacre Bush has 30 of business management and technical oversight for environmental-related projects. He has been involved with investigation and remediation of more than 1,000 contaminated sites; has experience in CERCLA and RCRA sites involving solvents and metals; and is experienced with UST, AST and pipeline sites that were impacted with petroleum hydrocarbons. He also has 14 years of experience in the design and management of thermal remediation (steam and electrical resistive heating [ERH]).

Mr. Bush is currently the a Project Manager and Technical Lead of the Antea Group Remediation Evaluation and Engineering Term for a "guaranteed" remediation contract for over 200 retail petroleum sites in the western United States.

Mr. Bush has also managed numerous projects with hundreds for monitoring wells and sophisticated remediation systems for EPA (Superfund) and Department of Energy. These projects required a very high degree of Qualify Assurance, maintenance to schedule, and community relations.

#### **Related Projects**

The following is Mr. Bush's experience for bulk terminals

#### Expert Witness for Bulk Terminal, Chevron Corp., San Diego

Chevron Corporation contracted Mr. Bush to review assessment activities and a proposed settlement agreement for future costs for a bulk terminal in San Diego. Assessment work had been performed by two companies over a 3-year period, with the major oil company being held liable for the largest percentage of past and future costs by the San Diego Port District. Mr. Bush combined all subsurface and hydrogeologic data on a single map, which also showed other potential sources of groundwater and soil impacts (USTs, product lines, AST, pump stations, and major pipelines). Re-evaluation of this data did not justify the Port District's stance, and led to a much smaller settlement agreement.

#### Title

Senior Project Manager and Remediation Specialist

#### **Education**

Graduate Courses in Hydrogeology, Engineering, Geology, and Theoretical Geophysics

BS – Geology, California State University, Northridge, CA

BA – Earth Science/Geography, California State University, Northridge, CA

#### Languages

English



Antea USA, Inc. 11 March 2016

#### Dacre L. Bush

#### Southwest Marine Facility, San Diego

Mr. Bush was the Project Manager for the assessment and remediation design of the diesel fueling facilities at the Southwest Marine repair yard in San Diego. This involved a complex subsurface investigation in a tidal area, and writing the Feasibility Study to determine the most practical and cost-effective methods for soil and groundwater remediation.

In addition, Mr. Bush managed a Risk Assessment for determining the ecological and human health risks of the sand blasting material from the operations. Metals contamination (including Tribulyl Tin) were quantified and used in a risk and exposure assessment for the site and impact to San Diego Bay.

#### McDonald -Douglas Aircraft, San Diego

Mr. Bush was the Project Manager for assessment and remediation of the watercraft testing facility in San Diego. This facility consisted of a very large concrete "pool" where large model and sometimes actual vessels were tested. Water from the pool, which sometimes contained fuels and PCBs was drained into San Diego bay. A comprehensive sampling program of the drain outlet and analysis of the impact to the surrounding area was written.

#### **Greybill Fuel Terminal, San Diego**

Greybill Fuel Terminal, San Diego Port District, Expert Witness – A San Diego law firm contracted Mr. Bush to review assessment activities and a proposed settlement agreement with a major oil company for environmental damages resulting from 80 years of activity. Mr. Bush oversaw all assessment activities and developed a historical data set that determined the percentage of impact and the relative cost sharing between the Greybill owners and the former oil company operator. Mr. Bush's team was able to document all subsurface and hydrogeologic data on a series of maps, which also showed other potential sources of groundwater and soil impact (USTs, product lines, AST, pump stations, and major pipelines from the early 1900's to present. Re-evaluation of this data did not justify the original cost sharing agreement, and led to a much smaller out-of-court settlement.

#### Sea World, San Diego

Mr. Bush was the Project Manager for the assessment of the Sea World waste water discharge and fueling facilities at the Sea World facility in San Diego. The waste water from the aquarium tanks had nitrate concentrations too high for the NPDES permit. Evaluation of the treatment system and changes in the permit for discharge were performed.

The fueling system was primarily for back-up power. An evaluation of the percent above ground versus below ground capacity was made to determine which regulations the system applied. Assessment activities were also performed.

#### McCormick and Mitchell, San Diego

Mr. Bush was an expert witness for the law firm of McCormick and Mitchell for an underground storage tank at a lumber yard that held a lease from the San Diego Port Authority. The case involved the timing and magnitude of the release, and the cost for remediation. Although the USTs were used for diesel fueling, DNAPL TCE, was also connected to site activities.

#### Dacre L. Bush

#### Ampol Seaboard Terminals, Australia and New Zealand

Mr. Bush was the Project Director and lead of the Technical Review Team for the environmental response team for Ampol Petroleum Seaboard Terminals in Australia and New Zealand. There were 23 terminals used for bulk storage, pipeline distribution centers, and fueling facilities in all of the major ports in these countries. The program performed audits, subsurface investigations, groundwater and soil remediation, and risk evaluation.

Below are samples of Project Management and innovative remediation technology experience for Mr. Bush

#### <u>Area A of the Northeast Site at the Young-Rainey STAR Center, Largo, Florida</u>

In March of 2003, the United States Department of Energy (DOE) completed a full-scale non-aqueous-phase liquid (NAPL) remediation of Area A of the Northeast Site at the Young-Rainey STAR Center, Largo, Florida. The site was remediated by SteamTech using a combination of steam-enhanced extraction and electrical resistance heating during operations lasting 4.5 months. This is the first full-scale demonstration of complete source removal at a DNAPL site. Since the post-operational sampling shows all concentrations to be below or close to groundwater MCLs, the thermal remedy may be satisfactory for site closure without a polishing phase.

#### Area B of the Northeast Site at the Young-Rainey STAR Center, Largo, Florida

DOE's prime contractor (Stoller) subcontracted a remediation team which consisted of three companies: WRS Infrastructure and Environment, Inc. (WRS), McMillan-McGee Corporation (Mc2), and PPM Consultants (PPM). The approach for Area B (5x larger than Area A) was remediate the site was to heat the subsurface using Electro-Thermal Dynamic Stripping Process (ET-DSPTM) along with injection of ex situ generated steam, and then extract and treat the volatilized contaminants. Because of his experience with the Area A project, Mr. Bush was the Project Manager of the thermal elements of the project. A particularly challenging aspect of the project was to remove NAPLs from the area underneath a building, Building 1400, located adjacent to the remediation area. This building was continuously occupied by tenants during the remediation. All remediation goals and performance standards were met during the remediation, there were no accidents and no regulatory or environmental violations.

Avila Beach Restoration Project / Senior Reviewer: Assisted with the review and wrote sections of the Feasibility Study (FS) and Remediation Action Plan (RAP) for the Avila Beach restoration project. This project required the excavation of over 100,000 cubic yards of crude oil and diluent-impacted soil at the town of Avila Beach. The FS incorporated a detailed risk assessment and property use assessment; and RAP included restoration of much of the western portion of the town after the excavation. The Central Coast RWQCB was the lead agency, but all work had to be approved by the California Fish and Game, Army Corps of Engineers, California Department of Toxic Substances, San Luis Obispo County AQMD, and California Coastal Commission.

<u>Project Manager for Unocal's Guadalupe Restoration Project Pilot Steam Injection Test:</u> Coordinated all design, permitting, construction, data management, and operation of the multi-million dollar pilot test. The Central Coast RWQCB was the lead agency for the pilot test, but agreement to the work plan, construction, and operation of the test required permits and cooperation from the California DTSC, Santa Barbara County, California Fish and Game, and the San Luis Obispo County AQMD for operation of the vapor extraction system.

#### Dacre L. Bush

Montrose Superfund Site, Latham & Watkins, Torrance, CA / Thermal Remediation Specialist: Assisting with the feasibility and costing of thermal remedies (steam injection and ERH) for the Montrose Superfund site in Torrance, California. Also a participant in meetings with EPA and the Montrose team, which discusses and negotiates the remedial objectives and approach for the project. The Montrose site is impacted with a DNAPL mixture that is comprised of DDT and chlorobenzene. The California DTSC is a stakeholder with this project, and reviews the remediation strategies for groundwater and soil remediation for this site.

In Situ Thermal Remediation for Solvents Recovery Service of New England, Inc. Site (SRSNE) Southington, CT Mr. Bush assisted the responsible party with review of the final design, evaluation of the contractors HazOp, participated in conference calls with the stakeholders, and reviewed of the progress of the thermal remediation.

<u>Pemaco Superfund Site / Project Manager:</u> This was the first CERCLA site in California to utilize Electrical Resistance Heating (ERH). Note that 1-4 dioxane, as well at TCE, PCE, and other chlorinated compounds were successfully remediated in the Electrical Resistance Heating target area (18,000 SF to a depth of 95ft).

Mr. Bush was responsible for all major aspects of the project including client communications and reporting; budget, schedule and staffing; writing and/or QA/QC of all submittals (Management and Operations and Maintenance Plan, Waste Management Plan, Environmental Protection Plan, Health and Safety Plan, Sampling and Analysis Plan, Hazardous Response Plan, Data Management Plan, and HazOp Analysis); data review and oversight of heating and vapor/liquid treatment systems; development of project web site; development of post-thermal remediation strategy.

Although this is an EPA lead site, both the RWQCB and DTSC reviewed all site information, and DTSC was scheduled to take over the site once it entered the "monitoring only" phase.

<u>McMillan-McGee Corporation, Various Locations / Program Manager:</u> Served as Principal in charge for U.S. business development and project manager for major U.S.-based projects. Had design and project management roles for ten ElectroThermal-Dynamic Stripping Process (ET-DSP) projects noted below:

- Young-Rainey STAR Center Area B, Largo, Florida (1,4-dioxane)
- Emerson Electronics, St. Louis, Missouri
- Flex-Fab, Racine, Wisconsin
- Ato-Fina Petroleum, Greensboro, North Carolina
- Total Petroleum, Greensboro, North Carolina
- Cape Fear Superfund, Cape Fear, North Carolina
- Westwater, Tampa, Florida
- Rayloc Industries, Atlanta, Georgia
- Site 298, Edwards AFB, California
- Paducah Gas Diffusion Plant, Kentucky

### Dacre L. Bush

<u>SteamTech Environmental Services, Bakersfield CA / Senior Project Manager:</u> Project Manager for Guadalupe Restoration Project Pilot Steam Injection Test and the DOE Young-Rainey STAR Center Area A. Note that 1-4 dioxane contamination was remediated at the DOE site, Pinellas STAR Center Area A. Mr. Bush also assisted with the design and implementation of three steam injection pilot tests at Lawry AFB, Edwards AFB, and Beale AFB.

Senior Management Experience for Mr. Bush

<u>URS Corporation (formerly Dames & Moore) / Engineering/Geosciences Manager:</u> Group Manager for the combined Geosciences and Civil/Mining practices in the Phoenix office, and was the Project Director for major infrastructure and Superfund projects in Arizona. Mr. Bush also performed design review, project management, and expert witness work for soil and groundwater remediation projects in Arizona.

Fluor Daniel Australia LTD, Sydney / Managing Director, Australia: Responsible for five capital city offices and two satellite offices in Townsville and Hobart, Australia. Responsible for all environmental projects in the Pacific Rim area. Countries in which projects were performed included China, Thailand, New Zealand, Singapore, Indonesia, Korea, Japan, Malaysia, Papua New Guinea, and Vietnam. The list of services for offshore projects ranged from due diligence surveys for property acquisitions, wastewater treatment plant design and construction, contaminated site investigation and remediation, and ISO 14000 audits. Work in Japan and Korea was for the USAF, performing fueling system upgrades and construction management under an AFCEE contract. The Australia Region was the only Fluor Daniel GTI business unit that met the financial plans for FY 1997 and FY 1998.

Fluor Daniel GTI (formerly Groundwater Technology, Inc.) / District Manager: Started the Phoenix office for GTI and was promoted to District Manager after two years. As District Manager for the Southwest, involved with development of all RI/FS growth and revenue in the District. Also part of GTI's Technology Review Team. The Southwest District had over 100 employees and offices in Tempe, San Diego, Albuquerque, Denver, and Salt Lake City. Oversaw large complex projects, which often involved co-mingled plumes and multiple parties. Served as an expert witness for remediation and testified in court numerous times.

#### **Publications and Presentations**

- "Electro-Thermal NAPL Remediation Under Building 1400 at the Northeast Site", at the Fifth International Conference Remediation of Chlorinated and Recalcitrant Compounds, Battelle Conference, Monterey, California, May 2006
- "Evaluation of Remediation Technologies and Strategies for the Tucson Basin," presented at the Pima County Association of Governments, May 2000
- "Risk-Based Closures; How Evaluating Risk Applies to Closure Standards; Technological and Economic Implications,"
   presented at New Mexico Water Law, The Fourth Annual Conference on Water Rights and Quality, August, 1996
- Addressed and Panel Member at State of New Mexico Environment Department Underground Storage Tank
   Conference and Trade Show, "Sparge and Vent Technology Roundtable," 1995
- Addressed Chevron USA Products Law Seminar on Petroleum Hydrocarbon Contamination of Soil and Groundwater, Legal and Technical Overview, "Technical Support in Evaluating Claims, Determining the Cost of Cleanup V s Cost of Litigation V s Probability of Winning," April 1994

### Dacre L. Bush

- Addressed Arizona State University center for Environmental Studies and The Arizona Department of Environmental Quality, "Site Assessments, Remedial Requirements, and Cleanup Case Histories," October 1991
- "Soil Vapor Extraction: A Short Term Cost Effective or the Next Pump and Treat?" Bush, D., R. Brown, and P. Kroopnick, New England Environmental Expo, Boston, MA, May 21-23, 1991
- "Report of the Year Award, 1993" from Chevron U.S.A. for "Comprehensive Site Assessment, Chevron Bulk Terminal, Albuquerque, N.M."
- "RiverCare 2000 Sliver Award" from the New South Wales Department of Land and Water Conservation for the work perform at the Ampol Terminal, Southwest Rocks, NSW, Australia.
- "ZERO ACCIDENTS" award from Walt Barber, President, Fluor Daniel GTI, to Fluor Daniel Pty LTD Australia, for achieving two consecutive years without as lost time injury.



# **Jacy Christenson**

### **Experience Summary**

Jacy Christenson has worked in the field of environmental consulting since graduating from the University of Minnesota, Crookston in 2014. She also served as an intern prior to that during her 2011 academic year. She has been instrumental in many internal and client-facing projects, such as data input, design work, website development, social media, and presentation design. As a Staff Professional, Jacy conducts field work at client sites, completes reports, and conducts research to fulfill project needs. Jacy has performed numerous environmental services including SPCC plans, facility response plans, pollution prevention planning, standards and regulatory assessments, benchmarking studies, and soil, groundwater, and vapor sampling. Jacy's great work ethic and timeliness brings efficiency and high quality work products to the work she performs.

### Title

Staff Professional

#### Education

Bachelors of Science – Natural Resources, University of Minnesota

#### Language

**English** 

### **Related Projects**

- Assisted in various projects in Minnesota, North Dakota, Wisconsin, and Iowa.
- Limited Site Investigation (LSI) for a retail petroleum company in Minnesota.
   Conducted site assessments and soil boring field work which included soil, groundwater, and vapor intrusion sampling.
- Phase I Environmental Site Assessment (ESA) for numerous clients in Minnesota and lowa. Conducted a full site assessment and soil boring field work which included soil and groundwater sampling.
- Involved with a large scale, pipeline-release excavation site in North Dakota beginning in May 2017. Duties include excavation oversight and guidance, soil and groundwater sampling, ensuring compliance, and communicating with the project team, client, and state officials.
- Co-lead a major Sustainable Agriculture project for 23 of the leading global beverage companies as part of the Beverage Industry Environmental Roundtable. Duties included member interviews, research, analysis of data, and final report creation.
- Spill Prevention, Control, and Countermeasure (SPCC) plans. Project team works to audit, update, and complete plans at facilities storing 1,320 gallons or more of oil to be in compliance with federal regulations. Communicated with facility managers, and completed plans to maintain compliance for clients.
- Facility Response Plans (FRP) for oil handling facilities across the western United States. Completed calculations and the final deliverable FRP to determine the worst case oil discharge scenario and how to respond to the situation.



Antea USA, Inc. 15 June 2017

# Jacy Christenson

- Provided assistance to Project Managers locally and at other Antea Group offices in the delivery of various reports and plans, including Phase I Reports, Spill Prevention Control and Countermeasure Plans, and FRPs.
- Provide communications support for the Beverage Industry Environmental Roundtable. Includes press release, social media, and presentation assistance
- Designed numerous client facing presentations for senior management.



### **Jarrod Cicha**



**Title**Staff Professional

#### Education

MS – Earth and Climate Science (Hydrogeology focus), University of Maine, Orono, ME. (2013-2015)

BA – Geology
BA – Environmental Science,
University of Minnesota Morris,
Morris, MN. (2009 – 2013)

# **Training/Certifications**40hr HAZWOPER First Aid/CPR/AED

### **Language** English

### **Experience Summary**

Jarrod Cicha is a Staff Professional at the St. Paul office. He has worked in the field of environmental consulting since completing his MS in Earth and Climate Sciences at the University of Maine. He has thorough experience deploying and maintaining hydrologic monitoring equipment, analyzing and modeling hydrogeological data, and collection of soil, groundwater, and vapor samples. In addition to his technical abilities, Jarrod also has experience communicating scientific ideas to groups of people with varying scientific backgrounds. As a staff professional, Jarrod conducts field work at client sites, completes reports, and conducts research to fulfill project needs.

- Facility Response Plans (FRP) for oil handling facilities across the western
  Unites States. Completed calculations to determine the worst case oil
  discharge scenario and created reports regarding proper procedure for
  responding to a spill situation.
- Spill Prevention, Control, and Countermeasure (SPCC) plans. Project team
  works to audit, update, and complete plans at facilities storing 1,320 gallons
  or more of oil to be in compliance with federal regulations. Conducted site
  audits, communicated with facility managers, and completed plans to
  maintain compliance for clients.
- Multiple pre-purchase site audits. Due diligence reporting specified for client
  to incorporate aspects of Phase I ESAs and Phase II ESAs. Conducted
  contractor oversite of site assessments and soil boring field work. Completed
  historical and regulatory information reviews, regulatory file reviews at state
  agencies, and evaluating environmental conditions at subject properties for
  client's review before property transactions.
- Litigation support for expert witness testimony for a Manufactured Gas Plant (MGP) case. Project team worked to prepare expert witness testimony to deliver during the MPG litigation case. Prepared trial documents in an organized manner before presentation to the judges at trials.
- Construction Contingency Plan preparation. Created generic plans to have onsite during client's construction projects explaining the proper steps to take if impacted soil or groundwater is encountered during work.





- Worked with the Minnesota Pollution Control Agency on multiple projects. Communicated with regulators and property owners to find the best path for completion of field work such as monitoring well installation, groundwater sampling, and vapor sampling.
- Soil and Groundwater Screening Assessments (SGSA). Due diligence reporting specified for client to incorporate aspects Phase II ESAs. Conducted contractor oversight and collected soil and groundwater samples. Created reports for multiple sites.
- Completed a Master's Thesis project at the University of Maine (August 2013 August 2015). Designed and
  completed experiments to assess the direction and magnitude of water flow within streambeds in northern
  Maine. Activities included literature reviews, writing project proposals, deploying temperature and pressure
  sensors, collecting large data sets, heat transport modeling with the computer language Python, manuscript
  preparation, and presentation of scientific findings in a group setting.
- Worked as a Research Assistant at the University of Maine from
  May 2014 to December 2014. Deployed and maintained hydrologic equipment in a bog setting. Collected,
  managed, and analyzed hydrological data.
- Worked as a Teaching Assistant at the University of Maine from August 2013 to May 2015. Led laboratory sections of Introduction to Geology and Geology of Maine.
- Worked as a Teaching Assistant at the University of Minnesota Morris from 2011 to 2013. Assisted the
  professor with lecture design, laboratory exercises, and grading for the following courses:
  - Mineralogy and Crystallography
  - Igneous and Metamorphic Petrology
  - GIS and Remote Sensing
- Participated in the University of Minnesota Hydrogeology field camp. Activities included conducting pumping tests, seepage meter analysis, slug tests, stream gauging, hydrogeologic modeling, and report preparation.





# Tara Duffy

**Title** 

**Project Professional** 

#### Education

BS – Geology, University of Wisconsin – River Falls River Falls, WI

### **Training/Certifications**

Accredited Office Ergonomics Evaluator (AOEE) – June 2014 First Aid/CPR/AED OSHA 30 Hr

#### **Professional Associations**

Professional Member, American Society of Safety Engineers

#### Language

English

### **Experience Summary**

Tara Duffy is a Project Professional with more than ten years of environmental experience and over 25 years of organizational experience. She has responsibilities for multiple steps of project lifecycles, including project management, project work plans, site health and safety plans, field work, report writing, data evaluation, database management, and cost modeling.

### **Related Projects**

- Assists in development and management of EHS programs, written practices, training, and communications.
- Assisted in the development and maintains the internal Ergonomics program.
- Conducts monthly office audits and safety observations.
- Researches information regarding property records and other historical information required for the completion of Phase I Environmental Site Assessments (ESA).
- Assists in site walkovers, writing and completion of Phase I ESA reports.
- Provides full support for report writing including data entry support, proof reading, report assembly, uploading of reports to electronic file database, table development of laboratory analysis for inclusion in regulatory reports,
- Provides project management to client health and safety team, including responsibility for client document control database.
- Provides support to senior staff for marketing and business development projects.
- Provides assistance for completion and delivery of environmental proposals.
- Provides oversight in editing of site maps.
- Assists in writing, completion and delivery of standard operating procedures and spill prevention, control and countermeasure plans.
- Provided assistance to senior staff for BP's US Pipeline & Logistics (USPL) for nation-wide "Tank Operating Philosophy (TOP)" & "Tank Overfill Protection" programs.
- Processes Minnesota and North Dakota reimbursement applications for major petroleum companies. Tasks include gathering invoices, backup, and work orders; completing the Minnesota Department of Commerce and North Dakota Department of Insurance reimbursement application, change order forms; calculating reimbursement amount; and submitting applications to the Department of Commerce or Department of Insurance on behalf of the client.



www.anteagroup.com

Antea USA, Inc. 4 April 2018

# Tara Duffy

- Performs fieldwork activities at a former bulk storage facility with multiple LNAPL plumes including groundwater sampling, LNAPL gauging and recovery, and treatment system monitoring and field data collection.
- Screens and logs soil/rock core samples during drilling activities; creates geologic logs and well construction diagrams for report presentation.
- Provides data analysis including chemical/hydrograph plots, groundwater impact trend evaluations and report summary text prep.
- Performs treatment system data review and processing including preparation of process flow and recovery graphs and discharge report summary tables.
- Provides cost modeling support to external and internal client needs in managing, financing and forecasting specific sites or portfolios.

### **Software Proficiency**

- **Tr@ction** Developed internal work flow procedures for companywide incident reporting for client's electronic incident reporting database. Responsible for all incident reporting, follow up and documentation control of client related incident reports.
- **Cost Modeling** Provides Crystal Ball and @RISK cost modeling and decision analysis facilitation to support external and internal client needs in managing and financing specific sites or portfolios.
- EQuIS Provides data entry and evaluation into petroleum company's data management database.
- **iEHS** Developed internal process for document control of project and contractor records. Responsible for maintenance, training and updates.
- Log Plot Provides support to end user. Developed new template for creation of geologic logs.



### Paul A. Durkee



**Title**Senior Consultant

#### **Education**

MA – Aquatic Biology, Bemidji State University, Bemidji, MN

BA – Biology, Gustavus Adolphus College, St. Peter, MN

Languages English

#### **Experience Summary**

Paul Durkee, a Senior Consultant, also currently serves as the Inogen Environmental Alliance President and CEO. He previously served as Managing Director for Delta-Simons Environmental Consultants Limited in Lincoln, England for four years. Paul has spent more than 30 years working with clients regarding their environmental, health and safety needs. He has a wealth of knowledge and experience in evaluating and implementing EHS organizational and management systems and has assisted clients with strategic planning. His areas of expertise include delivery of international projects for multi-national clients, implementation of environmental management systems, environmental liability management, EHS audit programs, and providing strategic planning for EHS organizations.

### **Related Projects**

- Managed environmental, health and safety compliance audits for specialty chemical and manufacturing clients throughout the world. Protocols were agreed with the client and the audits were typically implemented using iEHS®, to conduct the audit and produce the audit reports.
- Managed a health and safety organization diagnosis for a large agricultural cooperative. This project included conducting over 35 employee (C- suite to line managers) interviews across their various business units, evaluating and trending the responses and preparation of a recommendation report to enhance their H&S organization.
- Managed and coordinated projects in the Americas, Asia, and Europe. These
  projects ranged from due diligence assessments for mergers and acquisitions
  and compliance audits to remediation of contaminated sites.
- Managed the development and continued update of environmental, health, safety and security regulatory summaries for over 70 countries. These regulatory summaries provided the information our clients require to conduct their business in the countries where they operate. The registers were produced by in-country experts and updated on a monthly basis.

### Paul A. Durkee

- Supported numerous clients with their merger and acquisition activities throughout the world and have served as their EHS expert during negotiations with the other parties.
- Introduced our clients to the use of environmental insurance products to facilitate transactions and to extinguish reserves for environmental liabilities. Projects have included the use of cost cap, blended finite risk and pollution legal liability insurance products. The projects have ranged from one site to over 120 locations across the globe and ranged in cost from \$1.7 million to \$7.1 million.
- Managed the implementation of an environmental management system for a large agricultural cooperative. This
  included working with the company stakeholders to design and implement the new management system which
  mirrored the elements of ISO 14001.
- Conducted compliance audits at manufacturing facilities throughout the UK and Europe. The audits were
  undertaken as part of pre-purchase purchase due diligence. The audits were designed to review the past and
  current waste handling, chemical use, health and safety procedures, discharge consents, air emissions and related
  permits.
- Provided project management for environmental assessments and audits at numerous sites in the UK and the
  United States. The assessments included evaluating contaminant liability relating to property transactions and
  property valuations.
- Provided senior consulting on Brownfield re-development projects in the United Kingdom and the USA. The
  projects ranged from office, industrial, retail and residential development all located on contaminated sites. By
  gaining the support of the various stakeholders (government, city, community groups, seller/buyer, architects,
  developer, etc) involved early in the process, the projects ran smoothly to completion. Creative remedial
  alternatives were selected to work with the new development. This in turn typically saved time and money during
  the development construction.



# John R. Estes



**Title**Geologist, Consultant

#### Education

BS – Geology, California State University-Long Beach, Long Beach, CA

### **Professional Registrations**

Board of Technical Professions: South Dakota

Certified Petroleum Release Remediator

### Languages English

#### **Experience Summary**

John Estes has 20 years of experience in the environmental industry. He specializes in petroleum-related remedial investigations and environmental assessments, with technical field, project management, and portfolio management services.

- Field services have included operation of environmental drill rigs for
  installation of monitoring wells, recovery wells, and sparge and vent wells, as
  well as the operation of drill rigs for geothermal heat loop installation.
  Additional field services include the oversight of monitoring well installations,
  recovery well installations, and oversight of tank removals and subsequent
  over excavation, ground water and soil sampling, surveying well locations and
  pertinent data reduction.
- Project management services have included the overall coordination (scope, schedule, budget) of several individual projects from property transaction activities, underground storage tank removal to closure, initial investigations through to closure, and associated reimbursement fund requests.
- Portfolio management services (grouping of projects) have included the
  overall coordination (scope, schedule, budget) from a 10-year lifecycle
  perspective as well as developing, implementing and managing strategies,
  opportunities (and threats) to minimize the portfolio's total liability in terms
  of environmental costs.
- Manager in the firm's Decision Analysis & Cost Modeling services. Our Cost Modeling services support external and internal client needs to assess work scopes and to forecast costs for specific sites or portfolios. A significant aspect of these practice area targets asset transactions where a single site or a portfolio of sites require appropriate scopes of work to be created and defined for end-points of regulatory acceptance and business financial goals. Our Cost Modeling Practice utilizes various industry-accepted decision analysis/cost modeling simulation software, including @RISK, Crystal Ball, ModelRisk, and RACER. Our approaches to cost modeling have applications to the following business drivers.
  - Methods to estimate total environmental liability, both known and unknown.
  - Applicable models incorporating financial structures for liability transfer.
  - Additional technical and financial considerations in contracting, and insurance evaluation (markets and adoption).



Antea USA, Inc. 30 June 2015

### John R. Estes

- Achieving an understanding of the forecasted certainty for the cost of the existing and future environmental liabilities.
- Comprehensive management and business plan alignments of environmental liabilities during periodic work plan progress and peer reviews.
- Business process services have consisted of working independently as well as participation as a team member in
  areas including preparation and training of safety excellence models (Achieving Safety Excellence), operational
  models (Achieving Operational Excellence), project information database development, resource needs evaluation,
  as well as policy training and material preparation.

### **Related Projects**

- Provided project management services to Minnesota State Superfund programs sites, including scope, schedule, budget management, community relation negotiations, and client correspondence.
- Provided project management services to Minnesota Brownfield programs sites, including scope, schedule, budget management, community relation negotiations, and client correspondence.
- Operated and assisted in operation of environmental drill rigs utilizing hollow stem augers, rock coring, and mud
  and air rotary equipment on several investigation sites in Minnesota, Iowa, Wisconsin, South Dakota, and North
  Dakota
- Provided field services in Minnesota, Wisconsin, Iowa, North Carolina, South Dakota, and North Dakota for several
  petroleum hydrocarbon spill investigations and remediation sites. Field activities included installation of soil
  borings and monitoring wells; collection of soil and ground water samples; excavation of tanks and contaminated
  soils; Resident on-site manager-inspector on an MPCA landfill excavation removing over 50 thousand cubic yards
  of municipal solid waste; and performance of slug tests, pumping tests, and packer tests. Conducted several Phase
  I and Phase II environmental assessments for property developers and lending institutions in Minnesota.
- Provided project management services to underground storage tank projects and terminal facilities to various retail petroleum companies in Minnesota, North Dakota, South Dakota, and Wisconsin.
- Provided portfolio management services for a major oil company. The portfolio consisted of retail operations (service stations, bulk storage facilities, and terminals in Minnesota, South Dakota, and North Dakota).
- Provided business process activities internally within the firm at various levels (unit, sector, company) while working independently as well as participating as a team member and trainer of a variety of projects.

### **Publications**

"Aerial spray cleaning of high voltage insulators". S. C. Tsai, J. Estes, et al. Powder Technology, 74 (1993) 13-21



# Eric T. Feenstra



#### **Title**

**Project Engineer** 

#### Contact

Email: <a href="mailto:portgerm@gmail.com">portgerm@gmail.com</a> Phone: 616-443-7020

#### **Education**

B.S. – Geological Engineering, Michigan Technological University, Houghton, MI

#### **Professional Registrations**

Engineer in Training (EIT)

### Language

**English** 

### **Experience Summary**

Eric Feenstra is an Engineer working in the environmental consulting and water treatment industries since 2013. Eric's education and experience combine to create a holistic understanding about geologic settings/conditions and their effect on remediation systems design and construction, as well as operations and maintenance.

### **Related Projects**

### Project Engineer

- Development of SPCC/PIPP plans for refined products terminal, refined petroleum pipeline release, and commercial sites.
- Preparation of air and NPDES permitting along with sampling plans for multiple soil vapor extraction and pump and treat systems.
- Development of remedy progress reports, site conceptual models, Right of Way Environmental Lease Agreements, and No Further Action report documents.
- Management, planning, and site installation of soil vapor extraction system on bulk fuel terminal.
- Supported the management and operations of a both a petroleum product recovery system and an air sparge system at a refined products pipeline release site.
- Support for consultant transfer of pump and treat system including design theory, geologic subsurface and the impact to system operations; field support including NPDES sampling and compliance, air stripper cleaning and maintenance, well field optimization, electrical and PLC troubleshooting, and pump cleaning.
- Field oversight of the demolition of residential structures at a client acquired property associated with a historical refined petroleum pipeline release site, which included asbestos survey/sampling, demolition permitting, and abatement.





### Eric Feenstra

#### Petroleum Treatment – Soil and Groundwater Remediation

- Installation of air sparge/soil vapor extraction remediation systems including oversight, procurement, and testing at a refined products terminal site.
- Operations and maintenance of multiple pump and treat, air sparge, soil vapor extraction, and multiphase extraction systems on multiple refined product pipeline and terminal sites, commercial, and specialty chemical sites.
- Supported the design of large pump and treat system including process and identification diagrams, equipment specification, and process flow calculations for specialty chemical company site.

### Heavy Metal Water Treatment – Metal Plating Industry

- Design of heavy metal treatment systems for the metal plating industry including mass flow calculations, sludge settling rates, heavy metal hydroxide sludge removal and handling, pH control, etc.
- System build including metal work, catwalk erection, pump and pipe placement, electrical control wiring.
- Management of project goals, parts inventory, and build of water treatment systems.
- Perform extensive in house system checkout including pumps, controls and piping to ensure complete system
  operation.
- Field check for system completeness with attention to placement of tanks, labels, safety, and ensure system controls work once water is introduced.





### **Beth Firkins**

#### Title

**Project Professional** 

#### Education

BS – HTRM University of Wisconsin-Stout Menomonie, WI

#### Language

English

### **Experience Summary**

Beth Firkins, Project Professional, has over 4 years of experience in the environmental consulting industry and over 10 years of design, administrative, and data management experience in a variety of industries. Based in Antea Group's St. Paul office, Beth serves a variety of environment, health, safety and sustainability projects and clients. She has been instrumental in many internal and client-facing projects, such as writing press releases, creating systems for project management, conducting safety audits, facilitating employee safety trainings, reviewing reports, data review and trend analysis, staffing management, and creating online databases. Beth's diverse background and attention to details lend perspective, insight, and unique problem-solving skills to the work she performs.

Beth is also a trusted practitioner who specializes in providing services to clients in the food and beverage and technology industries. In addition to her client-facing work, Beth also serves as the Innovation Coordinator on Antea Group's Innovation and Commercialization Team.

### **Related Experience**

- Serves on the Communications Team of the Beverage Industry
   Environmental Roundtable (BIER), a technical coalition (facilitated by Antea
   Group) of leading global beverage companies that are working together to
   advance environmental sustainability within the beverage sector.
- Designs media campaigns for BIER's communications for work product releases and coordinates external blog series.
- Provides ongoing health and safety support and auditing for a global consumer electronics company, including support to their local retail stores, environment/health/safety (EHS) auditing, emergency response planning, and other EHS services.



### **Beth Firkins**

### **Related Experience - Continued**

- Performs daily review, validation, and follow-up on reported incidents from a global technology retailer. Analyzes trends and communicates best practices to incident reporters. Reports to the corporate HSE team.
- Assists in building, designing, reviewing, and revising internal and external presentations.
- Provided Active Threat Awareness trainings to hundreds of employees across nine stores as part of a global retailer's training initiative (Summer 2016).
- Coordinated internal innovation meetings and calls. Oversaw and facilitated the creation of a change in internal tracking systems for innovations in Antea Group's Innovation and Commercialization Program.
- Provided assistance to Project Managers locally and at other Antea Group offices in the delivery of various reports and plans, including Phase I Reports, Spill Prevention Control and Countermeasure Plans, and Facility Response Plans.
- Coordinated the organization, printing and delivery of monthly and quarterly sampling reports to home owners in support of the clean-up of a pipeline release for a major oil manufacturer.

### **Other Experience**

- Created the strategy for a social media campaign for a local restaurant that increased Twitter followers by over sixty percent.
- Managed operations and online reservation database systems for a local restaurant, including the development of training materials, training of end users, and troubleshooting/adjustments to the system.
- Assisted in the development and facilitation of the transition to a paperless filing system for a major law firm.
- Provided administrative assistance to lawyers in a fast-paced, Wisconsin law firm. Duties included drafting, proof-reading, printing and transmittal of legal documents and formal correspondence
- Coordinated and planned large corporate sponsored events at various trade shows, including the design of booths, development of menus, and staff scheduling.



### Stan Freedman

### Title

Staff Professional

#### Education

BS- Geology, University of Puget Sound, Tacoma, WA

Post-Graduate Certificate – Geographic Information Systems, Portland Community College, Portland, OR

#### **Professional Associations**

**Geological Society of America** 

#### Languages

English

#### **Experience Summary**

Staff Professional with over 3 of experience as a GIS Technician and a Field Technician / Geologist working out of the Loveland, CO office. Mr. Freedman provides routine soil and groundwater sampling activities at project sites, performing planning, coordination, and data evaluation in conjunction with his field assignments. Mr. Freedman's primary GIS responsibilities include: development and application of spatial analysis solutions to meet the specific needs of projects; management of data resources for a wide range of environmental site assessments and remediation projects involving soil management, storm water management, and groundwater monitoring; technical support of GPS and field data collection units; and, development of template geodatabases and mobile GIS projects for data collection events.

Prior to his current position at Antea Group, Mr. Freedman performed mudlogging activities associated with oil exploration of the Elk Hills petroleum reserve in California.

### **Related Projects**

- Performs routine groundwater sampling events and provides maintenance and troubleshooting to remediation systems in Colorado and Wyoming.
- Performed multiple soil sampling activities, creating boring logs and overseeing drilling contractors using geoprobes, hollow stem augers, and sonic drilling methods.
- Manage GIS data resources for storm water management plans at rail yard sites. Coordinate GIS activities with project teams. Develop web maps on ArcGIS Online designed for data collection in the field. Extract and visualize data to produce high quality maps to support project teams and their site assessments. Supervise and oversee the integration of data into the organization's data management structure.
- Created an environmental sensitivity atlas for a pipeline spill response plan
  across Montana and North Dakota. Acquired geospatial data and utilized
  spatial analysis to identify environmentally sensitive areas within proximity to
  the pipeline. Manipulated and visualized data to produce maps meeting the
  client's specific needs.



www.anteagroup.com

Antea USA, Inc. April 2018

### Stan Freedman

- Perform routine groundwater monitoring at a diesel fueling site in Marshalltown, IA. Site visits include well
  gauging and remediation system operation and maintenance activities. Perform data compilation for technical
  reporting and providing spatial analysis for groundwater figures, including potentiometric and LNAPL thickness
  maps.
- Coordinated and conducted a series of soil and groundwater sampling events on a portfolio of railroad properties being leased to an agriculture company in Kansas. Provided oversight of utility locating and direct push (GeoProbe) contractors for soil and groundwater sampling activities. Soil and groundwater samples were collected and analyzed for VOCs, PAHs, metals, herbicides and pesticides.
- Conducted railroad tie sampling throughout northern California and Idaho to analyze ties for creosote, metals, and toxicity. Coordinated work plans and schedules with railroad personnel to effectively and safely complete scope of work in a timely manner. Responsible for sample collection, documentation, and reporting.



# **Cathy Grams**

### **Experience Summary**

Cathy Grams, Senior Project Manager, has over 20 years of professional experience in the computer industry working with hardware and software technical support, network administration, database management, and Geographic Information Systems.

She is well versed in environmental data management software and tools including EQuIS, Access, Excel, gINT, and Logplot. Her GIS experience includes programming, project work, and training utilizing ESRI's ArcGIS applications.

### Title

**Database Administrator** 

#### **Education**

BS – Geology, minor Computer Science, University of Minnesota – Duluth, Duluth, MN

### Language

English

### **Related Projects**

- Responsible for database administration, design, and customization, including stored procedures and functions, of companywide SQL database
- Administers, maintains, develops, and implements policies and procedures for ensuring the security and integrity of database
- Developed and implemented customize VB software solutions
- Implement data models and database designs, data access and table maintenance codes for database
- Tests database layout to ensure the system is meeting company needs
- Designed custom solutions for clients including database design and report creation.
- Provides technical support for end users
- Provides GIS technical support services to internal and external clients

As a Principal Consultant for a large multinational computer technology corporation, her responsibilities included:

- Implementing data model conversion process using company standard tools, documentation and defined methodology.
- Gathering customer and product requirements through customer workshops and workbook tools.
- Creating and updating technical and functional specifications from requirement gathering.
- Providing assistance during application rollout including troubleshooting and resolution of issues.
- Creating and performing test plans according to client requirements.



www.anteagroup.com

Antea USA, Inc. 18 October 2017

# **Cathy Grams**

Working as a Division GIS Coordinator/UNIX System Administrator for a state government agency, Cathy:

- Formulated the Division's GIS plan
- Established a general framework and specific procedures for collection, storage and retrieval of GIS data
- Conducted analyses, pilot projects and prototype projects
- Ensured database was designed consistent with governmental GIS standards
- Provided UNIX technical support for UNIX-based GIS systems and related network infrastructures for the division



# Jessica Highfill

**Title** 

Staff Scientist

#### **Education**

BS – Environmental Biology, University of Dayton, Dayton, OH

#### Languages

English

### **Experience Summary**

Jessica Highfill is a Staff Scientist with thirteen years of environmental experience. She is knowledgeable in environmental and ecological assessments in the petroleum remediation, transportation and construction fields within multiple states regulations. She is very knowledgeable in various computer software modeling protocols including Rockworks, LogPlot, AutoCAD, MicroStation and ArcGIS. She is confident in her ability to obtain, create, and work within large databases using ArcGIS, Microsoft Access, Rockworks software or internet databases, such as iEHS.

### **Related Projects**

- (ArcGIS and Database Management)
- Served as a graphics specialist, as well as ecologist for large scale environmental assessments in the Midwest region. Including:
  - using ArcInfo and ArcView, digitized land parcels within the project boundary. These parcels were then joined to landowner databases and used in ArcView to assess the land use and impact of highway development to property owners within the area. Using ArcInfo and ArcView, assessed economic impacts within the area by identifying and digitizing businesses within the commercial areas of the proposed development
  - using ArcView software, analyzed historic and current land use using aerial photography and digitally mapped areas within the project boundaries of approximately 80 river miles.
  - using Trimble GPS and ArcView software, identified natural areas
  - using internet based files provided by state resources, digitally portrayed the ecological receptors within the project boundaries.
  - using Trimble GPS and ArcView, performed wetland delineations
  - performing mapping, graphics and writing for the final report



# Jessica Highfill

- (Aquatic Biology) Served as aquatic biologist for the monthly monitoring of zebra mussel populations in and around the intake/outtake piping of multiple nuclear power plants in the Midwest region. This work included both field and laboratory analysis as well as monthly and annual reporting.
- (Wetland Delineation) Served as wetland scientist, as well as graphics specialist, for multiple environmental assessments in the Midwest region. Projects varied from specific wetland delineations using Trimble GPS and ArcGIS to accurately map the wetlands and assess accuracy to state and federal databases; to simple delineations for use in permitting. In addition to these assessments, assisted in the mitigation and monitoring of numerous wetlands associated with the delineations and for use in future wetland mitigation banks.
- (AutoCAD and RBCA Reporting) Assisted in preparing state-regulated RBCA assessments and groundwater
  monitoring reports for multiple states throughout the United States. Duties included data entry, the creation of
  tables and figures, and the creation and assistance of reports.
- (Phase 1 ESA Reporting) Served as environmental scientist for Phase 1 Environmental Site Assessments and the creation of technical reports.
- (ENFOS) Served as a software specialist in a pilot study of an internet-based technical database. This database used Enfos to store project information from multiple contactors and clients that could be used to generate tables, figures, reports that could be state and/or client specific using a variety of software applications. In addition, it could be used to plan and organize proposed field work and deliverables.
- (Rockworks and AutoCAD) Served as a project lead in the creation of subsurface modeling of petroleum remediation terminal and retail sites within Missouri, Illinois, Iowa and California. This modeling including cross sections and fences of both area lithology and areas of contamination.
- (LogPlot) Assisted in preparing well construction and soil boring logs for many sites using numerous state regulations. Within select sites, used these LogPlot files in Rockworks to portray subsurface features.



# Wayne Hutchinson, PG, PH

### **Experience Summary**

Wayne Hutchinson has over 40 years of experience as a hydrogeologist, geophysicist, engineering geologist and project manager. Wayne develops and implements environmental strategies, manages hydrogeological investigations, applies models to evaluate ground-water flow and contaminant transport, and coordinates remediation projects for soil and groundwater.

### **Related Projects**

- Designed and managed investigation and remediation of both hazardous and non-hazardous soil and installation of ground-water recovery trench/sump to treat and discharge ground water contaminated with co-mingled plumes of benzene, toluene, and chlorinated solvents.
- Assessed leakage and impact from underground propane storage cavern, redefined hydrogeological conceptual site model, and implemented expansion of water curtain to prevent further leakage.
- Designed and successfully operated a ground-water recovery and treatment system to reduce carbon tetrachloride and chloroform concentrations. Site obtained closure in Wisconsin.
- Completed enhanced bioremediation of a petroleum contaminated site using oxygen release compound (ORC). Significantly reduced concentrations of petroleum compounds and vinyl chloride at two sites using ORC.
- Conducted and supervised soil-gas investigations at release sites and under buildings including petroleum and chlorinated solvents.
- Developed Conceptual Site Models and conducted petroleum remedial investigations and remediation in porous media, fractured rock, and solutionchanneled limestone at active and closed service stations, bulk terminals, industrial sites, pipelines, and government maintenance facilities in Wisconsin, Illinois, Minnesota, Missouri, New Jersey, and New York.
- Supervised or conducted Risk-Based Corrective Action (RBCA) evaluations, including use of an unsaturated-zone-transport model, to establish soil contaminant clean-up levels for petroleum compounds, pesticides and chlorinated organic compounds in Wisconsin and Illinois.
- Applied multi-phase flow modeling to estimate petroleum mobility and recoverability.

#### Title

Senior Professional - Hydrogeology

#### Education

MS – Geology, Rutgers University, New Brunswick, NJ

BA – Geology, Southampton College of Long Island University, Southampton, NY

### **Professional Registrations**

Professional Geologist: Wisconsin

Professional Geologist: Illinois

Professional Hydrologist: Wisconsin

#### **Professional Associations**

International Society for Environmental Forensics

**National Ground Water Association** 

#### Languages

English, Spanish, Arabic

\*\*INOGEN

www.anteagroup.com

Antea USA, Inc. 3 July 2017

# Wayne Hutchinson, PG, PH

- Conducted soil and groundwater investigations for multi-media remediation of chlorinated solvents, lead, chromium, cadmium, mercury, and cyanide.
- Project hydrogeologist on a major inorganic and organic mercury contamination investigation involving soil, ground water, and estuary sediments.
- Applied geophysical techniques to detect buried tanks, piping, bedrock surfaces, solution channels, mine shafts, rock fractures, and contaminant plumes.
- Conducted geophysical investigations at hazardous waste landfills to confirm presence of underlying clay, hydrostratigraphy, depth to ground water and map contaminant plumes.
- Conducted an extensive field investigation, developed Wellhead Protection Area, and prepared water-supply contingency plan for a major food manufacturer located near a confirmed source of chlorinated solvents as well as other potential sources of organic chemicals.
- Used hydrogeologic mapping, geophysical techniques, and aquifer testing to evaluate glacial aquifers in northern New Jersey for supplemental water supply during a drought.
- Developed hydrogeological framework and ground-water computer model that demonstrated a carbonate/glacial
  aquifer in New Jersey could sustain 6,000 gallons per minute under a variety of climatic conditions to produce
  200,000 pounds of trout per year.
- Expanded the ambient ground-water-monitoring network in northern New Jersey. The project received an award from the Project Management Institute.
- Used geophysical techniques to map water-filled audits in an abandoned iron mine which was subsequently used by a township in New Jersey as a new potable-water source.
- On-site Project Manager in Egypt for test borings and geophysical investigation for major dredging project to widen and deepen the Suez Canal.

### **Publications**

- Hutchinson, W.R. Developing a Geophysical Program; in Proceedings of the Symposium on the Application of Geophysics to Engineering and Environmental Problems, Society of Engineering and Mineral Exploration Geophysicists, Golden, CO, p. 481, 13-16 March 1989.
- Canace, R. and W. R. Hutchinson. Bedrock Topography and Profiles of Valley-Fill Deposits in the Ramapo River Valley, New Jersey. Geologic Map Series 88-6, New Jersey Geological Survey, 1988.

#### **Presentations**

- Hutchinson, W. (2016) 3D Visualization for Conceptual Site Model Clarification: Wisconsin Ground Water Association Annual Meeting; Waukesha, WI; March 2016.
- Hutchinson, W. (2013) LNAPL Transmissivity and Oil-specific Volume as Key Components of the Conceptual Site Model: International Petroleum Environmental Conference (IPEC 2013); San Antonio, TX; November 2013.

### Wayne Hutchinson, PG, PH

- Girard, M.; W. Hutchinson and M. Martinson (2011) Innovative Remediation of LNAPL: Development of a CSM Leading to a Sustainable Remedial Design: Intersol 2011
- Nelson, M.; M. Umholtz; W. Hutchinson; D. Taggart and R. Stoelting, Delineation and Recovery of Free-Phase Hydrocarbon in a Fractured/Solution-Channeled Rock; National Ground Water Association Petroleum Hydrocarbons Conference; Atlanta, GA; November 2002.
- Hutchinson, W.R. Wellhead Protection It's Not Just for Communities; Federation of Environmental Technologists Annual Meeting, Lake Geneva, WI, 7-8 March 1995.
- Navoy, A.S.; R. A. Zampella; R. E. Good and W. R. Hutchinson. Assessment of the Potential Impact of Groundwater Supply and Related Development of the Kirkwood-Cohansey Aquifer System, Southern New Jersey: A Proposal for a Comprehensive Research Program; New Jersey Academy of Sciences, Annual Meeting, April 1990.
- Mullikin, L.; W. R. Hutchinson; S. K. Sandberg and J. S. Waldner. Hydrostratigraphy of the Kirkwood Formation in Southeastern New Jersey; Abstracts with Programs; v. 21, #2; Annual Meeting of the Geological Society of America, Northeast Section, 23-25 March 1989, New Brunswick, New Jersey.



# **Craig Johnson**

#### **Experience Summary**

Craig Johnson is a Project Manager with 30 years of solid, varied experience in environmental consulting, construction management, and system operation and maintenance in the oil and gas, chemical and HVAC industries. During his career, Craig has worked closely with clients to meet their remediation and consulting needs.

### **Related Projects**

• Designed, installed and operated an enhanced thermal steam injection system to remediate a 17 acre brown field site in a metropolitan setting for the Minneapolis Community Development Agency. Subsurface steam injection was utilized to heat the impacted ground water and vadose zone soils. The elevated temperatures resulted in lowering the oil viscosity to enhance mobilization to the respective recovery wells. A combination of total fluids pumping, dual phase extraction, pneumatic product skimming, and soil vapor extraction technologies were utilized for ground water and product recovery. A complex treatment process was employed for oil separation and removal and to treat the contaminated water and soil vapor to an acceptable level for discharge to the sanitary sewer and atmosphere respectively. Ultimately, the system remediated over 200,000 cubic yards of impacted soil, recovered approximately 60,000 gallons of diesel fuel, and achieved timely project closure.

Instrumental in several soil and groundwater feasibility/alternative analysis
studies for various Industrial and Energy clients. The goal of these studies was
to provide screening of the best available remediation technologies as they
applied to each specific site challenge. Several options were outlined and
considered in each case. Some of the options were initially eliminated during
these processes due to technology limitations, physical limitations, and
disruptiveness, etc. The ultimate selection criteria was typically based upon
effectiveness, duration, and overall cost to closure.

#### Title

Project Manager

#### Education

A.S. - HVAC Systems Installation, Service and Operation, Dunwoody College of Technology, MN

A.S. – Environmental Systems
Design Technology, Dunwoody
College of Technology, MN

### Languages

**English** 

### **Craig Johnson**

- Designed, installed and operated several soil and groundwater remediation systems throughout the USA primarily
  for the industrial, oil & gas, and chemical manufacturing industries. System technologies varied due to geological
  conditions, physical site conditions, and targeted contaminants. Targeted contaminants were typically DNAPLs,
  LNAPLs, and chlorinated hydrocarbons. System technologies include enhanced groundwater pump and treat,
  product skimming, air sparging, ozone sparging, soil vapor extraction, thermally enhanced treatment, ART
  technology, In Situ Chemical oxidation and reduction (ISCO, ISCR), and several combinations of these technologies.
  Many combinations of product separation, and water and air process treatment elements were incorporated with
  these technologies to achieve required discharge criteria.
- Managed a construction management group responsible for the implementation of various soil and groundwater remediation technologies throughout the continental USA.
- Acted as liaison between engineers and construction as to provide open communication and a more consistent and effective product in the field.
- Worked on development of several design, construction management, and cost estimating tools as to simplify tasks and minimize redundancy in effort.
- Developed building, fire, electrical, mechanical and OSHA design code summaries as they applied to our industry practices.
- Designed, built and operated various portable, self-contained, soil and groundwater treatment systems. These
  systems were utilized for emergency response, short- term remediation, and pre system design pilot study
  applications.
- Developed project cost estimates and prepared project bid proposals for environmentally related construction and system operation and maintenance projects as well as, create and manage overall project budgets.
- Identified and communicated potential project improvement and value engineering practices with the internal project team, client, and subcontractors on an ongoing basis.
- Ensured on site compliance to all current clients, governmental and in-house health and safety standards and
  regulations. Identify, secure and assist in procurement of project mandatory governmental licenses and permits.
   Created, prepared, initiated, and monitored required health and safety documentation including the HASP, JSA's,
  JHA's etc.



# Robert Karls, PG



Title
International Environment Director
Senior Consultant

#### **Education**

MS – Hydrology, University of Arizona, Tucson, AZ

BS – Earth Science/Geology, St. Cloud State University, St. Cloud, MN

### **Professional Registrations**

Registered Professional Geologist: Wisconsin (#632), Minnesota (#30067)

American Institute of Professional Geologists: CPG (#7348)

### **Professional Associations**

American Institute of Professional Geologists

National Water Well Association – Association of Groundwater Scientists and Engineers

Languages English

### **Experience Summary**

Bob Karls, the International Environment Director and a Senior Consultant for Antea Group, has more than 34 years of environment, health and safety leadership experience. Bob specializes in the management of environmental liabilities and partners with clients to build liability reduction strategies through innovative risk transfer techniques including guaranteed fixed cost programs and cost cap insurance policies. He has a proven track record of success working with risk transfer stakeholders who often include property owners, business unit managers, environmental managers, procurement managers, attorneys, lenders and risk managers.

With extensive international experience, Bob has led projects across Europe, North America and Latin America and has provided consulting services to over 25 Fortune 500 companies including global beverage, pharmaceutical and integrated oil companies. A professional geologist with astute communication skills and an unflappable demeanor, Bob is a highly sought after expert witness. He has provided countless depositions and testimony at trial on topics including hydrogeology, remediation selection, contaminant migration and source characterization.

#### **Related Projects**

- Bob has been deposed more than 50 times and has been cross-examined at trial seven times. He is considered an expert in geology, hydrogeology, remediation selection, contaminant migration, and source characterization.
- Provided services to over 25 Fortune 1000 companies in establishing their environmental reserve estimates, updating balance sheet reserves for SEC reporting purposes, and provided consulting related to liability reduction strategies.
- Assisted more than 15 clients in eliminating or reducing balance sheet liabilities through risk transfer techniques, including finite risk and stop loss coverage. Environmental liabilities transferred or managed using these methods have exceeded \$40 million and several opportunities have involved portfolios including numerous sites in several states.



Antea USA, Inc. 19 November 2013

### Robert Karls, PG

- Served as lead investigator or a team member on more than 15 manufactured gas plant (MGP) sites in the United States and the United Kingdom. He is familiar with the construction, processes, and features of MGP sites and the nature of chemicals, byproducts, and residuals related to MGP sites. He has dealt with investigation, as well as remediation, of these sites and has had a key role in negotiations related to site closures. He has provided testimony in four litigation cases related to MGP facilities regarding source, fate, and transport issues.
- Directed the implementation of an environmental management program for international telecommunications company to allow international harmonization of the client's environmental policies. Developed the client's environmental management systems.
- Provided expert testimony in an action that involved the pesticide contamination of more than 20 residential wells.
   The testimony was used successfully to apportion responsibility for the contamination between several responsible parties.
- Provided expert testimony and technical direction of data collection and analysis for the defense of two pipeline
  companies in a case involving over 20 plaintiffs alleging health impacts, property damages, and punitive damages.
   Testimony included multiple depositions and trial testimony. Bob's assistance helped successfully exclude 18 of
  the plaintiffs from the action. The case was settled during trial.
- Led a project team tasked with maintaining a construction schedule for a multi-million dollar commercial building after groundwater containing high levels of chlorinated solvents was discovered to be migrating from an adjacent manufacturing facility toward the client's site due to construction dewatering activities. Alternate dewatering methods were designed allowing reduced migration of contaminants during construction. Served as an expert witness in two separate actions to defend the clients from accusations that they had materially worsened the contamination problem and had "associated" themselves with the release. He was an expert witness in a second action on behalf of the client to recover damages incurred due to increased construction costs and delays prior to the project team's involvement. Both actions were successful with recovery of all costs and no Superfund liability for the client.
- Led a project team in determining the extent of trichlorethylene contamination in the soil and groundwater. The client needed to determine if the contamination at their site was contaminating a nearby regional groundwater aquifer. The contaminated aquifer supplied drinking water to two metropolitan communities and several private residences, and the client had been named a responsible party. Conducted a remedial investigation, including soil borings, monitoring wells, groundwater sampling, pump test analysis, and analytical contaminant transport calculations. Also reviewed files from the state regulatory agency and worked with the responsible party technical group. Prepared litigation documents, including affidavits and exhibits, and gave expert depositions on the investigation results. The investigation concluded a major off site source contributed to the regional groundwater aquifer contamination. As a result of this testimony, the court dismissed the third party claims against the client and an out of court settlement was reached.
- Served as the lead technical expert for a consortium of insurers in a coverage case involving a wood treating facility
  with ongoing operational releases spanning 60 years. The complex hydrogeology and multiple wood treatment
  processes utilized at the facility required detailed analysis, modeling, and interpretation. A key element in this case

### Robert Karls, PG

was the ability to forensically determine causation factors leading to the contamination of soil and groundwater over the period of operation and to develop the chronological indicators of contaminant movement over the 60-year period.

- Was lead technical investigator and testifying expert in Texas on a case of alleged migration of chlorinated solvents
  from a client's premises to a distant property. The plaintiff alleged a diminution in value due to the discovery of
  chlorinated solvents on the plaintiff's site during due diligence investigations related to property transfer.
- Served as the manager of remedial investigations conducted at a city in central Minnesota to determine potential
  sources of contamination affecting the entire water supply of the city. The contamination resulted in the shutdown
  of both city supply wells. Project included establishing contacts with two drilling subcontractors, designing and
  implementing a soil boring program to locate potential sources and waste disposal areas, and supervising the
  installation and sampling of multiple shallow and deep monitoring wells. Project resulted in the location of two
  potentially responsible parties each with multiple potential sources.
- Served as the project manager for an alternate water supply design and contaminant pumpout program. The
  project included the design and supervision of the installation of a water supply for more than 20 residential
  locations to replace the wells contaminated by organic chemicals from a leaching pit used for the disposal of
  hazardous wastes. Replacement well design utilized a complex construction with multiple casings. Contaminant
  pumpout and treatment were completed.
- Completed extensive diagnostic evaluations of several manufacturing and service companies as a portion of the
  development of their strategic environmental management program. The diagnostic evaluations included:
  extensive survey of all portions of the companies operations and management; detailed gap analysis; work shops;
  strategic planning; and follow-up planning and implementation activities.
- Conducted an environmental benchmarking project for a major U.S. food manufacturing company. The
  benchmarking was identified as a key element of the company's environmental management system and was
  necessary to allow measurement of performance of the company in conjunction with their progress toward
  achieving ISO 14000 certification.
- Served as the project manager or technical expert on more than 200 hazardous waste contamination and petroleum investigations and remediation projects.



# Jacob Knapp

# **Experience Summary**

Jacob Knapp is a Project Professional with over 12 years of experience working in the environmental field. He has experience in project management and oversight of investigation and remediation at sites with a variety of environmental concerns using a variety of techniques. He has knowledge of regulations regarding, collection, transportation and disposal of various wastes including hazardous wastes. He also has experience testing and documenting construction practices and materials.

Jacob has experience developing site investigations and writing reports in accordance with applicable regulatory formats in multiple states. He has experience supporting various clients and projects including supporting expert witness reports for litigation projects. He has experience developing Five-Year review reports for superfund sites within Minnesota. He is based in our St. Paul, Minnesota office.

### **Related Projects**

- Jacob has provided project management and investigative support for a
  pipeline release of 20,000 barrels of crude oil through all phases of spill
  cleanup. Support was provided from the emergency response phase,
  remediation and long term monitoring. Jacob has supported negotiations
  between the client, landowner and the regulator. Site investigation design
  has included advanced techniques supporting 3D visualization and analysis.
  Project management support also included maintaining data collection and
  management controls between multiple staff from multiple Antea Group
  offices.
  - Jacob has provided project management of a drilling production water spill from a tank truck into a county ditch and threatening a wetland. The high chloride content of the production water required remedial excavation, dewatering and site restoration. Through continual communication with the contractor, land owners and regulators site restoration was achieved within weeks of the reported spill and regulatory closure shortly after.

#### **Title**

Project Manager

#### Education

BA – Environmental Studies-Environmental Sciences Concentration, University of Minnesota-Duluth, Duluth, MN

#### Certifications

NRPP Residential Measurement and Mitigation Provider NRPP Multi-Family Measurement and Mitigation Provider

### Languages

English

NOGEN"

Antea USA, Inc. 30 May 2013

# Jacob Knapp

- Jacob has provided litigation support for expert witness testimony for multiple cases; including manufactured gas
  plants and natural resource damages cases. Jacob's experience includes document review and summarization, field
  data collection, management and evaluation, staff management, and supporting expert report documentation and
  compilation.
- Jacob has managed multiple sites simultaneously within client portfolios, utilizing task appropriate staff to support specific client and project needs.
- Jacob collected, analyzed and evaluated data during emergency response and site investigation phases of a
  pipeline release of gasoline in suburban Milwaukee, Wisconsin. Data collection and evaluation supported response
  efforts, site conceptual model development, and remedial design. Data collection and evaluation included logging
  fractured bedrock cores during monitoring well installation and interpretation of results of LNAPL gauging,
  groundwater chemistry and groundwater elevation data collected from monitoring wells, residential supply wells
  and surface water sample locations.
- Jacob has performed site evaluation, investigation and remedial construction oversight at a former bulk terminal
  site located in St. Paul, Minnesota. Investigation and remedial construction at this site involved installation of air
  sparge and vapor extraction points into stratified layers of sandstone and shale utilizing sonic drilling techniques.
  During this project Jacob developed bid specifications and evaluated subcontractor bids for client specific
  requirements.
- Jacob has utilized multiple lines of evidence to evaluate historic groundwater chemistry data in order to gain
  regulatory approval for reductions to groundwater monitoring schedules at multiple sites, including petroleum
  terminal sites, retail petroleum sites and chlorinated solvent sites in Minnesota, Indiana, and Illinois. Jacob has
  evaluated historic site data utilizing concentration trend evaluation through graphical presentations, statistical
  analysis, spatial moment data and evaluation of groundwater elevation data. Jacob has experience utilizing the
  Monitoring and Remediation Optimization System (MAROS) program to perform statistical and spatial evaluation
  of historic site data.
- Jacob has conducted Five-Year Review Reports for ten superfund sites within Minnesota following procedures
  established by EPA guidance. Guidance procedures include file review, site visit, public notification, ROD/RAP
  review and review of remedial progress at the site. Five-Year Reviews involve review of historic and recent reports
  to evaluate current site conditions against remedial objectives and regulatory standards. As part of the Five-Year
  Review process Jacob has identified issues related to remedial progress and site protectiveness and presented
  recommendations to address issues identified. Jacob has provided technical support to the Minnesota Pollution
  Control Agency (MPCA) for multiple superfund sites.
- Jacob has evaluated technical reports and work plans submitted by site responsible parties and provided comments and recommendations to the MPCA in order to support site management decisions. Sites which Jacob has provided technical support include: Naval Industrial Ordinance Reserve Plant (NIROP), FMC Superfund Site (Fridley Plant), Kurt Manufacturing, Koppers Coke, MIBCO (State Superfund), and BAE RCRA site.
- Jacob has experience developing and implementing a regional groundwater elevation study and evaluation of regional groundwater chemistry data collected across multiple chlorinated solvent sites in southwest Fridley,

### Jacob Knapp

Minnesota. Work plan implementation required coordination with multiple site responsible parties in order to survey more than 250 monitoring wells at five sites within the region and coordination of groundwater gauging events for each site. Groundwater elevation data was then evaluated and mapped for multiple flow horizons to provide a better understanding of regional groundwater flow. Jacob also evaluated and mapped groundwater chemistry data to understand the extent and magnitude of regional groundwater impacts. This regional study has been used by the MPCA to develop their site management strategies for sites located within the study region.

- Jacob provided technical support for environmental compliance and waste handling practices for a large vessel and equipment decontamination site in Mississippi as part of the MC-252 gulf oil spill in 2010. Daily site operations were observed in order to document and resolve environmental issues with site operations leadership.
- Jacob has experience in third party access negotiations, organizing fieldwork, conducting field work, developing subcontractor bid plans and specifications which meet client required formats, subcontractor oversight, analyzing data collected and writing reports for multiple sites within our multi-site contract with the MPCA. Jacob has utilized data collected and historic site information to develop site conceptual models for multiple sites for this client, including petroleum release sites and chlorinated solvent release sites.
- Jacob has conducted contractor oversight of site investigation and remedial activities involving test pit excavation, direct push probes, hollow stem auger, sonic drilling techniques, excavation as corrective action and remediation system installation and demolition at multiple sites throughout the Midwest for public and private clients.
- Experience includes collection and characterization for transportation and disposal of various wastes including hazardous wastes from households and businesses in many locations throughout the Midwest.
- Team leader on disaster relief efforts in Louisiana after the 2005 hurricanes; here pharmaceutical waste from damaged hospitals and clinics was identified, collected, and packaged for transportation and disposal.
- Inspected and documented liner installation and construction of landfill cells and caps in Lower Michigan.
- Test and document construction materials and practices for best practices and specification requirements. Construction materials and practices tested include concrete, asphalt, nuclear density testing and laboratory testing of soil properties for compaction strength specifications.



# Keith E. Knoke, PG



**Title**Senior Consultant

#### Education

MS – Geology, Michigan State University, East Lansing, MI

BA – Geology, University of St. Thomas, St. Paul, MN

BA – History, University of St. Thomas, St. Paul, MN

DOL/OSHA 30 Hour General Industry Training Course

#### **Professional Registrations**

Registered Professional Geologist: Illinois (#196-000386), Minnesota (#30277), Wisconsin (#1141-013)

# Languages

English

#### **Experience Summary**

Keith Knoke is a Senior Consultant with more than 20 years of experience in environmental, health and safety (EHS) consulting. His technical expertise is in, EHS program development and implementation, assisting clients in identifying, quantifying and mitigating corporate EHS risk, implementing EHS information management systems, performing global EHS due diligence and remedial environmental investigations. Keith's most recent responsibilities have included, global account leadership, corporate EHS program development, EHS management system design and implementation, EHS information management system implementation, corporate EHS audit management, merger and acquisition consulting and environmental reserve estimation.

### **Related Projects**

- Served as project manager and team member on the development and implementation of EHS management systems for a number of clients whose industries include commercial printing, US Federal Agencies, specialty chemical, private utilities, paper production, and on and offshore oil gas services.
- Served as project manager and team member on an EHS Audit program development project for a global food and beverage company
- Served as project manager and team member for the scoping and implementation of EHS information management systems (iEHS®) for a number of clients whose industries include clothing manufacturing, industrial manufacturing, US Federal agencies, specialty chemical, consumer products, food and beverage, commercial printing, and oil and gas services.
- Created and implemented a 3<sup>rd</sup> party waste and recycling audit program for a natural gas and electric utility company
- Performed compliance audits at a number of agricultural chemical storage facilities, gasoline stations, manufacturing, and transportation facilities. The projects included the preparation of applicable regulations and rules list, site visits, and report preparation.
- Served as program manager for the development of 3<sup>rd</sup> party environmental audit protocols and risk ranking procedures. Facilities being audited included metal recyclers, plastic recyclers, and waste TSD sites.

XInogen ...

www.anteagroup.com

Antea USA, Inc. 6 June 2015

### Keith E. Knoke, PG

- Performed environmental aspect impact analyses for heavy manufacturing and oil and gas support services companies.
- Served on several litigation support teams for the defense of cost recovery claims regarding the release of manufactured gas plant wastes to the soil and ground water.
- Served on litigation support teams for the defense of cost recovery claim regarding mitigation of aluminum dross reactions in Tennessee municipal waste landfill
- Served as project manager for a SPCC plan development and implementation program for an oil and gas production company located in Kentucky.
- Served as project manager for numerous plant closures in the printing, heavy manufacturing, light assembly and paper manufacturing industries. Tasks included, permit closure, environmental reporting, plant clean up and waste disposal management.
- Served as project manager on a merger acquisition project that involved the acquisition of seven offset and lithographic printing facilities located in the US and Puerto Rico. Conducted Phase I and Phase II environmental site assessments and compliance auditing that helped result in a successful acquisition.
- Served as project manager on a merger acquisition project that involved the acquisition of 15 manufacturing facilities located, Spain, US, China, Hungary, Finland, UK, Germany, France, Canada, Greece and Italy. Conducted Phase I Environmental assessment and liability estimations.
- Served as project manager on a merger acquisition project that involved the acquisition of 25 bulk storage facilities
  in the US and Canada. Conducted Phase II environmental site assessments, provided corrective action costs,
  assisted in reporting and compliance auditing tasks.
- Served as project manager on a merger acquisition project that involved the acquisition of eight chicken egg factories and lithographic printing facilities located in the US.
- Served as project manager on a merger acquisition of five railroad repair facilities located in the US and Canada.
- Served as project manager on a merger acquisition of six fine paper plants facilities located in the US and Germany.
- Served as project manager on a chlorinated compound release site. The site was an active battery manufacturing facility. In the late 1970s, the facility had a release of trichloroethene resulting in significant soil and ground water impacts. Project activities included assessment of the extent and magnitude of the release and an assessment of monitored natural attenuation as a remedy for the off-site portion of chlorinated compound plume. A soil vapor extraction system was installed to remediate the source area and closure was granted.
- Served as project manager on a chlorinated compound release site in Mississippi. The site was an active printing
  facility that had a release of trichloroethene resulting in significant soil and ground water impacts. Project activities
  included assessment of the extent and magnitude of the release and an assessment of remediation technologies. A
  combination of chemical oxidation and source area removal resulted in soil and ground water concentrations
  below cleanup standards and the closure request was granted.
- Served as a project manager on a two city-block Brownfield redevelopment project in St. Paul, Minnesota. The site
  had soil and ground water impacts from former manufacturing and agricultural activities and was enrolled in the
  state Superfund and agricultural voluntary cleanup programs. Remediation activities of lead and petroleumimpacted soils were successfully completed and letters of notice of No Further Action were obtained. The property
  was successfully currently developed for upscale condominiums and townhomes.

### Keith E. Knoke, PG

- Served as project manager on an indoor air quality project in Mandan, North Dakota. The site was a residential apartment complex that had persistent diesel fuel vapors. Provided the client with an air quality standard and decision process from which reasonable decisions concerning the health of the residents could be made, as well as a process to be followed in the event that the standard is or was exceeded.
- Served as a project manager on a combined Phase I/Phase II Environmental Assessment of a proposed multi-unit
  residential development in Hinsdale, Illinois. Primary duties included preparation of a risk-based site evaluation
  and corrective action design. Worked closely with the developer and Illinois Environmental Protection Agency
  staff, which ultimately led to a successful development of the property.
- Served as project manager on a Brownfield redevelopment project in St. Paul, Minnesota. The property, a former railroad yard, was impacted with metals, petroleum products, and creosote. Assisted the developer in investigating and remediating the property for an intended future use of townhomes.
- Served as project manager on a Phase II investigation of an active tire warehouse and printing facility in St. Paul,
  Minnesota. Results of the investigation indicated chlorinated compounds were present in the ground water
  beneath the site. As a result of the impacts, the site was entered into the Minnesota Pollution Control Agency
  (MPCA) Voluntary Investigation and Cleanup (VIC) program. Further investigation revealed the source of the
  impacts was on the adjacent property and an off-site determination was issued by the MPCA resulting in a timely
  and successful property transfer.
- Served as a project manager for a number of Minnesota Pollution Control Agency and United States Environmental Protection Agency funded Superfund projects. The projects generally involved Phase I environmental assessments and remedial investigations. The projects included investigations of a former shingle manufacturing facility, scrap/salvage yards, a plating facility, automobile repair shop, petroleum refinery, and dry cleaning facility.
- Served as a project manager on a Minnesota site with polychlorinated biphenyl (PCB)-contaminated soils. Primary duties included budget management, preparation of risk-based site evaluation report and response action plan, managing remedial actions, and working closely with the client and MPCA staff from the VIC program to facilitate a high profile property transaction. Following limited corrective actions, VIC issued a No Further Action letter.
- Served as a project manager on a combined Phase I/Phase II Environmental Assessment of a horseshoe foundry facility in Minnesota. Primary duties included budget management, oversight of field activities, and report preparation. Due to contamination found on site, the site entered the Minnesota VIC Program. Site closure was obtained in a timely fashion and assured a successful property transfer.
- Served as a project manager on a combined Phase I/Phase II Environmental Assessment of a proposed commercial
  development site in Minnesota. Worked closely with staff from the Minnesota Voluntary Petroleum Investigation
  and Cleanup Program (VPIC) to assess ground water contamination found on site. Conducted hydrogeologic
  investigation and determined ground water contamination was due to an off-site source.

#### **Publications**

- "Temporal trends in nitrogen isotope values of nitrate leaching from an agricultural soil." Chemical Geology 146 (1998) 219-227.
- "Bull Run Discovered." Military Images Volume XXV, No 5 (2004) 31-33
- "Evil Effects of Dancing The Story of James Tanner". North and South Vol 12 (2012) 50-65.



## **David Koppel**

#### Title

**Project Professional** 

#### Education

BA – Geology, Gustavus Adolphus College, St. Peter, MN

MS – Geology (Surface Processes), Ohio University, Athens, OH

#### **Training/Certification**

OSHA 40-Hour HAZWOPER
First Aid/CPR/AED
AARST-NRPP Residential
Measurement and Mitigation
Provider

#### Languages

English

#### **Experience Summary**

David Koppel is a Project Professional with approximately five years of experience working in the environmental consulting field. He has been involved in a number of projects, and has actively participated in all stages of the project lifecycle. He has a strong knowledge and understanding of state and federal environmental regulations

#### **Related Projects**

- Perform extensive soil, groundwater, and vapor sampling, soil excavation, monitoring well installation, and sub-slab depressurization system (SSDS) installation oversight for federal, MPCA, and commercial clients.
- Manage Petrofund sites from new leak number to site closure, including soil, groundwater, and soil gas sampling, soil excavation, permanent monitoring well installation, and associated reporting.
- Manage emergency response petroleum clean-ups, including soil excavations and associate reporting.
- Develop proposals, work plans and reports for MPCA, including vapor remediation, and soil and groundwater investigations.
- Write proposals, work plans, and reports for military munitions response program (MMRP) and unexploded ordnance (UXO) sites.
- Develop work plans and reports for closure of petroleum and pesticide sites in various states around the continental United States.
- Performed Phase I environmental site assessments. Work included site reconnaissance, state file reviews, review of historical documents, and report preparation.
- Provided field support for Phase II Site Assessment investigation projects, including:
  - Contractor oversight (excavations and monitoring well installations)
  - Soil, groundwater, and soil-gas sampling,
  - Monitoring well gauging and sampling,
  - Free product recovery,
- Interpretation of field data and laboratory results, summarizing site recommendations, and investigation report development.
- Obtained certification for oversight of sub-slab depressurization system (SSDS) installation in Dec. '12 (Res. Measurement and Mitigation Provider)



www.anteagroup.com

Antea USA, Inc. 6 January 2017



## Layne Kortbein



**Title**Staff Professional

#### **Education**

Bachelors - Bioproducts and Biosystems Engineering Minor in Sustainability Studies University of Minnesota, Minneapolis, MN

#### **Certifications**

Engineer in Training (EIT): State of Minnesota, #152343

## Language

**English** 

#### **Experience Summary**

Layne Kortbein, Staff Professional with Antea Group since August 2017, has experience collecting scientific data in the field, analyzing and interpreting data, composing technical reports, and communicating results to the scientific and non-scientific community.

Her technical experience includes maintenance and troubleshooting of active remedial systems, editing geologic maps with ArcGIS, creating boring logs under company and state standards, performing pre-purchase site assessments, and analyzing field data for site conceptual model creation.

Her analytical method experience includes gas chromatography-mass spectrometry, infrared spectroscopy, and high-performance liquid chromatography analysis. Her experience also includes laser-induced fluorescence/ultraviolet fluorescence result interpretation.

Ms. Kortbein has experience with free product removal, soil sampling, groundwater sampling, vapor sampling, vapor and groundwater well installation, well abandonments, data entry, technical report writing, Phase I and Phase II site assessment report writing, and litigation support.

#### **Related Projects**

- Assisted with various remedial system maintenance and operation management events.
- Experienced in collecting non-aqueous phase liquid, sampling groundwater, sampling soil, and collecting vapor samples to multiple state standards.
- Oversaw groundwater and vapor well installation events and well abandonments for sites in multiple states.
- Reimagined over 30 years of historical data, comprehensive geology, and hydrogeology information to complete a detailed site characterization report for a former petroleum shipping dock in Wisconsin.
- Supported a variety of field work and report writing deliverables in several Midwest states including Wisconsin, Minnesota, Iowa, Nebraska, North Dakota, and Missouri.
- Completed document reviews and prepared trial exhibits and case summaries for multiple environmental litigation cases.



www.anteagroup.com

Antea USA, Inc. 2 April 2017



## Dean A. Krebs, P.E.



**Title** Senior Engineer

#### **Education**

BS – Geological Engineering, University of Minnesota, Minneapolis, MN

#### **Professional Registrations**

[Professional Engineer: Minnesota (#26540), Iowa (#18322), Illinois (#062.059808)

#### Languages English

#### **Experience Summary**

Dean Krebs, a Senior Environmental Engineer/Program Director, is a Registered Professional Engineer with more than 24 years of experience in remedial investigations, environmental assessments, soil and groundwater remediation, compliance services, and project/program management. He is the program director for a multimillion dollar multidisciplinary client and the leader of Antea Group's Railroad Segment. He has implemented programmatic work across multiple business groups for various clients. His responsibilities include all aspects of client /portfolio management, including business development, resourcing, budgeting and technical review. He has extensive experience managing complex portfolios of Spill Prevention, Control and Countermeasure (SPCC) and Storm Water Pollution Prevention plans. Dean works out of our St. Paul, MN office.

#### **Related Projects**

- Designed, implemented, and managed a program to complete preparation of a
  portfolio of 130+ SPCC plans for complex railroad facilities across the western
  United States. This project consisted of customizing the plan to each site while
  adhering to overall client procedures and compliance with SPCC rules and
  regulations. The program required coalescing a team of engineers throughout
  multiple business units and geographies to serve a broad geographical base of
  facilities. The facilities ranged from moderately complex to some the largest
  railroad yards in the US. The program expanded to include Facility Response
  Plans and other compliance related inspections and documents.
- Lead Antea Group's Railroad Segment from a concept to a fully funded segment with year over year growth. In his role as Segment Leader, he has developed the marketing plan, conducted a market analysis, generated and led multiple campaigns to promote Antea Group to the railroad industry.
- Led a solution development team to bring an automated application to SPCC field evaluations creating efficiency and reducing human touch points.
- Developed and managed a program to sample treated wood (railroad ties, bridge components, signal poles, etc.) across multiple states in a logistically challenging environment.

## Dean A. Krebs, P.E.

- Provided program management on a portfolio of SWPPP plans for a nationwide client that involved creating consistency across the facilities yet are tailored to meet the requirements of each state and locality. Managed the development and/or completed more than 160 SPCC, SWPPP or Facility Response plans.
- Provided client management on a portfolio of over 200 remediation, compliance and due diligence sites across the western U.S. that averages \$3 million dollar annual spend. Successfully negotiated two 5-year contract extensions with this client without having to go through an expensive procurement process.
- Provided senior engineering and oversight of engineering for all aspects of the firm's projects. As a senior engineer, he is focused on managing the remediation aspects of a project and tracking progress against financial and time schedule requirements. He has written external documentation and reports to meet company, client, and regulatory requirements. Additionally, he has prepared proposals and bid documents, secured new work, arranged and provided contractor oversight, and reviewed proposals, work plans, designs, and the data evaluation of staff and project level engineers.
- Has supervised many engineers-in-training and other remediation specialists. He has led a team of engineers who have worked on many large-scale remediation projects and designed complex remedial systems in many parts of the United States. He has been consulted to provide senior engineering support and review on remediation projects undertaken by other divisions within the firm. His support consists of reviewing the site and remediation technology to determine compatibility, followed by reviewing the design to determine whether it is both technically and economically feasible. During the past ten years, some of the specific project tasks completed have included the following:
- Designed and managed multiple large-scale excavations, including; a multimillion dollar excavation that included
  soils contaminated with polychlorinated biphenyls (PCBs), chlorinated solvents, and petroleum hydrocarbons, a
  major excavation of DDT impacted soil at a former mushroom farm, a logistically complicated excavation of
  chlorinated solvent impacted soil at an active dry cleaning facility, and numerous excavations for petroleum
  impacted soils at service stations.
- Designed, installed, and operated numerous remediation systems including, a steam injection/ extraction system to recover No. 6 fuel oil at a manufacturing facility, a combination of bioventing (BV), soil vapor extraction (SVE), and air sparging (AS) featuring more than 170 points at a major oil company terminal, a BV/SVE/AS system at a major oil company terminal located within a complicated geological region, a successful bioslurping pilot test at a site featuring more than 30,000 gallons of free phase hydrocarbons located 45 feet below ground surface, six additional bioslurping pilot study/system designs, six dual phase extraction systems across the United States to remove free phase product while minimizing groundwater recovery, 21 AS/SVE systems for service stations, chemical manufacturing facilities, and other industrial clients, five thermal and catalytic oxidizers for treatment of air emissions
- Operated and evaluated the efficiency of a steam injection/dual phase extraction/SVE system on a 20-acre former railroad site impacted with more than 50,000 gallons of diesel fuel.
- Designed and installed a stream aeration system to remove dissolved petroleum hydrocarbons from a major pipeline leak in rural Illinois. Designed and installed a pump-and-treat system to reduce impacts to the stream. Designed and coordinated a free-product remediation plan utilizing dual-phase extraction.



## **Todd Kremmin**



## **Title**Project Professional

#### Certifications

Geologist In-Training (GIT)
State of Minnesota, License 150242

#### **Education**

M.S. Earth and Environmental Sciences University of Minnesota Duluth Duluth, MN

B.A. Geology
Minors in Geography and
Environmental Studies
Gustavus Adolphus College
Saint Peter, MN

### Languages

English
Spanish (semi-proficient)

#### **Experience Summary**

Todd Kremmin graduated from Gustavus Adolphus College with a Bachelor of Arts in Geology, along with minors in Geography and Environmental Studies. Todd joined the energy industry immediately following graduation and worked for 2 years in various roles at Anadarko Petroleum Corporation; Geology Intern, Senior and Staff Geosteering Technologist. Todd continued his quest to diversify his knowledge of geology, and more specifically geophysics while pursuing a Master of Science degree at the University of Minnesota Duluth. Todd gained invaluable experience during this time, assisting with seismic exploration surveys in the country of Colombia, performing geophysical surveys in and around Minnesota, mentoring teaching assistants, teaching laboratories, and further expanding his knowledge in hydrogeology, geographic information systems, geomorphology, sedimentology, stratigraphy, and environmental science. Todd is now working at Antea Group's St. Paul Office.

#### **Related Projects**

- May 2016 Current: Project Professional, Antea Group Perform various statistical analyses using MAROS v. 3.0. Assist in research, reporting, and development of trial exhibits for litigation support. Provide GIS support in mapping and geospatial analysis. Write and review technical reports. Develop graphical illustrations of data, hydrographs, and groundwater contour maps. Review project specific engineering specifications and provide calculations. Support onsite field operations and maintenance at LNAPL remediation sites as well as brine spill sites. Gauge and bail LNAPL, and gauge groundwater. Assist in geoprobe drilling, monitoring well installation, vapor pin installation, and prepare boring logs from field notes. Collect soil samples, water samples, and air samples. Provide assistance with Phase I site investigations. Assist with underground storage tank removal, soil sampling, and analysis. Assist in field staff preparation and logistics.
- September 2014 May 2016: Lead Graduate/Graduate Teaching Assistant,
   University of Minnesota Duluth
   Trained and mentored 6 graduate teaching assistants. Assessed and resolved teaching assistant and student concerns. Conducted weekly meetings to prepare lab materials, communicate, and educate on future labs. Organized and coordinated graduate teaching assistant lab schedules. Taught 2-3 lab sections of Geology and Earth Systems, and Principles of Geophysics per semester. Maintained regular office hours to meet with students in study and



review sessions. Evaluated student progress and provide consistent feedback during the academic semester. Assisted professors with lecture, laboratory, and field instruction including instructing students, proctoring exams, and grading assignments.

- July 2015: Seismic Exploration Research Assistant, Aquitania, Colombia
   Supported the Principal Investigator, Dr. Nigel Wattrus in conducting a detailed geophysical survey of Lago de Tota, a
   large tectonic lake in the Eastern Cordillera of the Colombian Andes. Project part of a NSF grant to map and interpret
   lake floor bathymetry, subsurface thicknesses of lacustrine sedimentary sequences, locations of depositional centers,
   transgressive-regressive lake level sequences, and long-term tropical paleoclimate records. Operated a high resolution single-channel airgun seismic reflection system and a CHIRP sub-bottom profiler. Maintained compressors,
   air pressures, and data cables during surveys. Deployed and retrieved geophysical equipment from a hand built
   platform before and after surveys.
- January 2013- June 2014: Senior/Staff Geosteering Technologist, Anadarko Petroleum Corporation
  Provided 24/7 geotechnical operational support for multiple active drill rigs in the unconventional Eagleford and
  Wolfcamp Shale plays of Southern and Western Texas. Geotechnical support included 3-4 daily operational updates
  and geologic interpretations of real-time wellbore placement, quality control of data acquisition, management and
  relationship development of vendors, and post well statistics and summarization. Supported onsite field operations
  for significant data acquisition jobs which included services for mudlogging, wireline, open-hole imaging, and coring.
  Collected, analyzed, prepared, and interpreted mudlog samples. Monitored geophysical well log and image log
  assembly, acquisition, and disassembly. Supervised coring logistics, assembly, recovery, and take down. Assisted
  onsite core processing, transportation, and storage. Verified safety and calibration quality control standards were
  maintained during rig site data collection operations. Consulted with geologists, geophysicists, reservoir engineers,
  and drilling engineers in subsurface interpretation, drilling logistics and specifications, vendor costs estimates,
  exploratory projects, and aided in analysis of geochemical, core, geophysical, and geospatial data.
- June 2012- January 2013: Geology Intern, Anadarko Petroleum Corporation
   Collaborated with the Eagleford Shale asset team to understand the lateral and depositional distribution of the Upper Cretaceous Olmos Sandstone in order to determine reservoir qualities suitable for the company's interest.
   Interpreted vintage and new petrophysical well logs; gamma ray, resistivity, spontaneous potential, acoustic, density-neutron, sonic, and nuclear magnetic resonance. Integrated 2D and 3D geophysical data into the interpretation and generated geologic maps, cross sections, and figures. Used PETRA, Rockpilot, and Interactive Petrophysics software.

#### **Publications**

• Breckenridge, Kremmin, Dott, and Mossberger, (2016). Field Trip #9: Duluth Harbor Geologic History Boat Cruise: Quaternary to Anthropocene. Institute on Lake Superior Geology, Proceedings Volume 62 Part 2 Field Trip Guidebook, Duluth, Minnesota May 4-8, 2016, p. 160-187.

#### **Presentations**

Near Surface Geophysics, NS41B-1944, American Geophysical Union (AGU) Poster Presentation, December 17, 2015.
 Title: Reconstructing the Geomorphic Evolution of a Freshwater Baymouth Bar in Response to Lake Level Change Using Three Dimensional (3D) Ground-Penetrating Radar (GPR) Data. Authors: Dr. Nigel Wattrus and Todd Kremmin.





## Aaron Lapine, LEP



**Title**Senior Consultant

#### Education

MS – Environmental Science, University of New Haven, West Haven, CT

BA – Botany and Political Science, Miami University, Oxford, OH

#### **Professional Registrations**

Licensed Environmental Professional: Connecticut (#522)

#### **Professional Associations**

Member, American Chemical Society Member, National Groundwater Association

#### Languages

**English** 

#### **Experience Summary**

Aaron Lapine, Senior Consultant, has more than 18 years of experience in the environmental field. His technical expertise includes: environmental site assessment; environmental exposure assessment; soil and groundwater remediation; regulatory compliance; environmental liability quantification and mitigation; environmental litigation support; and management of multiple site remediation portfolios in various states. He specializes in the quantification and management of environmental risk, whether transactional, operational, or legacy.

#### **Related Projects**

- Prepared and currently the executive sponsor for a guaranteed fixed-price to closure legacy liability mitigation option for approximately 90 active clean-up sites in Connecticut.
- Currently serving as Program Manager for a guaranteed fixed-price to closure
  portfolio of approximately 160 active cleanup sites across 17 states.
   Responsible for creating a program and building an executing team to
  effectively characterize, mitigate, and receive regulatory case closure for all
  of the active cleanup sites within a predetermined budget and timeframe.
- Provided expert testimony on behalf of an integrated energy company client in defense of a product liability class-action claim involving the additive MTBE. The testimony specifically involved the chemical fate and transport relating to the location of municipal well fields.
- Served as technical lead and the responsible manager for approximately 190
  active cleanup sites in New Jersey, New York, Maryland, Delaware, District of
  Columbia, Mississippi, North Carolina, and South Carolina. Responsible for
  the formulation of contaminant characterization and innovative remedial
  strategies to address contamination and achieve case closure status with the
  appropriate regulatory agencies.
- Served as technical lead and responsible manager for approximately 185
   active retail and non-retail petroleum cleanup sites in Southern California and
   Washington.
- Managed the remediation and provided technical expertise at a site where an active major oil storage facility terminal was located on a parcel of a former



www.anteagroup.com

Antea USA, Inc. 11 Nov 2013

### Aaron Lapine, LEP

refinery. A liquid phase hydrocarbon (LPH) plume with an original estimated volume of 17 million gallons was identified under the former refinery, two million gallons of which was originally estimated under the client's active terminal. A lawsuit and counter-lawsuit were filed between two major oil companies for breach of contract related to the remediation of the contaminant plume. Multiple LPH seep areas were identified into a nearby tributary. The most significant achievements in the project included the following: characterization of the extent and estimated volume of the LPH, the management of the operation and maintenance and the later design and the implementation of a complete overhaul of a dual-phase recovery remediation system that recovered over three million gallons of LPH; the successful face-to-face negotiation as the technical lead with an NGO resulting in the preparation of a formal letter rescinding potential claims and stating that the client's containment system and remedial efforts were appropriate; the successful negotiation as the technical lead resulting in a novel settlement in which the client received services and proceeds worth an estimated value that exceeded the client's original claim; and the successful face-to-face negotiation with the state agency as the technical expert resulting in the indefinite postponement of an administrative executive order.

- Served as one of 22 experts representing private industry, academia, and local, regional, state, and federal regulatory agencies invited to participate in the National Water Research Institute (NWRI) Nominal Group Technique two-day workshop to provide answers to the workshop question: "What improvements to subsurface monitoring are needed to properly evaluate the fate and transport of petroleum and fuel oxygenate contaminants?" for the protection of potable water sources. Participants included representatives from California Regional Water Quality Control Boards of Los Angeles and Santa Clara, the California State Water Resources Control Board, Santa Clara Valley Water District, Alameda County Department of Health, and the EPA. The purpose of the workshop was to improve monitoring strategies and provide insight into planning monitoring programs that will consider new technologies providing cost-effective means of protecting drinking-water resources.
- Designed and patented (provisional Patent Application No. 60/723,508) an automated bioaugmentation/ biostimulation system that delivers treatment solutions to the subsurface with limited site visits. The system can store and intermittently introduce terminal electron acceptors, macronutrients, micronutrients, and/or bacterial colonies.
- Experienced with various geophysical assessment techniques (CPT/LIF, Mise-a-la-Masse, seismic refraction, dual temperature/dual fluid resistivity, and acoustic televiewer borehole logging). Based on this knowledge, he was invited to present "3-sided Refraction Tomography Assessment Technology" at the 2003 15th Annual EPA OUST UST/LUST National Conference in support of the Site Investigation Methods Session.
- Designed, advocated, and implemented numerous novel chemical oxidation remedial applications at retail service station LUST sites. Created a safety protocol for field applications of various chemical oxidation techniques.
- Conducted numerous vapor intrusion to indoor air pathway evaluations and employed vapor intrusion mitigation technologies. Designed a thorough field sampling protocol to collect data for use in fate and transport models to evaluate human health risks associated with potential indoor air pathways.
- Developed and instituted a risk-based decision making process to prioritize portfolios and devise remedial strategies. The procedure utilizes analytical and numerical computer generated fate and transport models and field data collection to quantify potential exposure to human health and the environment.



## Laura R. Maki

#### Title

Staff Professional

#### Education

In Progress: M.S. Civil Engineering from University of Minnesota, Minneapolis, MN Expected Dec. 2014

B.S. Physics with additional major in Mathematics from Winona State University, Winona, MN

#### **Awards and Recognition**

Graduation with honors in physics and mathematics from Winona State in May, 2012

Received Eileen Fahey Memory Scholarship granted to outstanding woman in physics for 2011-2012 academic year

MAA Outstanding Presentation Award for Advanced Linear Algebra research at MAA Conference in August, 2010

#### Language

English, French (some)

#### **Experience Summary**

Laura's education and research projects emphasized leadership and teamwork. She also has experience with computer modeling, using Python, Java, Mathematica, and MatLab. Her high aptitude for applied mathematics and logical problem solving lend to her abilities to do computer modeling. She successfully modeled the square cavity problem using MatLab for her Computational Fluid Dynamics course and has also used MatLab to model flow of water around stationary circular obstacles in two dimensions. In a course on remediation technologies, she helped write a Feasibility Study as part of a final group project. Most recently, her master's thesis work has required organizational and analytical skill as well as the ability to think and act quickly to solve problems using available resources.

#### **Related Research Projects**

- September 2012-Present: Master's thesis research on debris flows, specifically the erosion and entrainment of particles. She conducted laboratory experiments, collected and analyzed data, and is now in the process of writing her thesis.
- September 2010-May 2012: Honor's thesis for mathematics department at Winona State on real applications of complex analysis and advanced linear algebra. She applied principles from both branches of mathematics to two systems, an electromagnetic ball suspension system and a simple electrical circuit, to reveal information about the system variables.
- Summer 2011 Research at the University of Michigan in Astrophysics. Laura
  used star location and magnitude data from a sky survey, and wrote a
  program using Python to calibrate it to cataloged data. This research will aid
  the Dark Energy Survey (DES) in trying to better understand the nature of
  dark energy.
- Summer 2010 Research at the University of Minnesota in Differential Geometry, using Mathematica to write code that utilizes distance histograms to define rigid shapes and objects.

#### **Presentations**

 'Advanced Linear Algebra applied to an Electromagnetic Ball Suspension System', MAA Mathfest in Pittsburgh, PA, in August 2010



Antea USA, Inc. 11 June 2014

## Curriculum Vitae Cortney E. Malloy





## **Title**Staff Scientist/Geologist

#### Education

BS – Geology, Northwest Missouri State University

#### Languages

English German

#### **Experience Summary**

Cortney Malloy has one year of experience as an environmental consultant providing Environmental Site Assessments (ESAs), soil and groundwater investigation and characterization, drilling oversight, installation of groundwater monitoring wells, data evaluation and development of visual graphics, report preparation, subcontractor coordination, and characterization of subsurface soil and geology. Cortney works in Antea Group's Bettendorf, lowa office.

#### **Related Projects**

- Provided technical and project support for multiple petroleum contaminated sites
  throughout the Midwest. Tasks included evaluating the nature and extent of
  contamination and the development of remediation costs. Activities included
  supervision of data collection and analysis of affected media including soil,
  bedrock and groundwater; estimation of remediation costs; technical evaluation
  of corrective actions; supervision of field staff; report preparation; and
  engagement with regulatory agencies.
- Supervised the installation of soil boring and groundwater monitoring well
  networks including classifying and logging of subsurface soil and geology, and the
  collecting soil and groundwater samples for chemical analyses. Provided oversight
  of drilling contractors using Geoprobe methods.
- Performed as the primary author of multiple Phase I ESAs for major railroad client.
   Project tasks included: performance of site visits, interviewing, review of EDR report and historical maps, historical investigation and reporting.
- Performs data management assignments for major railroad and high-tech clients.
   Tasks includes: interpretation data, formatting and development of graphical representation of data.
- Performs data management and project support for major high-tech clients.
   Tasks includes: subcontractor management and tracking, compiling and presenting client monthly Environmental Health and Safety (EHS) matrices, review of EHS regulatory registries, evaluate applicability of regulations and assists with the development and maintenance of client compliance calendars.



www.anteagroup.com

Antea USA, Inc. 23 March 2017



## **Becky Matich**

#### Title

**Project Professional** 

#### **Education**

BS – Environmental Studies, Bemidji State University, Bemidji, MN

#### **Training/Certifications**

Accredited Office Ergonomics Evaluator (AOEE) – June 2014 OSHA 30-Hour for General Industry First Aid/CPR/AED

AIHA – Fundamentals of Industrial Hygiene

#### Languages

**English** 

#### **Experience Summary**

Becky Matich is a Project Professional with seven years of experience working in the environmental consulting and chemical manufacturing fields. She has been involved in a number of related environmental and environmental, health and safety (EHS) projects and has actively participated in all stages of the project lifecycle. She has a very strong knowledge and understanding of EHS regulations.

Becky currently supports a wide variety of EHS projects, including incident management, industrial hygiene, emergency response plan (ERP) development, safety committees, and environmental regulatory compliance projects. She currently serves as the Health, Safety, Security, and Environmental (HSSE) Regional Advisor for Antea Group's Upper Midwest region.

#### **Related Project Experience**

- As an HSSE Regional Advisor, provides HSSE support and guidance to operations teams in the region and supports company-wide HSSE initiatives.
- Provides incident management support for a leading tech company by validating No Treatment and First Aid incidents within their Incident Management System. For certain incidents, completes follow up with store management to check on the employee's well-being, if they sought medical treatment, and/or to provide guidance on safe work practices and injury prevention.
- Conducts industrial hygiene monitoring, specifically for noise and Indoor Air Quality (IAQ) projects within the technical industry.
- Provides ongoing health and safety support for technical companies, including facilitating safety committee meetings, EHS auditing, emergency response planning, workstation ergonomic assessments, and other ondemand services.
- Prepares Spill, Prevention, Control & Countermeasure (SPCC) plans and Stormwater Pollution Prevention Plans (SWPPP) for numerous sites in various industries.
- Performs office ergonomic evaluations and provides recommendations to improve employee's comfort and prevent future discomfort or injury.



## **Becky Matich**

- Provided Active Threat Awareness trainings to hundreds of employees across nine stores as part of a global retailer's training initiative (Summer 2016).
- Has performed several EHS audits in the retail, industrial and medical sectors.

As an EHS Specialist at a leading ethanol company, Ms. Matich supported the management team in all facets of EHS regulatory compliance and safe work practices, including:

- Observed employees performing their job duties to ensure safe work practices were effective in controlling health and safety hazards.
- Completed annual reviews and updates to health and safety programs to ensure compliance, including hazard communication, blood borne pathogens, hearing conservation, lockout/tag out, and respiratory protection.
- Lead and assisted in the investigation of health and safety incidents.
- Coordinated and directed inspections for fire suppression systems, Process Safety Management (PSM) mechanical integrity requirements and pollution control equipment.
- Administered safety programs, including the instruction of hazard communication, lockout/tag out, Process Safety
  Management (PSM), permit-required confined space, and fall protection for approximately 42 employees at the
  facility.

Throughout the course of her career, Becky has also:

- Become proficient in Microsoft and iOS applications and has worked in SharePoint and Egnyte platforms for document management and storage.
- Performed Phase I environmental site assessments, where work included site reconnaissance, state file reviews, review of historical documents, and report preparation.
- Interpretated field data and laboratory analytical results, summarized site recommendations, and prepared investigation reports.
- Supported work on litigation cases by reviewing deposition transcripts, analytical data, environmental permits, and correspondence.



## Corey C. Mecham

Title

**Project Manager** 

#### Education

BS – Meteorology, Northern Illinois University, DeKalb, Illinois

Post-Graduate Certificate in Geographic Information Analysis, Northern Illinois University, DeKalb, Illinois

#### **Professional Associations**

Illinois GIS Association

#### Languages

English

#### **Experience Summary**

Corey Mecham, project manager with Antea Group, has 12 years of professional experience in the consulting, research, industrial and laboratory fields. His background includes project management, GIS, EMIS, LNAPL modeling and evaluation, remediation system operation and maintenance, air pollution testing, sample recovery and analysis, sampling of soil and ground water contamination and health and safety enforcement. He provides management as well as technical support for site investigation and remediation projects at a variety of active and abandoned sites in the Midwestern United States. He directs and coordinates the preparation of work plans, site health and safety plans, investigation reports, remediation reports, conceptual site models, corrective action plans and remedial designs from Antea Group's Bettendorf, lowa, office.

#### **Related Projects**

- Provides GIS and EMIS data management services for multiple North
   American projects, including management of large volumes of diverse spatial,
   geotechnical and chemical data. Utilizes ESRI Arc View 10 for creation of
   raster, vector and surface layers; performs spatial and three-dimensional
   analysis and creates visualizations for project sites. Provides data and analysis
   for use in decision making for investigation, risk assessment, property
   assessment, and environmental litigation and remediation projects.
- Guided an LNAPL assessment and remediation at a former impoundment pond in lowa. Directed the LNAPL mass, mobility, and recoverability assessment and developed the Conceptual Site Model. Based upon the results of the LNAPL assessment, successfully proposed alternate remedial endpoints that substantially reduced remediation costs. Following successful remediation, the site obtained closure from the regulatory agency.
- Provided project management at a railroad yard in Kansas. Conducted and directed site assessment in association with an inactive fueling facility.
   Coordinated and directed a technical education session for the regulatory agency, on behalf of the client. Managed and coordinated field, laboratory



## Corey C. Mecham

and engineering activities associated with a site-wide LNAPL mass, mobility and recoverability evaluation. Performed assessment activities including determination of groundwater and soil source concentrations of VOCs, BNAs, and TPH constituents, groundwater flow direction, inferred area of soil and groundwater impact, and migration mechanisms.

- Provided field services associated with leaking underground storage tanks at a Brownfield assessment and
  remediation site in lowa. Conducted soil and groundwater sampling at an abandoned railroad yard. Performed
  field activities that included free product measurement and removal, soil boring sampling and survey work.
   Completed monthly operation, maintenance and sampling of dual phase extraction system and associated monthly
  compliance reporting.
- Performed third-party testing at a manufacturing plant to provide information on NOx and CO emission levels that were guaranteed objectives by the manufacturer. Simultaneously performed relative accuracy testing for calibration of plant instrumentation. Assisted in logistics and scheduling of personnel and equipment, which included shipping of hazardous materials.
- Directed field activities for testing of particulate, metals/mercury, and PCDD/PCDF, HCL, O2/CO2, NOX/NO2, SO2
  and CO emissions at various municipal waste incineration facilities in Florida. Testing was needed for state and
  federal EPA compliance for Title V, Municipal Waste Incinerator emission compliance, and relative accuracy testing
  of plant instrumentation. Activities included wet method and monitor testing, laboratory sample recovery and field
  analysis, packaging and shipping hazardous materials for additional laboratory analysis. Also directed personnel
  and equipment logistics and scheduling.

## Curriculum Vitae Paul M. Meier, PG



#### **Experience Summary**

Paul Meier has 30 years of experience as an environmental consultant providing services to public and private sector clients. His specialties include management of emergency response cleanups; remedial actions design and implementation; construction and excavation oversight; drilling oversight; installation of groundwater monitoring wells; soil and groundwater sample collection for analytical testing; report preparation; subcontractor coordination, and characterization of subsurface soil and geology. Paul works in Antea Group's Bettendorf, Iowa, office.

#### Title

Staff Scientist/Geologist

#### Education

BS – Geology, Winona State University, Winona, Minnesota

#### **Professional Registrations**

Professional Geologist: Wisconsin

#### **Professional Associations**

Minnesota Groundwater Association

#### Languages

English

#### **Related Projects**

- Participated in several Stormwater Pollution Prevention Plan (SWPPP) site surveys for an industrial client in Iowa. Project tasks included reviewing project site background information, conducting on-site inspections of the site facilities and activities and identifying stormwater flow paths and discharge points.
- Participated in a large-scale crude oil pipeline spill remediation project for a
  petroleum client in northwest North Dakota. Project tasks included assisting
  with the excavation of the impacted soils which totaled into the several
  hundred thousand tons, directing the drilling of direct-push soil probes to
  further define the crude oil plume, classification of soils and geology, and
  collecting soil and groundwater samples. Additional project tasks included
  coordinating the pumping and discharge of storm and snowmelt water from
  the excavation during several events and the collection of discharge samples
  to ensure compliance with the NDPES permit.
- Participated in a site investigation project for an industrial client in Des
  Moines, Iowa. Project tasks included directing the drilling of direct-push
  probes to further define a petroleum TCE/PCE plume, classification of soils
  and geology, collection of soil and groundwater samples including the use of
  passive diffusion samplers, and contractor coordination and oversight.
- Participated in a large sludge pond remediation project for an industrial client in Council Bluffs, Iowa. The project included characterization of soil and



www.anteagroup.com

Antea USA, Inc. 23 March 2017

## Paul M. Meier, PG

geology, on-site remediation via excavation and disposal of petroleum- and solvent-contaminated sludge. Project tasks included air monitoring, soil sampling, groundwater sampling, contractor coordination, and data analysis.

- Participated in a site investigation project for a commercial client in Black River Falls, Wisconsin. Project tasks included
  oversight of drilling groundwater monitoring wells into bedrock using a rotasonic drill rig to further define a
  TCE/daughter products plume, classification of soils and geology, collection of soil for laboratory analysis, collection of
  groundwater utilizing low-flow sampling methodology, collection of natural attenuation parameters, and contractor
  coordination and oversight.
- Participated in groundwater sampling projects for an industrial client at sites in Nebraska. The project included the
  collection of groundwater samples for chlorinated solvents using passive diffusion samplers, and recording
  groundwater natural attenuation parameters.
- Participated in a multi-facetted site remediation project for an industrial client in Chadron, Nebraska. Tasks includes reviewing historical information regarding site use and process; completing an on-site investigation to identify soil and groundwater impacts at the site; classification of soil and geology; and the completion of a subsurface investigation to further delineate environmental impacts at the site. The remediation phase included documenting and coordinating with contractors to remove product, sludge and contaminated water from several storage vessels; documenting the cleaning of the vessels; coordinating the disposal of the waste products; and documenting the decommissioning of the storage vessels. The storage vessel cleaning activities were conducted under permitted confined space entry. Additional work included data analysis and completion of the decommissioning report.
- Participated in a gasoline pipe line spill remediation project for a petroleum client in northwest Indiana. The project site
  was located in a residential neighborhood with multiple overhead and underground utilities and under high public
  scrutiny. Tasks included assisting with coordination and oversight of the excavation and disposal of the impacted soil,
  soil screening and sampling, soil segregation, soil and geology classification, and soil boring and monitoring well
  installation oversight.
- Participated in a crude oil pipe line spill remediation project for a petroleum client in northeast Illinois. The project site
  was located in a wetland adjacent to a railroad and highway corridor. Project tasks included performing sediment
  sampling and water quality monitoring at multiple locations within the wetland; and oversight of the installation of
  several groundwater monitoring wells installed into the bedrock.
- Managed many underground storage tank remedial investigations and actions. The investigations included subcontractor coordination, collection of soil and groundwater for laboratory analysis, and contractor and stakeholder coordination. Remedial action activities included the design and implementation of remediation systems including: soil venting, groundwater treatment using in-situ air sparging, carbon absorption, and liquid-phase product separation.
   Worked with the client and regulatory agency to provide cost-effective project solutions.
- Provided technical and project support for multiple petroleum contaminated sites throughout the Midwest. Tasks
  included evaluating the nature and extent of contamination and the development of remediation costs. Activities
  included supervision of data collection and analysis of affected media including soil, bedrock and groundwater;

## Paul M. Meier, PG

estimation of remediation costs; technical evaluation of corrective actions; supervision of field staff; report preparation; and engagement with regulatory agencies.

- Performed water use audits for the United States Post Office. The audits included conducting a walk-thru of two Post
  Office facilities and documenting water usage. Follow-up work included providing recommendations for water-saving
  fixtures and a cost benefit analysis.
- Supervised the installation of soil boring and groundwater monitoring well networks including classifying and logging of subsurface soil and geology, and the collecting soil and groundwater samples for chemical analyses. Provided oversight of drilling contractors using Geoprobe®, hollow stem auger, rotasonic, mud rotary, air rotary, and rock coring drilling methods.



## **Cindy Meldrum**

#### **Experience Summary**

Cindy Meldrum has an extensive background as an office manager, field technician and drafter, having provided environmental project support for more than 19 years. Her responsibilities include preparation of maps and well diagrams by utilizing AutoCAD, as well as reimbursement packets, data entry, laboratory and sample tracking, project and budget tracking, groundwater sampling, free product recovery, water level data collection, site surveys, well searches and drafting reports and Health and Safety Plans (HASP). She is currently responsible for creating over 80 HASPs for a major transportation client across the country and keeping them updated on an annual basis.

#### Title

Technical Scientist
Project Manager Assistant

#### **Education**

AAS – Business, Scott Community College, Bettendorf, Iowa

#### **Professional Registrations**

Iowa Public Notary

#### Language

**English** 

#### **Related Projects**

- Conducted quarterly water level data collection from 38 monitoring wells, along with low-flow groundwater sample collection from a network of 15 monitoring wells at a chemical manufacturing facility in lowa.
- Assisted project team with performing monthly water level gauging and free
  product recovery, in addition to quarterly groundwater sample collection at
  numerous underground storage tank sites across lowa and Illinois.
- Conducted monthly water level and free product recovery and semi-annual groundwater sampling for a national transportation client.
- Served as a project assistant responsible for performing annual water level gauging and groundwater sampling at multiple LUST sites throughout Iowa.
- Responsible for invoicing and uploading information to a major transportation corporation on a monthly basis using their systems.





## Mark D. Nelson, PE



**Title**Consultant

#### Education

BS – Civil Engineering, University of Minnesota, Minneapolis, MN

#### **Professional Registrations**

Professional Engineer: Minnesota (25828), Illinois (062-055091), Florida (65189), California (CH 6359), Louisiana (35631), Mississippi (26532)

#### **Professional Associations**

American Chemical Society

#### Languages

**English** 

#### **Experience Summary**

Mark Nelson, a consultant for Antea Group, has more than 24 years of experience. He specializes in evaluating environmental risks, developing creative strategies and cost effective solution implementation. He has broad experience in the design and implementation of a creative site remedies encompassing traditional and experimental technologies including mechanical systems, bioremediation, chemical oxidation and steam injection. Mark has completed remediation projects in over 30 states and several locations abroad. In addition, Mark has substantial experience managing facility closures, safely removing site assets.

#### **Related Projects**

- Engineering Quality Assurance. Mark provides technical support and quality assurance for remediation system design and optimization across the company.
- **ELT Portfolio.** Mark has led several environmental liability transfer portfolios. In this role he focused on managing several project teams dedicated to extinguishing environmental liability on a portfolio of retail petroleum release sites. Antea Group entered into a contract to close all of the sites for a fixed price. Mark acted as the responsible party, managing strategies to close sites and eliminate liability at the lowest cost.
- Account Leader. Developed and led a multi-office team serving a National, mid-stream petroleum storage and distribution client. Services provided to this client included site remediation, emergency response, site compliance, and operations manual development. Account has consistently met revenue and profitability targets.
- Pipeline Release, Tioga, ND. Mark led the remedy strategy development for
  a large crude oil release in north western North Dakota. Mark developed the
  strategy for crude oil recovery as part of the emergency response and is
  developing the strategies for the final remedy to return the impacted area
  back to productive farm land.
- Vapor Intrusion. Mark has provided engineering design for sub-slab depressurization systems to protect building occupants from vapor intrusion.
   He has developed systems for residential and manufacturing facilities.



Antea USA, Inc. 15 April 2017

## Mark D. Nelson, PE

- Manufacturing Plant, Sanmina, Canada Site Investigation/Pump & Treat Optimization Senior Project Scientist
  providing developing strategy and oversight of work scopes prepared by our local Inogen partner. Developed
  strategy to completed additional investigation and source area reduction to allow shut down of the current pump
  and treat system. Strategy was accepted by the Ontario Ministry of the Environment and will lead to earlier site
  closure and significant life cycle cost savings.
- Pipeline Release, Jackson, WI. Mark was the lead consultant developing the remedial strategy in response to a pipeline release of approximately 50,000 gallons of gasoline. Mark developed a creative remediation strategy tailored to unique site conditions to recover gasoline from a layered bedrock with gasoline impacts located a depths of 25 feet below grade and 150 feet below grade. The system consists of 53 shallow extraction wells and five deeper recovery wells.
- **Litigation Support, Green Bay, WI.** Provided Expert Witness support for a case regarding sources, transport and remediation of an LNAPL plume affecting a basement. The support required review of historical reports, forming opinions regarding the sources and transport of an LNAPL plume, writing expert reports and responding to plaintiff's expert reports. Efforts lead to a favorable settlement with the plaintiff saving the client over \$4 MM.
- Petroleum Refinery, Petite-Carounne, France. Mark was the lead design engineer for development of the design
  and implementation strategy for remediation of an LNAPL plume located under a refinery and the surrounding
  township that was responsible for significant vapor intrusion into a nearby residential area. Mark lead the design
  effort for a remedial system that will recover LNAPL and mitigate vapor intrusion from a 35 acre plume consisting
  of 175 multi-phase extraction points, 180 soil vapor extraction points complete with water and air treatment
  systems.
- Pipeline Release, Livingston, IL. Senior engineering oversight in response to a pipeline release of gasoline in a rural
  west, central Illinois. Mark designed an extensive laser induced fluorescence investigation of the release area once
  emergency response activities were complete. Mark interpreted the results of the investigation and is directing the
  remedial strategy to restore the affected properties.
- Pipeline Release, Lockport, IL. Mark provides senior oversight, directing the remedial response to a pipeline release of crude oil. The release affected a commuter rail line, wetlands and affected the habitat of an endangered Hines Emerald dragonfly. Mark directed remedial efforts to recover crude oil at the conclusion of the emergency response effort. These efforts included design of a system to recovery crude oil from utility corridors and design work to protect the wetlands from seeps from the remaining residual oil.
- Closed Bulk Petroleum Storage Facility, Superior, WI. Mark provided oversight developing the strategy for investigation and remediation of a closed bulk facility located in Superior, WI. Hydrocarbon releases over its 100 year operating history resulted in two multi-acre LNAPL plumes. Developed and implemented a source removal plan where existing underground facilities were removed. The removed facilities included over 26,457 feet of pipe recovering 16,000 gallons of product and 1300 tons of product saturated soil. Directed the design and implementation of a phased multi-phase extraction system to address one of the LNAPL plumes and directed the design and implementation of both fixed and mobile LNAPL skimming system(s) for the second plume.
- **Former Bulk Storage Facility, Peoria, IL**. Mark provided senior engineering oversight for operation of a large scale pump and treat system and strategic planning to move the site to regulatory closure. Designed and implemented sub grade facility removal removing 27,350 feet of piping. Used vacuum pigging techniques to recovery more than 9,000 gallons of product from the piping prior to removal. Discovered and removed 7 assorted process flow tanks.

## Mark D. Nelson, PE

- Former Bulk Storage Facility, Jefferson, Missouri. Mark provided strategic engineering support in
  decommissioning a closed bulk storage facility. Removed sub grade piping between the facility and the barge dock
  located on the Missouri river. Removed product from piping prior to piping removal. Removed the barge dock
  facility utilizing barge mounted cranes and equipment to remove the dock, control room and other riverside
  facilities.
- **Bulk Petroleum Storage Facility, Spring Valley, MN.** Mark led the team to develop the strategy for investigation and remediation of a LNAPL plume at an operating bulk storage facility. Directed design, installation and operation of a dual phase extraction system to recovery LNAPL from karst. This system has successfully recovered LNAPL, reaching regulatory criteria for system shut down within 4 years of operation.
- Historic Railroad Depot and Rail Yard, Minneapolis, MN: Mark designed and performed a combination soil vapor
  extraction, total fluids recovery and steam injection pilot test. Used the data developed from this test to design
  and implement a full-scale steam injection system to treat four acres of diesel fuel impacted soils surrounding and
  underneath a historic railroad depot located in the downtown area of Minneapolis, MN. Operation of the steam
  injections system recovered over 30,000 gallons of diesel fuel and successful regulatory closure and subsequent
  site redevelopment.
- Daimler-Chrysler, Huntsville, AL. Mark designed a large-scale combination multi-phase and soil vapor extraction
  system for a DaimlerChrysler site located in Huntsville, Alabama. The extraction system consisted of 29 nested
  wells for a total of 58 separate extraction points. The system was designed to allow simultaneous SVE and MPE to
  operation on separate wells using the same manifold system. In this way, high volume air extraction is occurring
  subsequent to the well being dewatered by the multiphase extraction.

#### **Presentations**

- "Microbial Ecology as an Indicator of Effectiveness of Sequential Chemical Oxidation-Bioremediation", 25<sup>th</sup> Annual International Conference on Soils, Sediments, Water and Energy, Amherst, MA.
- "LNAPL Recovery from Karst", Atlantic Richfield Remediation Engineering and Technology Exchange Meeting, Houston, Texas, April, 2006
- "Underground Piping Removal: Lessons Learned From Three Terminal Sites", The 17th Annual Conference of Remediation Management Global Soil and Groundwater Network, Calgary, Alberta, October 3, 2005.
- "Ethanol; Environmental Guidance", BP Environmental Conference, Chicago, Illinois, January 14, 2003.
- "Ethanol Release: A Case Study", BP California Ethanol Conference, La Palma, California, September 26, 2002.
- "Delineation and Recovery of Free-Phase Hydrocarbon in a Fractured/Solution-channeled Dolostone", 2002
   National Ground Water Association, Petroleum Hydrocarbons and Organic Chemicals in Ground Water: Prevention, Detection and Remediation.
- "Milwaukee Road Depot: Application of Steam Injection", BP Hydrocarbon Environmental Management Meeting, Chicago, Illinois, 2001.
- "In-Situ Remediation of Ethanol, Ammonia and Petroleum Hydrocarbons Via Aerobic Biodegradation", The 6th International In Situ and On Site Bioremediation Symposium, San Diego, California, 2001.
- "Designing Piping Networks for Multi-Phase Extraction Systems", The 5th International In Situ and On Site Biodegradation Symposium, San Diego, California, 2000.



## Lawanda Olin



**Title**Staff Professional/Local Contact

# Education MA - English Literature A.A.S - Civil Engineering Technology

#### **Languages** English Hindi

#### **Summary**

Lawanda Olin has more than 12 years of experience in environmental consulting, providing support services including AutoCAD work, document review, quality control, and professional report writing. She specializes in working with Antea Group's Mergers & Acquisition practice area, and assists with Antea Group's due diligence work and work products. Lawanda is also a member of Antea Group's Executive Support team, supporting five senior executives within the company with day to day tasks.

#### **Experience and Skills**

- Produce maps for clients under specific guidelines, including regulatory electronic GIS deliverables such as NJDEP Remedial Investigation Report maps. Work includes reports for clients such as BP, Kinder Morgan, Getty, Buckeye Terminals, Alliance Energy, Ashland and state agencies.
- Create and perform calculations for client specific Environmental, Health and Safety reports, OSHA logs, Excel graphs, charts, and timelines.
- Set up Excel macro to automate processes, saving time and effort.
- Initiate and follow-up FOIA requests, online, on the phone and in person.
- Prepare summaries of EDR reports for client sites.
- Enter information and generate forms and audit protocol reports in iEHS, Antea Group's web-based platform.
- Support internal and client-facing presentations, website blogs, case studies and press releases.
- Review proposals and reports for correct grammar usage, spelling, and sense.
- Use Word and Acrobat in an advanced capacity for preparing reports, letters, and correspondence.
- Prepare invoice and backup documentation.
- Post-ghost computers and assist with minor IT issues.
- Arrange meeting venues and all details from internet access, audiovisuals, and meeting handouts to refreshments.
- Support confidential aspects of projects such as client and vendor communications.



Antea USA, Inc. 9 March 2018



## **Jared Otto**



## **Title**Senior Project Manager

# **Education**BA – Geology, University of Minnesota, Morris

## Professional Registrations Professional Geologist: Minnesota

# Professional Associations Minnesota Ground Water Association (MGWA)

#### Languages English

#### **Experience Summary**

Jared Otto is a Senior Project Manager with Antea Group based in Shoreview, Minnesota. He has more than 23 years of experience in environmental consulting. He specializes in project management, environmental investigations, and remedial corrective actions. His technical specialties include geology, hydrogeology, soil and water contamination source identification, contaminant fate and transport, groundwater monitoring program design, groundwater quality data analysis and evaluation, and corrective action design and implementation.

#### **Related Projects**

- Currently serves as Senior Project Manager for petroleum and railroad clients. Responsibilities include communication with clients, regulators, and contractors; preparation of work plans; budget preparation and tracking; work oversight and delegation; and project database tracking.
- Served as Project Manager / Hydrogeologist for numerous site investigations
  of soil and groundwater contamination in the states of Minnesota, Wisconsin,
  South Dakota, North Dakota, Iowa, Kansas, Montana, Missouri, Illinois,
  Indiana, Arizona, Michigan, Tennessee, Ohio, Nebraska, California, Wyoming,
  and Georgia.
- Hydrogeology field experience has included supervision of underground and above ground storage tank system removals, soil excavation, drilling supervision (push probe, hollow stem auger, air rotary, mud rotary, rotosonic, cable tool, CPT, LIF ROST, MIP), chem-ox injections, utility receptor surveys, well receptor surveys, soil and groundwater sampling, enhanced fluid recovery technology (EFRt), slug tests, pump tests, soil gas surveys, indoor air sampling, system pilot tests, remediation system installations, and system operation and maintenance.
- Hydrogeology technical activities have included groundwater flow analysis, slug and pump test analysis, groundwater modeling, groundwater data analysis, trend analysis, soil gas evaluations, monitoring well network design, and report preparation.
- Corrective action activities have included working with soil vapor extraction, air sparge, pump and treat, product skimmers, and multi-phase recovery systems. Also performed bench scale testing, pilot testing, and full implementation of insitu chemical oxidation.

#### Jared Otto

- Completed activities in accordance with varying and state specific regulations and guidelines. Activities included the preparation and/or review of reimbursement program applications.
- Performed technical reviews of approximately 100 leak sites to determine potential costs to closure for an environmental risk transfer project. Provided site recommendations to drive project to regulatory closure in the states of New York, New Jersey, Connecticut, Rhode Island, and Massachusetts for a large petroleum company.
- Participated in the environmental risk transfer of approximately 80 projects in Minnesota, Wisconsin, Iowa, North Dakota, and South Dakota. Activities included preparing site reviews, preparing cost to regulatory closure, and negotiating with insurance and state agencies.
- Prepared winning cost to closure bid for a liability risk transfer project in Wisconsin. The site is a former terminal with multiple LNAPL plumes and sensitive receptors nearby.
- Served as senior project manager for a terminal project involving a petroleum plume that extends over one-mile
  from the source area in karst topography that migrated toward sensitive receptors including a trout stream and
  private wells. Activities included defining and monitoring the plume, performing remediation, and communicating
  with neighboring stakeholders and government agencies. Site received NFA status in 2014.
- Currently serving as senior project manager for a terminal project in Wisconsin that has a LNAPL plume extending off-site onto a third party property. A multi-phase recovery system has been installed in the basement of the third party building. Indoor air monitoring and product mobility have been two areas of focus for the project.
- Serving as senior project manager for a Class 1 railroad company overseeing a program to assess environmental
  conditions on properties leased to non-railroad entities. Tasks include lease site file reviews, site inspections, and
  limited soil and groundwater site assessments on leased properties.
- Serving as senior project manager for a large railroad company overseeing a project that has nitrate, nitrite, and
  ammonium impacts to soil and groundwater in the state of Nebraska. A large scale excavation was completed to
  remove a bulk of the mass and then phytoremediation was implemented wich included planting over 1,500 hybrid
  poplar trees. Even though the site is in a wellhead protection zone, phytorediation was approved by the state
  agency as the corrective action. Long term groundwater monitoring will occur until site specific cleanup standards
  have been satisfied.



## **Molly Partridge**

#### **Experience Summary**

Molly Partridge, Project Professional, started with Antea Group in March 2015. She has abundant experience collecting scientific data in the field, analyzing and interpreting data, composing technical reports, and communicating results to the scientific and non-scientific communities.

Her technical expertise includes obtaining groundwater field data; collecting GPS data; surveying site features; collecting rock samples for petrographic analysis, geochemical analysis, and geochronologic analysis; using GPS data and sample data to create geologic maps; editing geologic maps with ArcGIS and Adobe Illustrator; interpreting geologic maps and data to create corresponding cross sections.

Ms. Partridge has experience with excavation of contaminated soil, monitoring and vapor well installation, in-situ chemical oxidation (ISCO) injection, high vacuum extraction, free product removal, groundwater sampling, soil sampling, vapor sampling, ambient air monitoring, data input, hydrograph and contaminant graph creation, technical report writing, and support on litigation projects.

#### **Related Projects**

- Oversaw in-situ chemical oxidation (ISCO) events at numerous petroleum contaminated sites
- Oversaw High Vacuum Extraction (HVE) events for soil vapor extraction (SVE) and free phase product abatement
- Oversaw MIHPT drilling, a combination of a Membrane Interface Probe (MIP), Electrical Conductivity (EC) probe, and a Hydraulic Profiling Tool (HPT) to detail subsurface water table and contaminant conditions
- Assisted with various investigations including: installation and abandonment of monitoring wells, completion of soil borings, and installation of vapor monitoring points
- Conducted multiple Phase I Environmental Site Assessments and Pre-Purchase Audit Reports, including site visits, interviews, and report writing

#### **Title**

**Project Professional** 

#### Education

MS – Geological Science Central Washington University, Washington

BS –Geological Science Winona State University, Minnesota

## Languages

English



Antea USA, Inc. March 29, 2018



- Directed the removal of multiple types of hazardous waste from sites, including lead impacted soil and hydrochloric acid impacted water
- Experienced in collecting free phase product, sampling groundwater and soils, and collecting vapor samples
- Coordinated with subcontractors for site work for the removal of non-hazardous materials and equipment from an active petroleum terminal
- Compiled historical site data to aid in site understanding and project plan development
- Worked as field lead for various projects including contaminated soil excavation, groundwater/soil sampling, well installation/abandonment, free product recovery, and ISCO injection
- Conducted groundwater sampling and report writing for an EPA oversight project
- Communicated with regulators and clients on-site to explain site activities and plans
- Assisted with management and logistics of projects including: scheduling subcontractors, communicating project
  information to the project manager and staff, along with communicating with stakeholders to secure access agreements
  with affected third parties
- Supported a wide variety of project reports and deliverables in several Midwest states





## Jon P. Pesicka, PE



**Title**Senior Consultant

#### Education

BS – Civil Engineering, South Dakota School of Mines and Technology, Rapid City, SD

#### **Professional Registrations**

Professional Engineer: California, Wyoming, South Dakota, Colorado,

#### **Professional Associations**

Member, American Society of Civil Engineers; Association for Environmental Health and Sciences; National Groundwater Association;

#### Languages

**English** 

#### **Experience Summary**

Through 27 years of engineering and consulting experience, Jon delivers strategic environmental liability management and business-minded remediation solutions to oil and gas industry clients. Jon provides expertise in the areas of decommissioning strategy, hydrocarbon investigation and remediation, regulatory compliance, UST system design, installation and removal, international project management and safety training. Jon also assists attorneys as an expert technical advisor during environmental case depositions and legal proceedings as well as supports counsel with strategy development and information discovery. Jon has provided portfolio management oversight for over 1,000 petroleum-impacted properties across the United States. Clients value Jon's technical focus, attention to detail and ability to seamlessly coalesce cross-functional teams to ensure compliance of common policy and procedure throughout an organization.

#### **Related Projects**

- Served as project manager for a large scale port based petroleum terminal demolition in South Africa. The recently idled terminal assets included 18 above ground storage tanks, six underground storage tanks, three two story concrete block buildings, one large warehouse and one six-story steel industrial building. The terminal was located immediately adjacent to shipping docks on one side, railroad on the other side and large volume fuel storage tanks on the remaining sides. Accountabilities included management of resources and logistics of personnel groups on site, site audits and safety assurance coordination, summary report completion and validation of site waste and transport data. The entire demolition was completed in 5 months and the site was restored to a bare lot.
- Assisted design engineer with patent application for innovative zero
  emissions soil vapor extraction system. Provided senior oversight of the first
  site operations. Assisted project team with operation and monitoring plan,
  schedule and implementation. The system operations resulted in
  groundwater concentrations decreasing to near non detectable in less than 4
  months of operation. Developed marketing materials and presentations for
  other clients, consultants and conferences to showcase the innovative design
  that required no air quality permit and discharged no emissions to the
  atmosphere.



www.anteagroup.com

Antea USA, Inc. July 7, 2017

## Jon P. Pesicka, PE

- Key member of company's engineering remediation practice team. The team develops key processes for operations teams to utilize when engineering or site remedies are needed. This system is available to all personnel who made need a specific technical expertise as well as maintain compliance with state registration compliance requirements. The team developed design standards, bidding specifications, construction oversight practice and an assurance process to allow project managers the opportunity to utilize expertise across the company while still managing risk for the company and documenting these actions.
- As a maintenance engineer for a global oil company responsibilities included a large scale underground storage
  tank replacement project in Southern California. The new UST systems included some of the first double wall tank
  and piping installations at retail sites. Accountabilities included complete specification packages for permitting
  and bidding, extensive field inspections to ensure compliance with company and vendor protocols and warranties.
   Various types of tanks and piping were used including Owens-Corning, Xerxes, Joor, A.O. Smith, Fiber Trench and
  telescoping double wall piping.
- Designed fueling systems for United States Postal service facilities. Following a site specific facility review to
  determine site capacities and needs, a proposed fueling system concept plan was developed for site facility
  managers to review. Custom fueling centers were needed due to the highly variable site constraints, volumes of
  fuel needed and permit requirements. Above or below ground tanks were utilized depending on site dimensions
  and permit requirements. Construction schedules were detailed in the bid specifications to allow for 24 hour site
  activity at the USPS facilities.
- Served as Senior Project Manager for Antea Group's field response to the Gulf of Mexico oil spill. Coordinated the training and logistics of over 40 personnel on the ground in the Gulf region that support client with safety oversight for cleanup operations, waste management inspections and audits and sampling. Direct resources to the region often with immediate needs and logistics of travel, field equipment, and site location support. Multiple personnel in several states were simultaneously working, with varying work locations daily, severe weather often threatening their work location and potential for unknown safety concerns.
- Served as a National Account Manager for two major oil company clients. Responsibilities included coordination of internal teams to provide seamless product delivery to national clients, assure compliance of client policies and procedures, and negotiated acceptable contract language and pricing. Created a team of resources to meet needs of clients and determine and continually calibrate team for appropriate staff mix.
- Provided technical support for litigation project at a Superfund project involving multiple parties with source determination and allocation disputes. Assisted legal counsel and expert witness with technical review of historical data, source determination, allocation of responsibility and engineering review of demolition, assessment and dredging plans.
- Provided technical assistance for a major oil company's defense against the State Attorney General's office claim. The AG was attempting to impose compliance penalties regarding underground storage tank compliance, particularly the 1998 EPA upgrade standards. Several test sites were selected and extensive reviews of site assessments, remediation plans and operations, regulatory agency records research, corrosion evaluations, permit reviews and maintenance records were conducted. A detailed evaluation of the environmental risks that may have been the result of the non-compliant components was performed as well as in-depth evaluation of alternative

## Jon P. Pesicka, PE

methods of releases other than the non-compliant components. Several negotiation sessions were held, including in-depth review of particular sites and specific circumstances. The proposed fine was significantly reduced, without being tried in court.

- Supervised and directed teams managing over a thousand petroleum impacted site investigations at leaking
  underground tank sites as a major oil company representative and as an environmental consultant. Investigations
  incorporated work plan development, permit acquisition, subcontractor negotiations, status reporting for client,
  waste disposal coordination and soil boring and well placement. Investigations also included soil and water
  sampling, boring log preparation, assessment report preparation, data evaluation, site closure, and budget
  responsibility. Primary contaminants involved in the majority of the corrective actions were petroleum fuel
  constituents such as benzene, toluene, methylbenzene, and xylene and oxygenates such as MTBE and TBA.
- Coordinated and managed the permitting, design, construction, operation, and maintenance of several soil venting
  systems used for hydrocarbon site remediation. Implemented new technology remedial techniques: sparge and
  vent groundwater and soil remediation, in-situ bioventing. Evaluated and utilized various types of exhaust
  treatment systems, such as thermal oxidizers, catalytic oxidizers and granulated carbon absorption for use in
  conjunction with soil vapor extraction. Construction oversight was also performed for many of the designs to
  assure compliance with designs and permit conditions as well as providing safety oversight for all workers and
  stakeholders.
- Supported client with negotiations involving allocation of responsibility for sites with impacts from different operators at different times. Technical review of the sites included a detailed review of historical site owners and operators as well as what type of site operations were conducted. A historical review of regulatory compliance was performed to determine if permit compliance was maintained, potential inventory control mechanisms, and release reporting compliance. Additionally geochemistry data was analyzed to attempt to date impacts and differentiate product formulas to determine responsibility. Forecasting future cleanup costs was provided to prepare for negotiations with other responsible parties. Often the negotiations were presented to a mediator who would provide a final determination on allocation of accountability. The development of the technical arguments and the presentation of the arguments were critical to achieving a fair outcome.

#### **Presentations**

- Pesicka, Jon, Gilchrist, Phil, Poster Presentation, Zero Emissions ECO SVE: Enhanced Concentrating Soil Vapor Extraction System, 27th Annual International Conference on Soils, Sediments, Water, and Energy. San Diego, CA, March 2012.
- Pesicka, Jon, Gilchrist, Phil, Platform Presentation, Zero Emissions ECO SVE: Enhanced Concentrating Soil Vapor Extraction System, 28th Annual International Conference on Soils, Sediments, Water, and Energy. Amherst, MA. October 2012.

#### **Publications**

Pesicka, Jon. Tank Decommissioning – Down But Not Out. Tank Storage Magazine, Volume No. 8, Issue No. 4,
 September 2012, pp. 82-83.



### Brent D. Puck



**Title**Senior Project Manager

#### **Education**

MS – Physics, Ball State University, Muncie, IN

BA – Physics, Taylor University, Upland, IN

#### **Professional Registrations**

Certified Groundwater Professional, lowa

#### Languages English

#### **Experience Summary**

Brent Puck is a senior project manager with more than 18 years of professional experience in remedial investigations, environmental site assessments (ESAs), soil and groundwater remediation and project/program management. He is the operations manager located in the Bettendorf, lowa, office, where he is responsible for the day-to-day operations of a nine-member team. Brent focuses his efforts on providing portfolio management and oversight for all aspects of project work. As a senior project manager, he is responsible for all facets of the project's activities, including strategy development, client communications, proposal preparation, staffing assignments, data evaluation, document review, contractor oversight, and health and safety compliance. Brent monitors progress against financial and time schedule requirements, and is responsible for meeting client budgetary and project goals.

#### **Related Projects**

- Current client contact for the Midwest portfolio of a major railroad client, responsible for management of all projects within lowa, Kansas, Missouri and Nebraska. He is responsible for assembling the 15-year environmental liability estimates for the company's entire portfolio of client sites. Also served as the senior project manager for the Midwest portfolio of a nationwide groundwater sampling program.
- Project management for the ESA and Remedial Action Plan development at a
  railroad yard in Iowa. Conducted and directed site assessment in association
  with an inactive surface impoundment pond. Performed assessment activities
  including determination of groundwater and soil source concentrations of
  volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs)
  and metals constituents; hydrogeology characterization; analysis of inferred
  area of soil and groundwater impact; and identification and evaluation of
  migration mechanisms. He also proposed and implemented innovative
  remediation of VOC-impacted soils and sludges, reducing disposal costs by
  judicious selection of soil amendments. Directed soil excavation and disposal
  permitting for VOC-, SVOC-, and metals-impacted soils and free product.

#### **Brent Puck**

- Primary lead in development of a Soil Management Program for a Class I railroad client. The program was
  developed as a means to reduce liability exposure resulting from export of surplus soils during construction
  projects. Worked collaboratively with the client's environmental and engineering departments to develop a
  uniform procedure for management of soils, including sampling frequency, sample location selection, analytical
  requirements, data evaluation, and deliverables.
- Senior Project Manager providing direction and oversight of emergency response actions associated with the
  release of petroleum to a drainage ditch. Coordinated all response actions, including oil recovery, soil excavation,
  surface restoration, source identification and corrective action, and incident reporting. Identified process failures
  with on-site water treatment facility as source of release, and directed corrective actions to prevent future failures.
  Facilitated communication across the client's multiple business units, and served as client liaison to regulatory
  agency. Cost savings were realized by identifying solutions to logistical problems related to grubbing and
  excavation activities.
- Primary project manager for assessment, remediation, monitoring and closure of four separate project sites within a railroad yard in Iowa. Developed individual strategies for each leaking underground storage tank (LUST) site due to heterogeneity of soils and presence of shallow bedrock. Developed and implemented supplementary investigation and remediation for non-petroleum impacts at the 30-acre site. Provided environmental support during property sale negotiations. Proposed innovative closure mechanism allowing for classification to No Further Action while exceeding regulatory free product threshold. Served as the point of contact between the new property owner and responsible party during a highway construction project through the former railroad yard.
- Lead resource for development of client-specific Ground Disturbance safety practice. Selected by client to lead
  practice development, which included fostering open communication and coordination with health and safety
  professionals from five other consulting firms providing services for the client. Accumulated input from the client's
  environmental, engineering, and operations departments, incorporating pertinent information to create a
  document that presents the ground disturbance practice in a thorough and unified manner.
- Provided management and field support for cleanup activities at an active railroad switching yard that experienced
  major flooding. Identified potentially hazardous materials and conditions, and coordinated cleanup efforts with
  emergency response personnel, railroad managers, and municipal officials. Directed removal and disposal of
  hazardous and non-hazardous materials, including petroleum products, solvents, propane tanks, bagged asbestos
  waste, paints, and general flood debris.
- Project manager directing assessment and remediation activities in association with a crop duster crash in a
  residential setting. The crash involved the release of fully-loaded tanks of fungicide and aviation gas. Assessment
  of soil, groundwater, and the residential septic system were conducted. Oversaw excavation of fungicide-impacted
  soils as primary remedial action, and subsequently obtained regulatory closure upon completion of assessment
  and remediation activities. Served as liaison between homeowner, insurance company, and regulatory agencies.

#### **Presentations**

• "Remediation of VOC Impact at a Former Surface Impoundment Pond," J. McDermott, B. Puck, K. Miller, presented at the Railroad Environmental Conference, Champaign, Illinois, October 2006.



## **Donald Reeder**

#### **Experience Summary**

Don Reeder is a drafter with more than 15 years of experience. He specializes in AutoCAD civil and environmental drafting. Don's site maps are used in the entire lifecycle of work on a project. His drafting work is the basis for all samples, analysis and studies of groundwater and soil.

#### **Related Projects**

- Worked on several large scale projects, including civil and environmental drafting work on a large Conoco Terminal in Wrenshall, Minnesota large rail yard for Union Pacific in Clinton, Iowa.
- Served as Health and Safety Manager (Dahl and Associates) for the north central regional office.
- Assisted project management staff in Phase I Environmental Site Assessments and remedial investigation corrective action designs.
- Served as assistant in Information Services Departments (Dahl and Associates and Epoch Environmental). Created and maintained company web sites.
- Served as Field Technician. Extensive field experience included agricultural
  chemical site inspections; data collection; soil, water and air sampling;
  remediation system repair; and pilot studies in a wide range of situations.
  Also served as Technical Services Coordinator. Involved in scheduling and
  coordinating field work, field equipment maintenance and repair and supply
  purchases. Also experienced in directing underground storage tank removals,
  excavations and drilling.
- Provided civil drafting work for location of streets, roads and utilities for general analysis. The maps were used for site analysis and surveying service stations, large terminals and neighboring surroundings.
- Provided environmental drafting work related to underground storage tanks and wells used by geologists to locate groundwater flow, soil contamination and chemical analysis. Also provided Geologic Cross Sections of sites to show the underground geology of the soil and water. They are also are used for drilling, Geoprobe and excavating activities at project sites.

#### **Title**

**Staff Professional** 

#### Education

BS – Horticulture, University of Minnesota, Minneapolis, MN

AutoCAD 2013

## Language

English

INOGEN\*



## **Nancy Rodning**

## **Experience Summary**

Nancy Rodning is a Project Geologist with 15 years of experience in the environmental industry. She specializes in Phase I and II environmental assessments and related due diligence projects and remedial investigations. She contributes the following consulting experience and services:

- Field services at petroleum and non-petroleum sites under State Leaking
  Underground Storage Tank and State Voluntary Investigation and Cleanup
  Program direction include oversight of excavations for soil remediation;
  oversight of soil boring and monitoring well installations, and tank removals;
  soil, soil vapor, ground water, surface water, air and asbestos sampling; and,
  surveying.
- Technical services include interpretation and preparation of geological cross sections; writing of investigation, assessment and monitoring reports for sites with petroleum, chlorinated solvent, and metals impacts; writing of property transaction Phase Is and Phase IIs in accordance with ASTM, Minnesota VIC, Fannie Mae, and HUD guidelines; preparing Spill Prevention, Control and Countermeasure Plans; and, waste compliance oversight.
- Project management services include preparation and tracking of work scopes, budgets and job schedules; and, written and verbal correspondence with clients, contractors, off-site property owners, and local and State regulators.

#### **Related Projects**

 Multiple clients, across the US – Provides field and project management services in Minnesota, Wisconsin, Iowa, South Dakota, North Dakota, Missouri, Nebraska, Louisiana, Idaho and Texas for brownfield sites, petroleum, and non-petroleum spill investigation and remediation sites. Field activities include installation of soil borings and monitoring wells, collection of soil, soil vapor and ground water samples, excavation of contaminated soils, and Phase I and Phase II environmental assessments for property developers and lending institutions.

#### **Title**

**Project Geologist** 

#### Education

BS – Geology, University of Wisconsin

#### Languages

English



www.anteagroup.com

Antea USA, Inc. July 28, 2011

## **Nancy Rodning**

- Westgate V/Archer-Daniels-Midland/Highway 280 Superfund Site, St. Paul, MN Researched and prepared Phase I ESA for Superfund site; conducted soil and groundwater sampling via soil borings and monitoring wells for non-petroleum contaminants as part of redevelopment assessment; assisted with Development Response Action Plan detailing soil excavation plan for varying depth intervals; performed excavation oversight and sampling for suspect ACMs in the area of excavation.
- Union Pacific Railroad Roundhouse, Huron, SD Conducted excavation oversight of petroleum-impacted soils in
  and around holding ponds and adjacent creek. Excavation oversight included field monitoring of soil samples and
  directing the separation of impacted soil for off-site disposal from soils acceptable for on-site re-use. A total of
  47,000 cubic yards of soil was excavated over a one-year period. Prepared weekly activity reports for submittal to
  UPRR, South Dakota Department of Environmental Resources, and Environmental Protection Agency.
- Milwaukee Road Depot MN VIC Site, Minneapolis, MN Researched and prepared Phase I ESA for former railroad depot; conducted soil and groundwater sampling as part of redevelopment assessment; provided excavation oversight of petroleum and non-petroleum impacted soils from former railroad depot, including soil sampling, directing the separation of impacted soil for off-site disposal.
- City of Chaska Block 5 and Klein Brick Yard Redevelopment MN VIC and VPIC Sites, Chaska, MN Researched and conducted Phase I ESAs on two blocks slated for City redevelopment; prepared Phase II and Development Response Action Plans for redevelopment of sites for retail and multi-family residential uses; implemented DRAP at both sites, including soil and groundwater sampling for petroleum and non-petroleum impacts, excavation of impacted soil for off-site disposal, and managing waste water discharge; obtained No Further Action determination from MPCA, allowing for site redevelopment; prepared DTED grant application for project funding for the City of Chaska.
- British Petroleum(BP) MC252 Spill Site, Mississippi Provided waste management compliance oversight at a spill response equipment decontamination facility associated with the MC252 spill site on the Gulf Coast.
- Library Square Residential Development, Mandan, ND Researched and prepared Phase I ESA for several lots slated for residential development located over railroad petroleum plume in downtown Mandan; prepared and implemented Phase II and Development Response Action Plan for redevelopment of properties with off-site source impacts; coordinated with City and State regulatory authorities and Fannie Mae to satisfy varying environmental standards and requirements.
- Unisource MN VIC Site, St. Paul, MN Researched and prepared Phase I ESA for commercial property located adjacent to Valentine Clark Superfund site; prepared and implemented Phase II soil and groundwater sampling for redevelopment of property with off-site source impacts.
- AlliantTech Systems, St. Paul, MN Researched and prepared Phase I ESA for ammunitions maker and large quantity hazardous waste generator. Reviewed historical and current hazardous waste management plans and prepared and implemented Phase II soil and groundwater sampling for site-specific chemicals of concern.
- ConocoPhillips Circle K Retail Store Site Assessments, MN, TX, LA, GA Conducted subsurface assessments at
  retail gas stations as part of a large scale property transfer, including project scheduling and coordination; soil
  boring oversight, including soil and groundwater sampling; conductance of scope of work in accordance with Statespecific regulations; release reporting to State; and, preparation of site assessment reports and release reports as
  required by State agencies.



## Joy Rooney, EIT



# **Title**Staff Engineer Data Manager

#### **Education**

BS – Biosystems and Bioproducts Engineering, University of Minnesota, Minneapolis, MN

#### **Professional Registrations**

Engineer in Training: Minnesota (140168)

#### Languages

English

#### **Experience Summary**

Joy Rooney, a project professional for Antea Group, has more than 6 years of experience exploring a host of groundwater and surface water related issues. Her experience includes operation and maintenance of soil vapor extraction, air sparge, and pump and treat remediation system. Joy also has extensive experience in surveying, hydrological modeling, instrumentation, and water, air, and soil sampling. She has written external reports to meet company, client, and regulatory requirements.

Joy pairs her field engineering experience with a deep understanding of data management. Her experience includes a vast background working with EQuIS, ArcGIS, and Visual Basic. Joy uses her knowledge of field data collection to enhance the quality and integrity of data management, programming, and visualization practices.

#### **Related Projects**

- Remediation System Operation and Maintenance:
  - Pipeline Spill, Jackson, WI: Oversaw the daily engineering operation of two soil vapor extraction units and one pump and treat system.
     Performed all necessary scheduled and unscheduled maintenance to optimize the performance of all systems. Reconfigured enhanced fluid recovery technology on a daily basis to maximize product recovery.
     Completed all daily field and system readings, sampling, and reporting.
  - Bulk Oil Storage, St. Paul, MN: Currently the primary engineer for the operation and maintenance of a soil vapor extraction and air sparge remediation system. Performs all system readings, sampling, and reporting. Monitors system daily via telemetry.
  - Drum Disposal Facility, Isanti, MN: Currently the primary engineer for the operation and maintenance of a soil vapor extraction unit in Isanti, MN.
     Performs all system readings, sampling, and reporting.
- EQuIS Data Management and Reporting:
  - Pioneering team member in company-wide initiative to enhance data management technology and visualization tools



Antea USA, Inc. 24 May 2013

## Joy Rooney, EIT

- o Completed EarthSoft Power User training in Seattle, WA
- Currently providing EQuIS support and training to multiple Antea Group teams, including: loading data,
   reporting, troubleshooting loading and reporting errors, and data verification
- o Communicating with laboratories to increase the integrity and consistency of data packages
- o Designing tools in Visual Basic to transform historical data into formats accepted my EQuIS
- ArcGIS Mapping and Visualization:
  - o *Jackson, WI:* Using historical well records within a 2 mile radius of the site, calculated and mapped the hydraulic conductivity, transmissivity, and specific capacity index
  - o *Nebraska:* Created visualizations in ArcGIS to delineate the extent of nitrate, nitrite, and ammonia in groundwater and varying depths in soil
  - o *Kansas City, MO*: Created sensitivity maps for FRP Plan. Used LIDAR data to create cross-sections and slopes to determine flow rate and distance of a worst case scenario oil spill
  - Superior National Forest, MN: Implemented time saving process for identifying potential crossing locations using ArcGIS to pinpoint locations where streams cross roads and trails
- Visual Basic Data Collection Streamlining, St. Paul, MN: Previous data collection using a PDA system presented several problems: slowness of use, inability to check data, and limited access to data within office. Created new field forms using Visual Basic to overcome existing problems and fully integrate into the existing database at no additional cost.
- Illicit Discharge Identification and Elimination, St. Paul, MN: A persistent illicit discharge into the Mississippi River was both an eyesore and could potentially present a host of ecological issues. The stormwater interceptor, located 150 ft. underground, is inaccessible to traditional sampling and monitoring. Used 90,000 points of instantaneous flow data and associated laboratory data from the outfall to construct flow and load duration curves. Load duration curves are used to identify potential constituents and flow regimes associated with an illicit discharge. Identified E. coli and suspended solids as primary constituents associated with the illicit discharge during low to moderate flow conditions. The City of St. Paul has since relined portions of the stormwater interceptor and eliminated the illicit discharge.
- Stormwater Monitoring and Reporting, St. Paul, MN: Fifteen ISCO 6712 full water quality stations and 18 level loggers are located throughout the Capitol Region Watershed District. These stations are monitored to quantify the effects of stormwater improvement projects and water quality changes within the district.
  - o Installed, maintained, and collected data and water samples from water quality stations and data loggers.
  - Calculated annual TP and TSS loading from each monitoring location using 10-minute instantaneous level and velocity data collected throughout monitoring year.
- BMP Inspection and Maintenance, St. Paul, MN: Inspected district owned BMPs for functionality and damage including; tree trenches, raingardens, infiltration trenches, catch basins, wetland systems, stormwater ponds, and an underground stormwater infiltration facility.
- Culvert Replacement Prioritizing in the Superior National Forest, Duluth, MN: The Superior National Forest consists of over 3 million acres in northeast Minnesota with over 1,300 miles of cold water streams and 950

## Joy Rooney, EIT

miles of major warm water streams supporting fisheries. Many of these streams are segmented and impassible to fish and macroinvertibrates due to improper culvert sizing and alignment.

- Located and surveyed over 500 crossing locations throughout the Superior National Forest
- o Ranked and prioritized crossings for replacement using quantitative and qualitative field data.
- Background Parameter Collection of Crude Oil Spill, Bemidji, MN: In 1979 a crude oil pipeline burst just outside
  of Bemidji, MN. Approximately 110,000 gallons remain in the subsurface after remediation efforts. Collected
  background parameter data (DO, pH, temperature, and conductivity) data using an YSI meter from over 100
  sampling points throughout the affected area. This data is collected annually to monitor long-term changes
  outside the plume.
- Investigating the Fate of Veterinary Pharmaceuticals in Groundwater, Bethel, MN: Antibiotics, hormones, and other pharmaceuticals persist in the environment, present reproductive problems to fish, and often pass intact through traditional wastewater treatment facilities. A three-year field study at Cedar Creek Ecological History Reserve was conducted to investigate the fate of four antibiotics and an estrogen compound applied to different cover crops (corn, CRP, prairie, and bare ground) to groundwater.
  - Initialized project by collecting background data, determining pharmaceutical list, creating seeding plan,
     constructing and calibrating monitoring equipment, and installing 35 water sampling points.
  - o Constructed, installed, collected and maintained data from four Campbell Scientific data loggers recording soil temperature, soil moisture, and osmotic potential at varied depths under each cover crop type.
  - Supervised five to seven interns and work studies in conducting field operations such as: USGS protocols
    for water and soil sampling, above and below ground biomass harvesting, ELISA kit testing, equipment
    calibration, and sample preparation.



# Anthony (Tony) Rossano

## **Experience Summary**

Anthony (Tony) Rossano is a senior project manager for Antea Group with more than 30 years of environmental, health and safety experience. He is extremely knowledgeable in state and federal regulations applicable to Clean Air Act permitting, reporting, and compliance, industrial hygiene, Health, Safety & Environmental program auditing, laboratory operations, due diligence auditing, environmental site assessments, OSHA compliance, chemical products evaluations, TSCA, and EPCRA compliance. He has strong project management, planning and problem resolution skills and is an effective liaison with management, employees, contractors, and regulatory agencies.

## Title

Senior Project Manager

#### Education

BS – Chemistry, Columbus College (Columbus State University), Columbus, GA

#### Credentials

- DOT Hazardous Materials (HazMat Employee) certification
- Lead Inspector (Target Housing and Child-Occupied Facilities)
- On-Scene Incident Commander (Hazardous Waste Operations and Emergency Response)
- Hazardous Materials Technician (Hazardous Waste Operations and Emergency Response)
- Asbestos Operational and Maintenance Worker
- Asbestos Emergency Response Act (AHERA) Building Inspector
- American Chemical Society Member (30+ yrs)
- Air and Waste Management Association - Member

## **Related Projects**

- Completed Synthetic Minor Air Permit modifications for major containerboard manufacturer. Responsibilities included regulatory review, air pollutant emissions development, permitting, and interaction with State and Local permitting agencies.
- Completed environmental, due diligence, and Phase I Environmental Site
  Assessments (ASTM) audits for a national containerboard manufacturer.
  Responsibilities included reviewing environmental compliance, assessing
  environmental risk to property, and evaluating the current permitting /
  environmental reporting status (air quality, hazardous waste, storm water,
  wastewater, EPCRA, etc.).
- Completed numerous Qualified Facility and non-Qualified Facility Spill
  Prevention Control and Countermeasure (SPCC) Plans, and Storm Water
  Pollution Prevention (SWPP) Plans for national containerboard manufacturer
  and rental car company.
- Completed Title V Air Permit revisions for major automotive parts manufacturer. Responsibilities included regulatory review, air pollutant emissions development, air dispersion modeling, liaison with regulatory agency, and Title V application completion.
- Corporate Laboratory Manager for national bed and bath textile company -Supervised and managed laboratory technicians in R&D, Environmental, Analytical (Technical Services), Cotton Dust, and Water / Wastewater laboratories; Instituted and maintained quality control procedures / data and OSHA compliance for all labs.

#### Languages

English



www.anteagroup.com

Antea USA, Inc. 05 November 2015

## Anthony (Tony) Rossano

- Completed Title V (PSD) permitting for major international glass manufacturer. Responsibilities included air dispersion modeling, emission factor development, emission reduction offsets determination, and Title V modification application.
- Completed Synthetic Minor Permit revisions for major turbine manufacturer. Responsibilities included regulatory review, air pollutant emissions development, and interaction with State and Local permitting agencies.
- Developed air emission factors for wood preservative operations for major wood preservative manufacturer.
   Responsibilities included protocol development for air emissions factors, development of air emissions calculations, and air permitting regulatory review for several eastern and western U.S. states.
- Completed numerous major Title V and New Source Review revisions for an international pulp, paper, and containerboard company. Responsibilities included air dispersion modeling, Title V modification application preparation, and liaison with state permitting agency.
- Completed compliance plans for import/export of chemicals under TSCA Section 12(b) and 13. Responsibilities included developing and implementing protocols for laboratory import of chemicals in major textile laboratory and development of TSCA compliance plan for a major printing company.
- Assisted major wood preservative manufacturing company with TSCA reporting and required notifications under Section 8(c).
- Developed 112(r) Chemical Risk Management Programs for numerous facilities. Programs included evaluation of chemical releases, assessment of risk, and emergency response.
- Completed major Title V and New Source Review revisions for an international packaging printing company. Responsibilities included writing draft permit and interaction with state permitting agency.
- Served as corporate environmental, health and safety coordinator for a national manufacturer of bedding and bath products. Duties included:
  - Advised facility managers and corporate management on regulatory compliance of state and federal regulations
  - Developed model General Duty Plan, Clean Air Act (CAA) amendments Section 112 (r), for company-wide compliance
  - Prepared and submitted Conditional Major / Synthetic Minor air permit applications (Title V) and assisted facilities in implementing record keeping requirements for issued permits
  - Directed compliance with Community Right-to-Know (SARA Title III) reporting for over 50 facilities in 38 states
  - Coordinated company-wide disposal of RCRA-regulated hazardous waste, as well as universal waste
  - Implemented sampling strategy for lead paint compliance
  - Developed and implemented radiation safety program for the operation and licensing of x-ray fluorescent lead analyzer
  - Assisted corporate safety director with development of various safety programs
- Developed an asbestos management plan for a large industrial company. Plan included coordination of sampling and abatement activities, coordination of AHERA Inspector Training and researching/approving licensed asbestos abatement companies for working in company facilities.
- Developed Medical Waste disposal procedures for occupational clinics for a large industrial company for multiple state facilities including state licenses and facility medical waste management programs.
- Served as chemist and laboratory supervisor for textile manufacturer. Duties included:

## Anthony (Tony) Rossano

- Supervised and managed laboratory technicians in R&D, Environmental, Analytical (Technical Services), Cotton
  Dust, and Water/Wastewater laboratories; coordinated and scheduled analyses of test samples received,
  developed and implemented laboratory standard operating procedures, and Quality Assurance program.
- Maintained proficiency of Environmental Measurements Lab as an American Industrial Hygiene Association accredited laboratory with participation in the NIOSH Proficiency Analytical Testing Program
- Instituted and maintained quality control procedures and OSHA compliance for all labs.
  - Assisted in evaluation of health hazards in the workplace using industrial hygiene sampling protocols.
- Developed a lead-based paint management program for a large textile manufacturer. Responsibilities included evaluating sampling strategies, potential for lead exposure, and developing cost effective removal or encapsulation strategies to minimize employee exposure to airborne lead dust.
- Prepared numerous air emission inventory reports for major Title V, Synthetic Minor, and Minor facilities.
   Responsibilities included overall project management, development of emission factors, emissions determinations using EPA TANKS program and vapor pressures based on Raoult's Law, report preparation and interaction with state agencies.
- Performed environmental, health & safety audits for a U. S. petroleum pipeline distributor and petroleum products manufacturer. Responsibilities included identifying non-compliance issues and providing recommendations for issue resolution. Audits included evaluation of Federal (RCRA, EPCRA, TSCA, CAA, CWA, & OSHA) as well as state compliance programs.
- Performed an environmental, health & safety audit for a U. S. API pharmaceutical company. Responsibilities included identifying non-compliance issues and providing recommendations for issue resolution. Audits included evaluation of Federal (RCRA, EPCRA, TSCA, CAA, CWA, FDA (limited) & OSHA) as well as state compliance programs.
- Completed environmental, health & safety due diligence audits for a major global medical device manufacturer.
   Responsibilities included reviewing environmental compliance, assessing environmental risk to property, and evaluating the current permitting / environmental reporting status (air quality, hazardous waste, storm water, wastewater, EPCRA, etc.).
- Managed multisite International EHS audit programs for numerous international and U.S. manufacturers.
   Responsibilities included auditor management, scheduling, protocol management/development, report preparation, and auditor training.
- Conducted numerous Phase I Environmental Site Assessments (ASTM) for several international manufacturers.
   Typical properties included active and closed manufacturing sites in preparation for sell by owner/operator or purchase by prospective buyer. Responsibilities included assessing recognized and de minimis environmental conditions.
- Performed environmental, health & safety audits for a major worldwide beverage manufacturer. Responsibilities included identifying non-compliance issues and providing recommendations for issue resolution. Audits included evaluation of Federal (RCRA, EPCRA, TSCA, CAA, CWA, & OSHA) as well as state compliance programs.
- Developed Integrated Contingency Plans (ICP) for several facilities to include spill control (oil), stormwater, hazardous waste (LQG), chemical storage, and bulk chemical storage tanks for a national printing and publishing company. Responsibilities included site review/observations, SOP review, site drawings, and development of comprehensive ICP.



## Peter J. Schwalbach

## **Experience Summary**

Pete Schwalbach, a Senior Project Manager, has more than 27 years of experience in the area of environmental regulatory compliance. Peter's technical specialties include compliance auditing, air emissions permitting, hazardous waste management, environmental regulatory training presentations, and stack emissions testing.

## **Related Projects**

- The completion of environmental regulatory audits in California including the
  following regulatory areas: solid and hazardous waste, air emission
  management, emergency planning and community right to know reporting
  (Hazardous Materials Business Plan and Toxic Release Inventory), wastewater
  management, pesticide management, storm water permitting associated
  with industrial activity, and compliance with California Proposition 65. Types
  of industrial properties audited in California as part of the regulatory
  assessments included: pulp and paper, food and beverage, chemical, light
  manufacturing, and medical services.
- Conducted Process Safety Management (PSM), Risk Management Program (RMP), and Environmental regulatory compliance audits for a major food distribution company. Audits focused on the company's ammonia refrigeration systems and support activities having applicability with environmental regulatory topics (air, water, waste).
- Participated on teams conducting environmental regulatory compliance audits for the leading global brewer. Audits were conducted at the company's North American breweries, entertainment theme parks, agricultural properties, and container manufacturing locations. Audits covered all major environmental regulatory topics.
- Participated on an EHS audit team conducting environmental, health and safety regulatory compliance audit of Fortune 500 electronics manufacturing company at numerous locations throughout the United States. The audits were conducted utilizing Dakota Auditing software and addressed all major EHS regulatory topics.

#### Title

Senior Project Manager

#### Education

BS – Civil and Environmental Engineering, University of Wisconsin Madison, Madison, Wisconsin.

## Languages

English

\*\*INOGEN

www.anteagroup.com

## Peter J. Schwalbach

- Served as primary auditor for 40 multi-media environmental compliance audits at manufacturing and service facilities for an international manufacturer over a 3-year period. The facilities manufactured heavy construction equipment, auto parts, and door hardware.
- Assisted as a member of a multi-disciplinary audit team in the completion of over 70 environmental compliance audits at manufacturing and service operations across the United States.
- Served as primary auditor for multi-media environmental compliance audits at two 500,000 square-feet cereal manufacturing plants.
- Assisted in completing environmental compliance audits of eight TSDs and transporters of hazardous waste in eight different states. Operations included metal smelting, metal refining, and transportation, and disposal of hazardous waste.
- Conducted environmental regulatory compliance audits for a global consumer appliance manufacturing company
  at sites located in the United States. Audits covered all major environmental regulatory topics. Lead auditor for
  EHS audit team of a chemical manufacturing company with locations in North America. Audits covered all major
  environmental, health and safety topics.
- Conducted emissions testing services at electric power generation utilities following EPA Standard Test
  Methodology. Power plants were located throughout the United States (Connecticut, Illinois, Indiana, Iowa,
  Wisconsin, New Jersey, and New York).
- Project Manager and Lead Presenter for the preparation and delivery of training customized for the environmental coordinators of a major pulp and paper company. This included the development and use of practical exercises that reinforced the regulatory lessons taught during the lecture portions of the training.
- Worked closely with a client as a Project Manager and Lead Presenter in developing a long-term environmental awareness training program strategy. This program has evolved over the past 9 years to incorporate their specific business issues as they relate to environmental regulations.
- Worked with a Food and Textile Company's environmental corporate team to develop a company-wide awarenesstraining program. Served as the Project Manager during the development of their materials and presented at their annual training seminar.
- Completed a storm water permit application for a national based manufacturing company for one of their facilities located in North Carolina. Reviewed storm water pollution prevention plan and best management practices for an electronics manufacturing facility located in Minnesota.
- Lead Project Engineer for the completion of a Part 70 air permit at a steel fabrication facility in Wisconsin.
- Conducted air emission inventory and air quality compliance review for a manufacturing facility in Wisconsin.
   Assisted in preparation for writing a Major Source Operating Permit application to meet Wisconsin Clean Air Act regulations.
- Completed a chemical inventory and determination of potential to emit calculation for Title V applicability for a
  flexographic print shop. The printer inventoried over 150 different inks and operated four flexographic printers and
  four cold set presses.



## **Jack Sheldon**



**Title**Senior Professional

#### Education

MS – Environmental Microbiology, Wagner College, Staten Island, New York

BS – Bacteriology and Public Health, Wagner College, Staten Island, New York

## **Professional Associations**

American Society for Microbiology

**National Groundwater Association** 

## Languages

English, German

## **Experience Summary**

Jack Sheldon is a remediation subject matter expert located in West Des Moines, lowa. He has over 35 years of experience as a project manager and program director. He has specialized in the field application of various types of bioremediation and chemical oxidation/reduction systems, with personal involvement in 23 first type remediation projects in their respective states/countries. He has completed remediation projects in all 50 states and several locations abroad.

Jack has provided global remediation, microbiology, and regulatory negotiation services for many government and commercial clients on concerns of soil, sediment, air, and groundwater. He has worked extensively on site investigation, prepared various environmental reports, and successfully managed numerous projects and technology programs. He works regularly with investigation tools including MIP, HPT, UVOST, ROST, FLUTe™, and SIFT™. His primary expertise has been in the identification/selection of remediation technologies for projects and the monitoring of those technologies. Jack has designed, implemented, and supervised hundreds of treatability/pilot studies comparing technologies. He is actively involved in the design, equipment selection, monitoring, supervision, and peer review of full-scale remediation projects using a broad array of technologies.

Jack has authored more than 50 technical papers/articles, two best-selling books on bioremediation, and delivered more than 100 major presentations/webinars. He has conducted seminars for many regulatory agencies and taught courses for the University of Minnesota, the University of Wisconsin, Rutgers - the State University, Drake University, and the MA/CT/NY Licensed Site Professionals program. He serves on the peer review teams for multiple clients.

Jack is the primary quality assurance resource for all in situ chemical oxidation projects implemented by the company. He is also a member of the corporate project audit team, the corporate Volunteerism group, and the Remediation Engineering Evaluation Team (REET).



www.anteagroup.com

Antea USA, Inc. 19 January 2015

## Jack Sheldon

## **Selected Chlorinated Compound Remediation Projects**

- Oatland Island, Georgia, USA, Center for Disease Control, MNA/ In-situ Chemical Oxidation Senior Project Scientist on a Monitored Natural Attenuation evaluation for a former pesticide/herbicide disposal site impacted by DDT, pCBSA, Lindane, and Dieldrin. Designed pilot studies for potassium permanganate and Fenton's Reagent that were completed on two hot spot locations. Results showed that the latter technology was more effective at desorbing and treating the primary constituents beneath the landfill.
- Salt Lake City ANG Base, Utah, USA, Air National Guard Bureau, In-situ Chemical Reduction/In situ Chem-Bio Senior Project Scientist providing FS support and evaluating specific technologies for three individual sites impacted by petroleum hydrocarbons and chlorinated solvents at an active base. Completed review of QAPP, SAP, PP, HASP, and ROD for the project. Chemical oxidation using alkaline catalyzed Klozur® persulfate (provided as a single product, Klozur® CR) for TPH and chemical reduction of TCE using the EHC™ technology were selected and injected in 2008-2009. This was a 3 year performance based contract (PBC).
- ANGB/AC Thompson Field, Mississippi, USA, In situ Bioremediation (Anaerobic) Senior Project Scientist for an HRC® injection bioremediation project at an air base in Mississippi focused on TCE and daughter products.
   Responsible for design review and performance progress monitoring. Evaluated various carbon substrates at the start of the project.
- Manufacturing Plant, New Jersey, USA HB Fuller, In-situ Chemical Reduction Senior Project Scientist for pilot test evaluation and full scale design for an in-situ chemical reduction in groundwater found in the overburden and fractured media impacted by CVOC's. Evaluated distribution of the amendment following direct placement and fracturing techniques. Reviewed progress reports and participated in client meetings. Providing full-scale design review and provide regular data interpretation using 3D visualization tools.
- Manufacturing Plant, New York, USA, Grumman, Bioreactor Senior Project Scientist for pilot test evaluation of a
  fixed film bioreactor inoculated with a specialized culture for TCE degradation. Optimized system parameters and
  reviewed performance data.
- Manufacturing Plant, Georgia, USA, Northrop Grumman, In-situ Chemical Oxidation Senior Project Scientist for third party review of a potassium permanganate injection approach designed by others for TCE remediation.
   Provided data review and a technical memorandum describing the findings of the evaluation.
- **Electronics Manufacturing Facility, North Carolina, USA, Confidential Client, MNA** Senior technical support for data interpretation from MNA program. Provided oversight for use of the NAS model (USGS/Virginia Tech) to generate additional evidence in support of the remedy.
- Tool Manufacturing Facility, North Carolina, USA, Confidential Client, In-situ Chemical Oxidation Senior technical support for two in-situ chemical oxidation pilot tests involving modified Fenton's reagent and alkaline activated persulfate on CVOC's in tight soil and fractured rock. Reviewed pilot study design and provided data interpretation.
- Former Manufacturing Facility, Minnesota, USA, Chemart, Microbial Profiling/Remedy Selection Senior technical support to develop a microbial profiling program on a small CVOC site for the purpose of remedy selection. The site is administered by the MPCA. A new molecular biological tool, QuantArray Chlor™, was utilized

## Jack Sheldon

to understand active microbial populations and processes to better focus a remedy.

- Beverage Formulation Facility, Massachusetts, USA, Coca Cola, Additional Investigation/Feasibility Study Senior technical support for development of a groundwater sampling strategy to delineate CVOCs in fractured bedrock.
   At the client's request, prepared feasibility document showing pros/cons of conventional and innovative approaches to source treatment and plume migration.
- Canton Drycleaners, Michigan, USA, Colony Insurance, In-situ Chemical Reduction/Bioremediation Senior technical support for a combination in-situ chemical reduction/bioremediation amendment delivery into an artificial saturated condition impacted by CVOC.s. Developed injection procedure and monitoring program.
   Assisted in regulatory interaction.
- Former Drycleaners, New Mexico, USA, AmeriPride, In-situ Chemical Reduction/Bioremediation Senior technical support for implementation of a combination in-situ chemical reduction/bioremediation approach at a site impacted by CVOC's and metals. Developed monitoring plan and provide regular data interpretation.
- Former Pump Manufacturing Facility, Illinois, USA, ITT, In-situ Soil Mixing Senior Consultant on an in situ soil mixing project where TCA, DCA, and DCE were treated with quicklime and Klozur® persulfate to a depth of 16 feet. Designed pilot test for soil treatment that looked at mixing regimes and amendment ratios. Evaluated data and designed scale-up. Oversaw full-scale application for treatment of 7500 cubic yards of soil.
- North RR Superfund Site, New Mexico, USA, New Mexico DEP/EPA Region VI, In situ Bioremediation (Anaerobic)

   Senior Project Scientist for the application of bioremediation strategies at the North Railroad Superfund site in Espanola, NM. Responsible for plan review and data interpretation as part of an extensive technology pilot program involving injection of various amendments to a large chlorinated solvent plume. This project was peer reviewed by John Wilson of EPA.
- **Keyser Yard, West Virginia, USA, CSXT, In-situ Bioremediation (Anaerobic)** Senior Project Scientist providing data interpretation for a TCE site where unique canisters of carbon source and nutrients, provided by Geovations have been placed in wells in the distal plume. Developed an exit strategy for the site.
- Farmers Grain Coop, Utah, USA, Scoular Companies, In-situ Chemical Reduction/Chemical Oxidation Senior Project Scientist for the development of a bench test evaluating oxidant demand for in situ chemical oxidation using potassium permanganate and Fenton's reagent. Also, evaluated the microbial and chemical capacity of the site to degrade TCE through ethane/ethane and to determine whether emulsified oil would be a good substrate to promote degradation of the chlorinated compounds present. Ultimately developed a pilot study involving a Klozur® sodium persulfate injection in the source area and a chemical reduction barrier at the property boundary.
- Athens Production Facility, Alabama, USA, Steelcase Manufacturing, MNA/In-situ Bioremediation (Anaerobic) Senior Project Scientist providing data interpretation and sampling program support for an MNA remedy on a TCE
  plume at an active furniture manufacturing facility. Selected emulsified vegetable oil as a substrate for source area
  reduction and a pilot test was conducted.
- HRC® Technology Development Program, Wisconsin/Iowa, USA, Regenesis, In-situ Bioremediation (Anaerobic) Program Manager for the first field demonstrations of Hydrogen Release Compound (HRC®), an innovative in situ
  enhancement for bioremediation of PCE/TCE. Used direct push injection and in-well treatment techniques to
  apply the product at the Cedarburg Drycleaning site in Cedarburg, WI and the Mark IV Industries automotive parts

## Jack Sheldon

manufacturing site in Eldora, IA. HRC® amendment application resulted in a >80% mass removal in 6 months in the source area of the drycleaning site. HRC® also was effective in reducing the total chlorinated VOC's by 90% at the Mark IV site over five years. This site has the longest period of HRC® application of any site in the US. The lowa site was conducted as a demonstration project for the lowa Department of Natural Resources.

- Confidential Electronics Client, Mississippi, USA, In-situ Bioremediation (Anaerobic) Senior Project Scientist on one of the largest HRC® bioremediation applications at an abandoned manufacturing site. Provided conceptual design and data interpretation. Several biobarriers were installed onsite and offsite to prevent further migration of a TCE plume; some were even installed in the right of ways of residential properties. The HRC® barriers proved to be an economic alternative to an ineffective air sparging/SVE system previously installed at the site by others. The old air sparging/SVE system was relocated to another area of the site where it is being used to address a newly found source area.
- Abandoned Zanesville Site, Ohio, USA, Lear Automotive Corp., In-situ Bioremediation (Anaerobic) Project
  Manager for an emulsified vegetable oil (SRS™) injection project for bioremediation of a chlorinated solvent
  groundwater plume at an abandoned automotive parts manufacturing facility. This application was more than
  \$100,000 less expensive than other remedial options. Provided oversight for bench testing, developed the
  conceptual design, selected subcontractors, supervised field application, and provided data interpretation.
- Unison, Kansas, USA, Dow/Union Carbide, In-situ Chemical Oxidation Project Manager for an in situ chemical oxidation pilot study of two modified Fenton's reagent solutions at a former transformer servicing company. Both on-site and off-site TCE plumes were addressed in the pilot study. The chemical oxidants were applied directly through direct-push rods saving the cost of expensive injection well installation. Results clearly demonstrated a citric acid/ferrous iron catalyst with 8% hydrogen peroxide formulation was most effective, and helped determine the injection layout for source treatment and downgradient application. Prior to the field work, coordinated a treatability study evaluating chemical oxidant formulations for the site.
- Maine Electronics, Maine, USA, Rockwell Collins, In-situ Chemical Oxidation Senior Project Scientist on an in situ chemical oxidation project where TCE and arsenic are impacting groundwater in two separate plumes that ultimately co-mingle off-site. A bench-scale treatability study was designed and completed showing that greater than 99% of both contaminants could be reacted. During a pilot study, results showed there was significant heterogeneity in the subsurface. It was possible to treat the arsenic area with chemical oxidation, but the TCE area was not treated successfully. A biological approach is currently being designed for this area of the site.
- Manufacturing Facility, North Carolina, USA, Honeywell, Phytoremediation Senior Project Scientist for the
  development of a cap for the source area and barrier for the toe of the plume using rows of hybrid poplar and
  willow trees to control TCE migration. Coordinated with subcontractor, Ecolotree, to review data, collect
  additional information, and prepare preliminary and final design reports along with an implementation schedule
  and plan.
- Manufacturing Plant, Confidential Client, Wisconsin, USA, In-situ Chemical Oxidation Senior Project Scientist
  for a multi-depth ozone sparging application for a chlorinated solvent groundwater plume in southern Wisconsin.
  This application was estimated at half the cost of a previously recommended ZVI barrier and was more practical in
  dealing with the depth to groundwater (>50 ft.) at the site.

## Jack Sheldon

- Brownfield Property, City of Louisville, Kentucky, USA, In-situ Chemical Reduction Senior Project Scientist for a Brownfield site slated for development into senior citizen housing. The site was impacted by PCE/TCE from a former drycleaning operation. Evaluated site investigation data and developed list of potential cleanup technologies. In-situ chemical reduction was selected for cost estimation and a conceptual design.
- Chemical Manufacturing Facility, Iowa, USA, Hydrite Chemical, MNA Senior Project Scientist on a unique MNA
  project involving mixed chlorinated solvents at a RCRA site. Abiotic reduction of the groundwater constituents was
  found to be the primary removal mechanism more so than biodegradation. Carbon isotope analysis, groundwater
  modeling, MNA modeling using Biochlor, mineral tests, and molecular biological assays were used to develop
  attenuation evidence.
- Ralston Landfill, Iowa, USA, Rockwell Collins, MNA Senior Project Scientist on a unique CVOC MNA project in fractured rock at a landfill formerly operated in Cedar Rapids, IA. After extensive negotiation with EPA Region 7 and its consultants, the approach saved the client over \$1 million in treatment cost by gaining approval for this remedy over pump & treat.
- Manufacturing Plant, Sanmina, Canada Site Investigation/Pump & Treat Optimization/ In-situ Chemical
   Oxidation Senior Project Scientist providing oversight of work scopes prepared by Inogen partners, DCS and Franz
   Environmental. Project involves additional investigation of CVOC impacts through well installation and sampling
   program. Also, an existing Pump & Treat system was optimized to provide maximum capture prior to coupling
   with a source reduction approach. Currently, an ISCO program is underway using potassium permanganate
   injection in the source area. Providing process review and data interpretation support.
- Asti Plant, Italy, United Technologies Corp., MNA Senior Project Scientist on one of the first MNA projects in the Asti region of Italy. The site was a former automotive parts manufacturing facility that used air sparging/SVE to treat chlorinated solvents in soil and groundwater. The project was transitioned into an MNA remedy for polishing.
- Air Bag Manufacturing Plant, France, Herakles, Feasibility Study, Senior Project Scientist on the evaluation of biological and non-biological technologies for source area and plume control of a large perchlorate and CVOC plume. Provided expertise on conceptual model development and design study for a permeable reactive barrier and source treatment. Evaluated a unique phytoremediation amendment for source treatment.
- Chemical Manufacturing Plant, France, Akzo Nobel/EKA Chimie, Feasibility Study, Senior Project Scientist on the
  completion of feasibility study of biological and non-biological technologies for source area and plume control of
  soil and groundwater impacted with sodium chlorate.
- Manufacturing Plant, Grace, Brazil In-situ Chemical Reduction Senior Project Scientist for technology selection, pilot test/full scale design and monitoring for an in-situ chemical reduction approach in a source area/distal plume impacted by CVOCs in tight media. Evaluated distribution of the amendment following direct push and hydraulic fracturing. Reviewed progress reports and also offered guidance on vapor intrusion studies performed at the site.
   Provide regular data interpretation. This effort was in support of Inogen partner, ANGEL.
- Manufacturing Plant, HB Fuller, Brazil In-situ Chemical Reduction Senior Project Scientist for technology selection, pilot test/full scale design and monitoring for an in-situ chemical reduction approach in both on- and offsite areas impacted by carbon tetrachloride and chloroform in tight media. Evaluated distribution of the

## Jack Sheldon

amendment following direct push, soil mixing and hydraulic fracturing. Reviewed progress reports and participated in client meetings. Completed full-scale design review and provide regular data interpretation using 3D visualization tools. This effort is in collaboration with our Inogen partner, ANGEL.

- **Public Landfill, Confidential Client, Taiwan, Litigation Support —** Senior technical support conducting a literature search to document fate and transport for individual CVOCs and biodegradation mechanisms.
- Parts Degreasing Plant, Confidential Client, Brazil In-situ Bioremediation (Anaerobic) Senior Project Scientist for data review and injection optimization of an emulsified vegetable oil injection for TCE in groundwater. Evaluated distribution of the amendment and ability to create anaerobic conditions and increase organic carbon. Helped local office prepare report for regulators.



# Darius S. Szewczak, CIH, CSP, CHMM



**Title**HSSE Advisor- Senior Project
Manager

#### **Education**

MEM, Environmental Policy and Management, Yale University, School of Forestry and Environmental Studies, New Haven, CT

BS, Environmental Sciences and Resource Management, Lehigh University, Bethlehem, PA

## **Professional Registrations**

CIH, Certified Industrial Hygienist

CSP, Certified Safety Professional

CHMM, Certified Hazardous Materials Manager

#### **Professional Associations**

Professional Member, American Society of Safety Engineers

Certified Member, Alliance of Hazardous Materials Professionals

Full Member, American Industrial Hygiene Association

## Languages English

## **Experience Summary**

Darius Szewczak is an HSSE (Health, Safety, Security and Environmental) Advisor and Senior Project Manager with the firm. He has over 20 years of professional experience in the environmental, health and safety fields, with the last 12 years focused on Antea Group's internal HSSE program.

Darius has worked in both the public and private sectors. His background includes health and safety compliance and management, hazard identification and risk assessment, Superfund project management, environmental investigation and remediation of contaminated properties, and environmental site assessments.

## **Related Projects**

Antea Group HSSE Advisor

- Oversees and manages the operation of Antea Group's internal health, safety, security and environmental (HSSE) program within the United States.
   Develops and implements internal policies, procedures, and training tools to ensure that employees and field sites are in compliance with regulatory, company and client health and safety requirements.
- Oversees Antea Group's Contractor Management Program- 295 contractors currently in the system.
- Performs internal HSSE audits and manages company responses to thirdparty HSSE audits including ISNetworld, Avetta, PEC Premier, Browz and ComplyWorks.
- Performs incident investigations and root cause analyses, incident and near miss trend analysis, and HSSE metrics tracking.
- Performs HSSE hazard analysis and risk assessments of project sites and work activities.
- Assists project teams with site-specific health and safety implementation and trains project teams on company safety programs and OSHA regulations.
- Manages HSSE staff.

Www.anteagroup.com



## Darius S. Szewczak, CIH, CSP, CHMM

#### Incident Investigation and Root Cause Analysis

- Lead investigator for over 30 formal incident investigations of employee injuries, contractor injuries, property damage events, high potential near misses and equipment failures.
- Skilled in:
  - o information collection and analysis
  - interviewing
  - root cause analysis
  - o corrective action plan development and implementation
  - report writing and presentations to stakeholders

#### In Situ Chemical Oxidation (ISCO) Hazard Assessment

- Led a team of internal experts in the H&S assessment of Antea Group's implementation of ISCO remediation projects.
- Developed an interim project review and approval process to keep existing projects on track during the assessment. The ISCO team reviewed approximately 60 sites, without delaying a single project's completion.
- Performed site audits and hazard assessments of representative ISCO field projects.
- Reviewed Antea Group contractor work procedures and established a pool of approved ISCO contractors.
- Developed new minimum safety standards to improve the execution of ISCO related field work.
- Presented a summary of the assessment process, findings and corrective actions to a nationwide audience of Antea Group operations managers and staff.

#### Closed Landfill HSSE Risk Assessments

- Developed a HSSE hazard risk assessment tool to meet a client's need to perform in-house hazard analyses and risk assessments of a portfolio of over 100 closed landfill sites across the state of Minnesota. The risk assessment tool identifies hazards via energy source analysis, and allows the risk ranking of the hazards through a determination of the frequency, likelihood and severity of potential incidents.
- Created a site health and safety plan (HASP) template package for the client to customize for each specific site. The template package included a HASP, the risk assessment tool, job safety analyses (JSAs), a tailgate meeting checklist and other supporting documents.

#### **Environmental Experience**

Leaking Underground Storage Tank (LUST) Sites, Minnesota – Managed site investigations and remedial actions for
multiple LUST sites throughout Minnesota. Project management tasks included developing and overseeing soil and
groundwater investigations, soil and groundwater remedial actions, vapor risk assessments and groundwater
receptor surveys, and underground storage tank removal activities; assisting with state-funded reimbursement
applications; and managing client and regulatory agency meetings.

## Darius S. Szewczak, CIH, CSP, CHMM

- Phase I Environmental Site Assessments, Minnesota, New Jersey, and New York—Performed Phase I Environmental Site Assessments of various industrial and commercial properties throughout Minnesota, New Jersey and New York.
- Preliminary Exposure Pathway Assessments (PEPA), South Dakota, Michigan and Georgia Performed preliminary
  exposure pathway assessments (PEPA) of petroleum bulk storage facilities, oil production sites, and former retail
  facilities in South Dakota, Michigan and Georgia. PEPAs are regional assessments designed to identify potential
  preferential contaminant pathways and receptors in the event of a release from a target property.
- US EPA CERCLA Sites, Pennsylvania Managed the State of Pennsylvania's interests in Federal CERCLA sites within
  northeastern Pennsylvania. Served as liaison between EPA Remedial Project Manager and PADEP technical staff for
  US EPA CERCLA sites in eastern PA. Reviewed remedial action and design plans for compliance with Pennsylvania's
  applicable, relevant and appropriate requirements. Coordinated PADEP responses to EPA inquiries and requests.
- Pennsylvania Department of Environmental Protection (PADEP), Hazardous Sites Cleanup Program/Site
  Remediation; Chemical Company, Pennsylvania Managed the remediation of an abandoned chemical company
  listed in the Pennsylvania State Superfund (Hazardous Sites Cleanup) program. Coordinated the efforts of State
  agency technical staff and environmental consultants. Oversaw daily on-site duties and project administration.
  Cleanup consisted of the characterization and disposal of 500+ drums and several bulk containers of unknown
  chemicals and chemical mixtures.
- Site Investigation and Remedial Action Evaluation, Land Development Project, New Jersey Managed a site
  investigation and remedial action evaluation for a land developer to substantiate his claim filed against his
  environmental insurance policy. Performed a site investigation, reviewed client's remedial action and reviewed site
  investigation performed by insurance company's environmental consultant. Formalized findings in a Remedial
  Action Report submitted to the NJ Department of Environmental Protection.
- Ecological Resource Risk Assessment; Golf Course; New Haven, Connecticut Performed an ecological resource
  risk assessment of the effects of pesticide application to a pond within a golf course. Identified golf course
  pesticide use and application rates. Evaluated pesticide toxicity to aquatic organisms and determined appropriate
  indicator species receptors. Estimated the concentration of pesticide reaching the lentic environment using an
  overland flow model from the Vermont Department of Environmental Conservation. Evaluated effect of estimated
  pesticide concentration on indicator species population.



## Karen Thole

#### **Experience Summary**

Karen Thole is a hydrogeologist with 20 years of experience. She specializes in Phase I and II environmental assessments and related due diligence projects, remedial investigations, PCB investigation and remediation, and air emissions permitting.

## **Related Projects**

- Served as project manager and/or Environmental Professional in conducting
  Phase I and II Environmental Assessments at a variety of residential,
  commercial, industrial, and agricultural properties throughout the United
  States. Responsible for the coordination of staff and contractor activities and
  the determination and tracking of project budgets. Responsible for collection
  and interpretation of historical and field data and preparation of reports.
   Responsible for the design and implementation of subsurface contamination
  assessments that included the determination of contaminant source areas
  and evaluation of ground water chemistry.
- Served as project manager and/or hydrogeologist for numerous petroleum hydrocarbon, chlorinated VOC, and agricultural chemical spill investigations and remediations in Iowa, Michigan, Minnesota, Ohio, South Dakota, and Wisconsin. Management tasks involved communication with clients, regulators, and contractors; preparation of work plans, cost estimates, and reports; and design and implementation of investigations and remediation systems. Fieldwork included installation of soil borings and monitoring wells; collection of soil and ground water samples; excavation of tanks and contaminated soils; and performance of slug tests, pumping tests, and packer tests
- Interpreted 10 years of hydrochemical data for the South Dakota Department of the Environment and Natural Resources. Assessed the impact of best management practices on these water quality parameters and assisted in report completion.
- Conducted PCB investigation and remediation at two industrial facilities with historical electrical transformer releases. Responsibilities included design and implementation of PCB investigations; coordination and

#### **Title**

Hydrogeologist

#### Education

MS – Geology, Washington State University, Pullman, WA

BS – Geology, Winona State University, Winona, MN

## **Professional Registrations**

Professional Geologist: Wisconsin (711-013), Minnesota (30709)

## Languages

**English** 



## Karen Thole

supervision of field staff and subcontractors; preparation of EPA notifications, applications, and certifications; and preparation of implementation reports, long-term management plans for engineered controls, and environmental covenants for residual PCBs.

- Completed annual air emission inventory reports and operating permit applications for industrial facilities in Illinois, Iowa, Minnesota, and Missouri.
- Developed a chemical inventory tracking system and completed determination of potential to emit calculations for NESHAP applicability for an industrial facility in Minnesota. The facility operated 10 paint spray booths and inventoried over 150 different paints and associated chemicals.
- Completed Form R reports for an industrial facility in Minnesota. Prepared a self-disclosure letter for violations related to late submittal of three years of Form R reports in accordance with the EPA's Audit Policy and received full penalty mitigation from the EPA.
- Completed Registration Permit and Part 70 Air Permit applications for an industrial facility in Minnesota. The facility operated two boilers, three shotblast booths, 10 paint spray booths, and a burnoff oven.



# Christine R. Tufts, P.G.

#### **Experience Summary**

Ms. Tufts is a Project Manager/Geologist with over twelve years of environmental consulting experience, specializing in soil and ground water investigation and remediation. She has a broad background with the investigation and remediation of a wide variety of sites, including gas stations, dry cleaners, industrial facilities, pipeline releases, mining facilities, and manufactured gas plants. Ms. Tufts is based in Antea Group's St. Paul, Minnesota office.

Ms. Tufts supports work on litigation and mediation cases by providing detailed analysis of case documents and recommendations to the stake holders, particularly in the areas of contaminant fate and transport and timing of contamination. Ms. Tufts also manages the day-to-day tasks of coordinating personnel and data management on large cases. Types of cases have included landfills, refineries, industrial facilities, and manufactured gas plants, among other technically challenging sites. Contaminants of concern have included petroleum hydrocarbons, chlorinated solvents, metals, explosives, and poly- and perfluoroalkyl substances (PFAS, aka PFCs).

Ms. Tufts provides project management services, including preparation of cost estimates, budgets, project work plans, site health and safety plans, and reports. She is the key point of contact, and communicates regularly with clients, regulators, and contractors.

Ms. Tufts' work is supported by her extensive field work experience, including sample collection (soil, soil vapor, sediment, surface water, and groundwater), and supervision of drilling operations, monitoring well installations, underground storage tank (UST) removals, and remedial excavations. This experience is backed by her graduate level education and training and registration as a Professional Geologist in Minnesota.

#### **Title**

**Project Manager** 

#### Education

MS – Water Resources Science, University of Minnesota, Minneapolis, MN

BS – Geology, Michigan Technological University, Houghton, MI

5-Day Basic Wetland Delineation Course, June 6-10, 2011

## **Professional Registrations**

Professional Geologist: Minnesota, #48960

#### **Professional Associations**

Member, Minnesota Groundwater Association Member, American Institute of Professional Geologists

## Languages

English
Spanish (Limited)

XInogen .

www.anteagroup.com

Antea USA, Inc. 04 April 2018

## Christine R. Tufts, P.G.

## **Overview of Project Experience**

- **Site Investigation:** Experience planning, managing, and performing delineation of the vertical and horizontal extent of contamination at multiple sites. Coordination and communication with client, regulators, and stakeholders.
- **Remediation:** Experience designing and implementing *in-situ* chemical oxidation (ISCO) for remediation of petroleum hydrocarbons in soil and groundwater. Experience designing and implementing targeted source area excavations for remediation of various COCs.
- Litigation Support: Provide technical expert support on litigation cases, including insurance cost-recovery projects. Review site historical and geological information to determine historical timeline of site structures and events. Establish timing of soil and groundwater contamination at the sites for use in litigation settlements. Analyze historical documents to determine placement and timing of releases. Review invoices and costs associated with environmental investigation and corrective action. Evaluate invoices for discrepancies and reasonableness of costs incurred for site remediation.
- Feasibility Studies & Technology Assessments: Analyzed site geological and hydrogeological data to establish the extent of free phase petroleum hydrocarbon contamination at several gas stations and railroad facilities, and chlorinated solvent contamination at several manufacturing facilities. Applied results to fully assess multiple alternatives to remediate the contamination. Evaluated each technology alternative for effectiveness, implementability, and cost to determine the most reasonable and cost-effective approach to address the contamination at the site.
- Probabilistic Cost Modeling: Created and updated site-specific probabilistic cost models for the purpose of predicting potential future environmental costs at sites with limited information.
- Phase I and Phase II Environmental Site Assessments (ESAs): Completed Phase I ESAs at multiple locations throughout the Midwest. Work included site reconnaissance, state file reviews, review of historical documents, and report preparation. Also completed Phase II ESAs at numerous properties. Responsibilities included the coordination and supervision of drilling operations and monitoring well installations, soil and groundwater sampling, and report preparation. Provided support for large-scale transaction projects, by reviewing data regarding current and historical environmental conditions at each site, and synthesis, summary, and compilation for a final report.

## **Example Projects**

- Active Remediation, Gasoline Service Station, Baxter, Minnesota: Planned and managed a focused investigation
  utilizing laser-induced fluorescence (LIF) technology to determine the extent of non-aqueous phase liquids at the
  Site. Developed a corrective action design, and is leading the Site to active remediation through *in-situ* chemical
  oxidation (ISCO), including performance of an ISCO Pilot Test.
- Active Remediation, Gasoline Service Station, Mounds View, Minnesota: Developed a Remediation System Detailed Corrective Action Design Report (SDCAD) for ISCO implementation at the site to reduce the source area contaminant mass as the final remedy at the site.

## Christine R. Tufts, P.G.

- Active Remediation, Former Gasoline Service Station, Alexandria, Minnesota: Developed a Conceptual
  Corrective Action Design (CCAD) report to determine the path forward for remediation at the Site, recommending
  in-situ chemical oxidation to reduce the source area contaminant mass. Provided future cost estimates and path
  forward scenarios for use in cost forecasting.
- Site Assessment, Gasoline Service Station, Alexandria, Minnesota: Planned and managed a remedial investigation, including the installation of a deep well using Rotosonic drilling techniques. Coordinated quarterly groundwater and soil vapor monitoring events. Prepared a remedial investigation report.
- Due Diligence Support, Underground Mine, Michigan: Provided Phase I ESA and Baseline Environmental
  Assessment support, including document review, compilation and distillation of existing site data, and report
  writing. The Site consisted of a 100+ acre area with former underground mine workings, surface tailings, ponds, a
  smelter, and a power plant.
- **Due Diligence Support, Historical Copper Smelter, Michigan:** Provided Phase I ESA and Phase II ESA support, including document review, groundwater monitoring well sampling, report writing, and due care plan activities. The Site included the remains of a smelter operation dating to the late 1800's, with numerous buildings, equipment, and debris piles.
- Site Assessment, Niles, Michigan (Client-MDEQ): Performed semi-annual field work, including collection of groundwater samples for chlorinated VOCs and MNA parameters, with compilation and analysis of the results in an annual report for the 10-mile long groundwater plume. Researched and wrote a detailed site history report summarizing the site's 40-year history.
- Monitoring and Maintenance, Acid Mine Drainage Site, Michigan (Client-MDEQ): Performed quarterly field work at a former underground mine with a passive wetland system treating acid mine drainage. This included collection of surface water quality measurements and samples, and inspection and maintenance of the treatment system.
- Phase I and Phase II Targeted Brownfields Assessment (TBA), Chatham, Michigan (Client-USEPA): Provided site
  reconnaissance, review of historical documents, and Phase I report preparation for a former gasoline station with
  LNAPL present in shallow bedrock groundwater monitoring wells. Performed a Phase II investigation, including the
  coordination and supervision of drilling operations and soil vapor probe installations, soil and soil vapor sampling,
  potable well sampling and abandonment, and report preparation.
- Potentially Responsible Party (PRP) Oversight, Lake Linden, Michigan (Client-USEPA): Provided oversight and documentation of PRP activities at a mining-era power generation site. Initial response activities that were conducted included abatement of asbestos-containing building materials, support zone construction, and hauling of asbestos-containing soil from the site for disposal.
- Lead Sampling, Historical Lighthouse, Pictured Rocks National Lakeshore, Michigan (Client-NPS): Investigated lead contamination in surface soil adjacent to a lighthouse with a history of lead-based paint usage in order to determine recommendations for targeted soil excavation.
- **Site Closure Activities, Skanee, Michigan (Client-MDEQ):** Performed closure activities at a school bus garage, including abandonment of existing bedrock monitoring wells. Completed documentation of closure activities.
- Site Closure Activities, Isle Royale National Park, Michigan (Client-NPS): Performed closure activities at several
  petroleum release sites on remote islands in Lake Superior, including abandonment of a bioventing system and
  monitoring wells. Assisted with material delivery and logistics coordination. Documented closure activities.

## Christine R. Tufts, P.G.

- Phase II TBA, Gladstone, Michigan (Client-USEPA): Performed field work and reporting at a former lumber mill
  and tannery where arsenic was the primary contaminant of concern. Activities included collection of soil,
  groundwater, and sediment samples along Lake Michigan. Compiled and assessed results in a Phase II TBA Report.
- Site Assessment and Removal Action, Manufactured Gas Plant (MGP), Ironwood, Michigan (Client-USEPA):
   Performed field work at and near the former MGP, including collection of surface water, sediment, and
   groundwater samples, with compilation and analysis of the results in a Site Assessment Report. Provided technical
   assistance during excavation of impacted soils at the site under EPA oversight. Used VIPER, managed COC
   documentation, and assisted with preparation of POLREPs.
- Site Assessment, Sandusky County, Ohio (Client-USEPA): Provided technical support on a high-profile, time-sensitive assessment of 11 former dump sites. Activities included review of historical documents and aerial photographs to ascertain site histories and develop sampling locations, Field Sampling Plan preparation, collection of groundwater samples using low-flow techniques, collection of soil and vapor samples, sample management, data analysis and synthesis, and report preparation.
- **Pipeline Release, Lockport, Illinois:** Provided technical support on a crude oil pipeline release, including report preparation and data management. Releases to surface water, sediment, soil, and groundwater had occurred on the site. Work involved daily surface-water sampling in the affected wetland for the first 2.5 months following the releases. Used Equis database management software to manage multimedia sampling data for the site.
- Remedial Excavation, Deer Creek, Minnesota (Client-MPCA): Developed plans and specifications for a remedial excavation at a former gasoline service station in Minnesota. Provided oversight for asbestos abatement and subsequent building demolition. Oversaw and directed the remedial excavation, coordinated with various contractors, and provided daily updates to the client.
- Chlorinated Solvent Groundwater Plume Investigation, Farmington, Minnesota (Client-MPCA): Investigated the
  extent of a large chlorinated solvent plume, including low-flow groundwater sampling and installation of additional
  monitoring wells. Contacted and received drilling access from private property owners. Sampled potable water
  from GAC treatment systems located in residences.
- Remedial Excavation, Stillwater, Minnesota: Developed plans and specifications for a remedial excavation at a dry cleaner site in Minnesota. Oversaw and directed the removal of chlorinated solvent impacted soils, and coordinated with various contractors for sampling and disposal.
- Raze and Rebuild Service Station Sites, Illinois: Provided oversight and soil and groundwater sampling for numerous UST removals at gasoline service stations in Illinois. Coordinated with on-site contractors for necessary soil removal and disposal. Reported petroleum hydrocarbon releases to the State when required.
- Wireless Sensor Network for Urban Water Quality Monitoring: Worked with watershed districts, city personnel
  and consultants to plan and coordinate monitoring locations in two urban streams and a storm water pond in
  Brooklyn Center, Minnesota. Operated and maintained a wireless sensor network for continuous surface water
  quality data collection. Wrote a comprehensive user manual to guide future operation and maintenance of the
  wireless sensor network. Reviewed and analyzed water quality data, and calculated pollutant loadings in and out
  of a storm water pond.

## Christine R. Tufts, P.G.

## **Publications**

Henjum, Michael B., Hozalski, Raymond M., Wennen, Christine R., Novak, Paige J. and Arnold, William A. A
comparison of total maximum daily load (TMDL) calculations in urban streams using near real-time and periodic
sampling data, J. Environ. Monit., 2009, DOI: 10.1039/b912990a.

## **Presentations**

- Wennen, Christine R.; Henjum, Michael B.; Hozalski, Raymond M.; Novak, Paige J.; Arnold, William A. Application of Wireless and Sensor Technologies: Pollutant Loading in Storm Water Ponds, Minnesota Water Resources Conference, St. Paul, MN, 2008.
- Kang, James M.; Shekhar, Shashi; Wennen, Christine; Novak, Paige. Discovering Flow Anomalies: A SWEET Approach, IEEE International Conference on Data Mining, 851-856, 2008.



# **Gary Turgeon**



**Title**Consultant

# **Education**BA – Speech Communications, University of Minnesota

# **Professional Associations**Member, Minnesota Groundwater Association

Member, Minnesota Petroleum Marketers Association

Member, League of Minnesota Cities

Appointed to the Minnesota Petroleum Tank Release Compensation Fund (Petrofund) Rule Advisory Committees

## Languages English

## **Experience Summary**

Gary Turgeon has worked professionally in the field of environmental consulting and engineering for more than 29 years. He has managed projects in three of Antea Group's five Practice Areas: Transactional Support, Environmental Liability Management, and Operational Performance and Assurance. He has also worked on development teams for services in the other two practice areas – Information Knowledge Management and Sustainability Consulting. Gary has gained extensive experience in environmental due diligence, compliance, liability management, site assessment, subsurface investigation, vapor intrusion, remedial design and implementation of corrective action plans and systems. He has directed and completed corrective actions at residential, commercial, industrial and government properties and transportation corridors impacted with a range of petroleum hydrocarbons, metals, polynuclear aromatic hydrocarbons (PAHs) and volatile organic compounds (VOCs). Gary has also performed numerous other environmental services including estimates of environmental liability for financial reserves, compliance audits, training, SPCC plans, pollution prevention planning, incident response plans, litigation support, securing discharge permits, soil and waste characterization and treatment, and air emission permits.

As a Senior Project Manager, Gary manages complex projects and takes on special assignments. He has a high degree of client contact, evaluating environmental and other client issues, defining appropriate scopes of service and implementation plans, and assembling and leading teams to complete client work assignments.

#### **Related Projects**

Phase II environmental due diligence for a 68-site portfolio of retail
petroleum facilities controlled by a major integrated petroleum company in
Northwest Oregon and the greater Portland area. Managed a team of
approximately 50 staff members and six subcontractors on this project
through all components of its implementation. This included refining site
specific scopes, developing and implementing field, health and safety, data
transfer and storage protocols, subcontracting, reporting and financial
management.



www.anteagroup.com

Antea USA, Inc. 9 June 2016

## **Gary Turgeon**

Fieldwork was essentially completed within eight weeks of notice to proceed, and repots were completed four weeks afterward over a period from July to October 2007. Over 450 test borings were drilled totaling more than 9,300 vertical feet over 175 field days without a safety incident.

- Historic Chemical distribution center vapor intrusion (VI) assessment and mitigation. Although storage and distribution of chlorinated solvents was discontinued in 2000, previous historic releases of petroleum and chlorinated VOCs had impacted the soil and groundwater at the facility and resulted in a groundwater plume approximately 2000 feet long originating at the facility. Previous SVE remediation was successful in reducing contaminant mass and subsequent groundwater monitoring indicated that the groundwater plume was stable and declining; however regulatory requests to address the vapor pathway across the groundwater plume detected soil vapor concentrations at the facility and at the adjacent Daycare facility indicated concern for potential VI. Multiple soil vapor events were conducted including near building and subslab events at both facilities of concern. Indoor air sampling indicated TCE at concentrations greater that the health risk intrusion screening values (ISVs) at the facility but not at the Daycare. A Source Area Assessment was conducted in multiple phases to identify if there was a remaining contaminant mass that was amenable to remediation. First, 61 passive soil gas (PSG) samplers were used to more broadly identify potential source areas. Based on that information, direct push downhole sensing membrane interface probe (MIP) technology with PID/FID and XSD detectors and electrical conductivity (EC) sensors were employed in areas of elevated PSG response, Closely following the MIP assessment, actual soil and groundwater sampling was conducted in areas indicated by data from these previous lines of evidence. A significant contaminant mass was not identified, so subslab depressurization (SSD) of the industrial building floor slab was selected to mitigate the VI. While no exceedance of the ISVs were detected in subslab soil vapor samples at the Daycare, plans are to implement an SSD system there to pre-emptively mitigate the occurrence of VI in that building.
- Petroleum release from top of UST equipment that intersected a historic drain tile and impacted multiple receptors. Gasoline migrated through the historic drain tile and was released more significantly into the environment through a tile line failure near a wetland that flowed through a culvert into a recreational lake. Mr. Turgeon developed response actions, participated in and lead a team to address the release and break the receptor pathways. Actions included containing the release to the wetland and lake by deploying and maintaining booms and sorbent material in three locations; installation of a recovery well in the UST basin to recover LNAPL; excavation and disposal of petroleum impacted soil; vacuum truck removal of LNAPL in the UST basin and excavations in and near the wetland; replacement of the drain tile in the failed area; investigation of the extent and magnitude of the soil, groundwater and soil vapor impacts; exposing and reconfiguring the drain tile to break the connection to the source area while maintaining its drain function; conducting indoor air sampling of an adjacent residence and securing access and working with four property owners to conduct necessary work on their affected properties.
- State Highway/Main Street road reconstruction project of a 0.7 mile section of State Highway and Main Street through downtown Marshall, MN. Project team performed a Phase I and Phase II ESA for MnDOT, where findings indicated multiple areas of petroleum impact, solvent impact and commingled impacts to soil and groundwater, along with abandon steam heating piping insulated with ACM coating. Developed an overall Remedial Action Plan (RAP) under the MPCA Volunteer Investigation and Cleanup (VIC) program, a Health and Safety Plan, and training

## **Gary Turgeon**

and monitoring to include MnDOT inspectors and surveyors. In addition to worker and work zone monitoring, scope included developing and implementing a work zone perimeter air monitoring plan with contingencies for the excavation of solvent impacted soils from the right-of-way in the heart of downtown Marshall. The RAP was approved with minimal comments from MPCA VIC staff. Coordinated implementation oversight work with MnDOT and contractor staff, often responding on short notice to accommodate a high priority construction schedule and emergency situations (contractor fiber optic hit). He also supported MnDOT on several issues related to questionable work practices performed under the City's supervision on City utilities. Also managed multiple other transportation corridor Phase Is and Phase II Drilling Investigations for Mn/DOT.

- Portfolio environmental due diligence following ASTM 1527-05 all appropriate inquiry (AAI) standards and tank
  compliance reviews for a new entry into the US retail petroleum/C-store market. Scoped and managed delivery of
  Phase I and II ESAs and review of tank system compliance incorporating both record and field inspections. Work
  consisted of three separate portfolios totaling 50 facilities in OH, IL and PA. Work was completed over a fourmonth period from May to August of 2007. Other services included clarifying State Tank Release Insurance Fund
  issues and follow-through with tank compliance issues on the IL portfolio.
- Provided transaction support for a client that was selling their portfolio of 76 Retail Petroleum/C-Store locations in Ohio and Pennsylvania. Support was initiated by performing Phase I ESAs at 19 of the properties in March 2012, and completed with performing Phase I ESAs at the remaining 57 in July and August 2012. Based on the Phase I findings, Phase II drilling investigation were then performed at 46 of these locations and groundwater was sampled at 10 more to help establish a baseline of current site conditions. Based on this work, 14 new LUST incidents were identified. Using this new and existing information about the open environmental incidents at 38 of these facilities, cost estimates for actions anticipated to be necessary to bring these incidents to resolution and secure "no further action" status were prepared. The purpose of these cost estimates was to allow this liability to be addressed in negotiations and to determine an appropriate escrow to fund the necessary remedial actions. Gary led a team of approximately 60 staff members from 12 offices to accomplish this work over a short time period. The 57 Final Phase Is were delivered within 7 weeks and the entire transaction support scope, including the Phase IIs and remediation estimates were delivered within 10 weeks of the initial Phase I authorization.
- Litigation Support for a joint defense group representing multiple insurance companies in claims made by a rolled steel manufacturer against various environmental policies for five facilities located in four Northeastern States. Evaluated approximately \$35 million in invoices submitted for coverage, classifying costs as defense, indemnity, purpose undetermined and eligibility questionable. Lead a team of state experts in documenting project activities, critical events and timelines, project strategies and regulatory frameworks. Provided relevant technical and cost summaries and assisted in identifying areas of interest, lines of questioning and reference documents for depositions of plaintiff's representatives. Based on documents provided and in-person FOIA reviews of regulatory files, evaluated project lifecycles and projected costs to closure of remediation activities using decision trees and estimated probabilities. Project is ongoing with anticipated further need for support in preparation and during deposition of plaintiff's experts as well as expert testimony by team members.

## **Gary Turgeon**

- Fractured bedrock investigation and remediation at the Minneapolis, MN main post office. Served as Project Manager for installation of a groundwater and free product recovery system to mitigate a release of petroleum in a downtown urban setting adjacent to the Mississippi River. The geology consisted of approximately 26 feet of soil overlaying 30 feet of Platteville limestone, a discontinuous thin shale layer and the St. Peter sandstone. Supervised installation of a 12" diameter recovery well and three 4" monitoring wells all installed with open-hole construction in the limestone bedrock using foam rotary drilling methods. Assisted in system sighting to house equipment in the existing structure. Also supervised and documented removal of seven 10,000-gallon capacity tanks and impacted soil during facility renovation.
- Spill Prevention, Control and Countermeasures (SPCC) Plans and Storm Water Discharge Permits and Pollution
  Prevention Plans (SWPPPs) for four bus facilities in the Minneapolis/St. Paul metro area. Served as Project
  Manager and co-author of SPCC and SWPP Plans for a regional bus company's four metro area facilities. Managed
  a team including a professional engineer, CAD technician and other staff. The plans were prepared as separate
  documents with appropriate cross references to simplify management and training where possible.
- Railyard paint shop/lead dust abatement plan for warehouse reuse in Waite Park, MN. Directed the development of a cost-effective remedial approach to address the cadmium and lead dust found within a former 100' by 300' dirt-floor railroad paint shop building used as an equipment and material warehouse. OSHA had cited the facility due to elevated contaminant levels on the dust. The facility was part of a larger Superfund site undergoing response actions. The main objective was to reduce health risks to level suitable for OSHA and end-user standards. The approach involved reasonably removing dust from the materials and equipment stored in the building and the building appurtenances. The next objective was to allow the safe removal of all building contents and appurtenances to allow the previous owners' contractors to excavate impacted soils from the building floor and to install a concrete floor. The project involved negotiations with regulators and the former facility owners' representatives and was successfully completed using the abatement plan.
- Expert opinion regarding devaluation of property due to contamination in Little Canada, MN. Provided assessment and expert opinion to a real estate appraiser and attorney regarding framing of property devaluation considerations in a property transfer to the City. The estate of a client had sold property that was a closed petroleum release site. The value of the property was to be determined considering its environmental impairment. The City's consultant had proposed that the impairment should be based on excavating all impacted soil that could reasonably be removed. Laid out a perspective based on the limit to liability assurance that the City had already secured from the State and the risk considerations under which the site had been closed. He also provided a more realistic and significantly less costly approach as to how re-development of the site could proceed through management of the residual impacts by enrolling in the State Volunteer Program. Based in part on this information, the attorney was able to negotiate a much better value and more favorable terms of the transaction.
- Soil Corrective Action Plan and Development Response Action Plan in Marshall, MN. After monitoring ground
  water impacts from a petroleum release for several years, it was determined that removing contaminated soil
  from the source was the most reasonable path to site closure. The facility was also set to undergo redevelopment,
  requiring that a new water main extend through the defined area of soil impacts. Prepared similar but distinct
  plans for Soil Corrective Actions around the source area and Development Response Actions along the water main
  excavation. The plans were approved within two days of submittal to the MPCA's Volunteer Petroleum

## **Gary Turgeon**

Investigation and Cleanup (V-PIC) Unit. He also solicited bids for soil treatment, managed tasks to maximize State "Petrofund" reimbursement and tracked costs separately for these narrowly distinct scopes during implementation.

- Management of contingent liabilities from a corporate sale, Food 'N Fuel to Avanti in MN and SD. The due diligence Phase II ESAs conducted when Food 'N Fuel was purchased by Avanti Petroleum resulted in the identification of 27 petroleum release sites. Led the project team retained by the client to mitigate the liability from these 27 petroleum release sites in developing an approach that categorized release sites based on the most efficient path to file closure. Regulatory files were reviewed and eight site files were closed on the team's recommendation that the impacts were indicative of levels present when the previous leak files were granted closure. Two more sites were closed after conducting baseline risk assessments, and investigative drilling was recommended for the remaining 17 sites. Eight of these sites were closed without the need for monitoring wells and extended ground water monitoring, and most of the remaining sites were closed after approximately 18 months of ground water trend analysis.
- Asbestos containing material (ACM) surveys for an office building transaction. Remotely managed a short turn
  survey of tile mastic beneath carpet in an office building in the spring of 2010. When laboratory analysis of samples
  indicated that the mastic did contain asbestos, managed short turn around sampling to determine the presence of
  asbestos in the air, on the carpet and in the air conditioning components as a result of the possible disturbance of
  remnant floor tile mastic beneath the new carpet.
- Scoped Phase II Investigation work plans and provided investigation oversight of active agricultural chemical
  storage and distribution facilities in the spring of 2010. Historic storage, use and past sampling indicated the
  potential for soil and groundwater impacts from fertilizers, pesticides, herbicides, petroleum products and
  solvents. Sampling protocols included shallow soil sampling using manual methods, direct push probe soil sampling
  and installing monitoring wells using hollow stem auger drilling.
- Estimated and tracked financial liability for a portfolio of petroleum tank release incidents. Client portfolio
  consisted of approximately 100 facilities with 20 petroleum release incidents. Estimates were intended to be used
  for corporate reserves against this liability. Strategies and estimates of the "cost to closure" were developed and
  progress tracked on a quarterly basis. An evaluation of state fund reimbursement programs and site specific
  eligibility was also made and estimates developed of anticipated reimbursement of applicable costs.
- Lead contact and primary program content developer for federally mandated, state specific UST Operator Training Programs for multiple states (MN, WI, SD, ND, IL and IA) in the North Central United States. The training program consists of 18 modules that cover required training content including tank system equipment, operation and maintenance, record keeping, regulatory requirements and financial responsibility. In this role, Gary identified state regulatory leads, developed state specific training materials including examinations, communicated and worked with state personnel to gain approval for the training program. Once approved, he supports content transfer to the Antea Group/API online training platform and manages a team that organizes and provides classroom training.

## **Gary Turgeon**

- Managed transactional support for international acquisitions by a large agricultural and food manufacturing
  company, and a large international industrial manufacturing company. Services including Phase I and II ESAs for
  environmental due diligence and limited environmental compliance reviews. Provided a central point of contact
  and managed Antea Group resources for facilities in the United States, and Inogen affiliate resources for facilities
  in China, Israel, and Bosnia-Herzegovina.
- Provided evaluation of costs for a long term sediment remediation project as part of a litigation support team for an Insurance company client. Developed strategy and data support for separation of costs between multiple project lifecycles and covered verses non-covered actions.
- Ongoing Project Manager for a project for international regulatory content development in the areas of
  Environmental Health and Safety (EHS). Managed work orders with internet platform host, engagement letters
  with international Inogen content providers and financials for the overall effort. Team includes internal content
  and quality assurance managers and more than 25 international content providers.

#### **Presentations**

- Turgeon, Watson, Schaepe, Thompson, Hannu, Panel Presentation on "Affects of Minnesota Pollution Control Agency Fact Sheet Revisions on Petroleum Release Investigations & Site Closure," Minnesota Petroleum Marketers Convention
- Turgeon, Ryan, Thompson, "Community Concerns on Petroleum Release Investigation and Cleanup at the Cottonwood County Highway Shop," Public Meeting, Windom, Minnesota
- Turgeon, Vieau, Bratsch, Stahman, Panel Presentation on "Working with the New MPCA and Petrofund Rules on Cleanup," Minnesota Petroleum Marketers Convention



# Christopher J. Vandegrift, PE

## **Experience Summary**

Christopher J. Vandegrift is a licensed Professional Engineer and the Office Leader in our Pittsburgh, PA office. He has over 25 years of experience in the environmental consulting and contracting field. Chris has managed all facets of project work from initial assessment activities through site closures. He has managed annual gross operating revenues of over \$5 million and has been responsible for remedial action at a variety of facilities including retail petroleum, refining, manufacturing, mining, chemical distribution and aviation located across the eastern United States and California.

Chris has managed large-scale remedial actions including landfill caps, secondary containment structures, excavations, impoundment closures, system installations, and facility decontamination and demolition. He has designed and implemented detailed remedial approaches with multiple remedial technologies including single and multiple well extraction, air-sparging, soil vapor extraction and biosparge/venting processes. He has designed various vapor treatment process including granular activated carbon, air-stripping, thermal/catalytic oxidation and internal combustion engines. Chris conducts remedial engineering design assurance, continuous improvement of remedial system performance and system optimization consistent with project closure goals and client objectives for multiple treatment facilities located in Pennsylvania, New Jersey, West Virginia, Ohio, Kentucky, North Carolina, South Carolina, Georgia, Florida, New York and Indiana. Chris has facilitated cost reductions of up to 50% with reduction of unscheduled shutdowns and increased efficiency. He is proficient in the utilization of risk-based strategies to drive remedial sites to closure, and regularly provides the expertise to identify system endpoints and modifications to accelerate site cleanup strategies.

Chris successfully managed these activities with various clients, regulatory agencies and client counsel to ensure minimal business interruptions, compliance with applicable orders and environmental regulations and with limited exposure to third party liabilities. In addition to his management experience, his additional responsibilities have included business development, strategic business planning, emergency response, AST and UST compliance, profiling and transportation of hazardous and non-hazardous wastes, and the preparation of facility plans.

#### **Title**

Senior Project Manager

#### Education

BS – Civil Engineering, University of Pittsburgh, Johnstown, PA

## **Professional Registrations**

Professional Engineer:
Pennsylvania, West Virginia, Ohio,
Delaware, Maryland, and Georgia
West Virginia Licensed Remediation
Specialist

#### **Professional Associations**

Member, National Society of Professional Engineers

Member, National Council of Examiners for Engineering and Surveying

## Languages

**English** 

\*\*INOGEN

Antea USA, Inc. 17 October 2017

## Christopher J. Vandegrift, PE

## **Project Management**

- Portfolio Manager for an out-source contract with a convenience store chain. Responsible for all aspects of
  environmental oversight on 250 sites in 13 states managed through 10 operating divisions. Accountable for
  national strategic planning, authoring and managing proposals, administering performance metrics, and managing
  the financial accrual of a four-million-dollar budget. Responsible for continuous feedback on performance,
  information sharing on technology and policies, management and project strategies, and operational issues.
- Project Manager and lead engineer for environmental assessment and remediation of over 120 petroleum sites
  and facilities including: retail service stations for major and mid-stream petroleum clients and petroleum bulk
  storage facilities, in southwestern Pennsylvania, West Virginia, and eastern Ohio. Managed and performed
  investigation, remediation, UST closure, remedial system installations and groundwater monitoring programs.
  Responsible for development of cost to closure estimates, remedial budgets, development of remedial options,
  development of work plans and corrective action plans and for negotiating with various regulatory agencies to
  obtain regulatory closure of petroleum spill cases.
- Office Manager responsible for a local operating division covering three states with a staff of 21 personnel.
   Managed and developed four major oil accounts with annual budgets exceeding one million dollars.
- Responsible for overall engineering management of approximately 15+ operating remediation systems, including
  pump and treat, soil vapor extraction, air sparging, multi-phase extraction, vapor-enhanced pumping, chemical
  injection and bioremediation. Daily tasks include scheduling of field personnel, ordering system components,
  managing system data, maintaining database of system performance including permits and evaluating system
  performance criteria.
- Remediation engineer for development of work plans for feasibility testing for aquifer characterization and
  construction details. Created piping and instrumentation diagrams for treatment systems. Completed air
  emission, mass recovery and system performance calculations and evaluation. Maintained and submitted permit
  information related to all systems.

## Remediation System Design, Operation and Maintenance

- Senior Project Manager for an operational/optimization study for a former manufacturing facility in upstate New York, which is impacted by metals and VOCs. The facility has a Hazardous Waste Post Closure Management Permit in-place with the NYDEC. Post closure care includes operation and maintenance of a groundwater extraction system, which maintains hydraulic control of impacted groundwater as well as site wide inspections and maintenance of a soil cover system and RCRA cap area. Tasks include review of current groundwater elevation, groundwater flow, pumping flow rates and development of a strategy to optimize the remediation system and reduce long term operational costs.
- Project Engineer for a chlorinated solvent release at an industrial dry-cleaning facility in Columbus, Ohio. Prepared and implemented a work plan for a high vacuum dual phase extraction (HVDPE) pilot test to remove DNAPL.
   Designed HVDPE system including drawings, bid specifications, and selection of contractors. Completed discharge permitting and installed a four well extraction system. Operated and maintained system for a 9-month period with 100% run time. The HVDPE system attained closure goals and was decommissioned. A sub-slab depressurization (SSD) system was designed and installed as the final engineered remedy.

## Christopher J. Vandegrift, PE

- Project Engineer for an engineering assessment of all remediation systems transitioned to Antea Group from an out-going supplier in the spring of 2007, and supervised the retooling efforts of inefficient systems that required control and communication upgrades.
- Project Engineer instrumental in the reuse of remediation system equipment inventory for an international chemical manufacturer, demonstrating cost savings over the need to purchase new components or systems.
- Project Manager for the installation of an air sparging/passive vent system at a former northern New Jersey vegetable oil refinery during site redevelopment activities. The system required the trenching of 2,800 linear feet and the installation of 16,000 feet of air sparge piping to 31 sparge wells, placement of 1,700 linear feet of passive vent piping and 15 passive vent risers, construction of an air injection system including a 75 Hp compressor, air dryer, wet and dry air receivers and distribution manifold.
- Prepared design specifications for a LNAPL recovery system to increase recovery volumes and decrease system
  operational lifecycle. Installed solar-powered LNAPL recovery pumps in remote areas of the site to eliminate fixed
  power capital requirements on 3rd party owned property.
- Design, installation, and operation of four dual phase extraction systems in West Virginia to remove LNAPL while minimizing groundwater recovery.
- Design and installation of an acid injection system to control the formation of iron deposits on the pump and piping ultimately reducing O&M from weekly to monthly.

#### Landfills

- Project manager during capping activities at a 4-acre land disposal area generated from the facility's operation.
   The closure consisted of erosion and sedimentation control, grading and compaction of the subgrade, placement of a geosynthetic clay liner and composite drainage net and the transportation and placement of cover material.
- System Engineer for a leachate management system at a 3.5-acre inactive hazardous waste landfill, which was associated with a former resin manufacturing facility. Work is conducted under the Superfund Program with EPA oversight. Requires the management of approximately 1,000 gallons of oil and treatment of approximately 400,000 gallons of leachate a year. Responsible for O&M of landfill cap, leachate collection and treatment system. Participate in ongoing negotiations with PADEP, USEPA Region 3, and the local treatment facility. Manage system upgrades with USEPA Region 3 and PADEP involvement. Maintain and sample large groundwater monitoring network including on-site and off-site monitoring wells. Facilitate emergency response activities during upset conditions or large rainfall events at the landfill.
- Project Engineer for the operation and maintenance of a Superfund landfill site in Cumberland, Maryland
  consisting of two separate parcels of land that accepted commercial, residential, and demolition waste throughout
  the 1960's and 1970's. The O&M efforts consist of quarterly facility inspections, biannual mowing, monitoring well
  and fence maintenance, routine brush clearing along the fences, annual groundwater gauging and sampling and
  annual reporting.

## Christopher J. Vandegrift, PE

## **Soil Excavation**

- Project Manager for the implementation of a comprehensive soil remediation project at a former northern New
  Jersey vegetable oil refinery during site redevelopment activities. Managed approximately 30,000 cubic yards of
  material and 600,000 gallons of groundwater/surface water impacted by VOCs. The soil was segregated on-site,
  sampled and based on the level of impact, either encapsulated on-site or incinerated off-site. Water was managed
  in a series of 20,000-gallon tanks and treated through a series of filters. The remedial action secured a NFA from
  the NJ DEP for soil.
- Project manager for the ex-situ remediation of 3,500 cubic yards of soil impacted with volatile organic compounds
  via vapor extraction and bioventing at a US international airport. Work was completed in Level C PPE and included
  the construction of four treatment cells. Concentrations of volatile organics were monitored daily during the 5
  months of treatment with a continuous emission monitor. Once attainment samples confirmed that the soil was
  no longer characteristic for benzene, a petition was submitted to the US EPA Region 3 for an exemption of the
  Land Disposal Restrictions.
- Project Engineer responsible for the on-site treatment of chlorinated and aromatic VOCs and SVOCs from a former waste oil recycling facility in central New York. Site preparation activities included establishing temporary facilities, clearing and grubbing, solid waste removal, establishment of an exclusion zone, relocation of existing utilities, establishing sediment and erosion control measures and abandonment of existing monitoring wells.
   Construction of five treatment cells covering approximately 14,000 square feet to handle 2,700 tons of impacted soil. The soil was excavated, transported on-site and covered in Level B PPE. Two soil vapor systems comprised of 3 Hp regenerative blowers were utilized to remove volatile compounds from the soil. Once the soil clean-up levels were attained, the soil was returned to the excavation and the site was regraded. The site was capped with sixinches of topsoil, seeded and mulched.

## **Emergency Response**

• Emergeny Response Coordinator for a 6,000-gallon toluene tanker release in southwestern Pennsylvania. Responsibilities included release characterization, elimination of immediate threats to receptors, close interactation with client operations and regulatory agencies, waste management and recovery system design, installation and operation.

#### **Decontamination and Demolition**

Project Engineer responsible for the removal of all surface structures associated with a former mining operation.
 The detailed scope of work included the development and implementation of a site specific health and safety plan, installation and maintainance of the erosion and sedimentation control including the installation of a temporary dam, the removal and disposal of PCB oil pole transformers and the demolition and removal of a coal storage silo, two railroad bridges and a mine shaft elevator. All disturbed areas were graded, seeded and mulched prior to demobilization.

## Christopher J. Vandegrift, PE

• Completed the decommissioning and salvage work associated with the removal of inactive petroleum and wastewater pipelines, three steel support structures and two aboveground storage tanks on a former refinery site. Prior to the dismantling activities and removal of the items, the pipelines were drilled, tapped and samples were collected to profile the material at approved disposal facilities. A licensed electrician identified all the power sources in the work area and preformed appropriate lock/tag-out procedure. An asbestos survey was conducted and identified transite siding and roofing material on the former transformer building. Supervised the purging, cleaning and removal of over 10,000 feet of inactive pipeline and two large above ground storage tanks. The project recycled 138 tons of steel and 2,620 gallons of motor oil. Disposed of approximately 1,500 gallons of hazardous liquid and 2,000 gallons of non-hazardous liquid off-site. The property now poses less risk to the environment, as well as having an increase in marketability.

## **Other Related Projects**

- SPCC and SWPPP development and technical amendment reviews for refineries, bulk fuel terminal, oil & gas well pads, and other industrial and commercial facilities.
- Conducted energy assessments for metals manufacturing facilities, identifying opportunities for improving employee awareness and developing capital and non-capital cost saving initiatives.
- Document review and strategic support for expert witness testimony in an underground storage tank release case.
- Professional engineer responsible for the investigation of potential impacts associated with a discharge from an underground mine pool to a major water body. Evaluated the hydrologic balance and inorganic loading to a wetland ecosystem as well as ground water resources. Reviewed mine maps, collected water quality samples, and reviewed current site conditions to determined there was minimal impact to the ecosystem.



## **Jonathan Zimdars**

#### Title

Consultant

#### **Education**

BS – Geology University of Wisconsin-Madison Madison, WI

Interdisciplinary Analysis of Mining Dependent Communities, University of Wisconsin – Madison

Containing and Controlling Groundwater, NGWA – Orlando, FL

Soil Vapor Extraction Symposium, Stevens Institute of Technology

Groundwater Pollution and Hydrology, NWWA – Princeton University

## **Professional Registrations**

Professional Geologist: Pennsylvania

Transportation Worker Identification Credential (TWIC) Holder

Global Entry Card Holder

## Languages

English

## **Experience Summary**

Jonathan Zimdars is a Consultant with 24 years of consulting experience. He has extensive experience designing and conducting aquifer and vadose zone pilot tests, remedial alternative analyses, treatment system design and permitting, treatment system performance and optimization analysis, risk-based site closure advocacy, portfolio lifecycle cost to closure modeling, and Environmental Liability Transfer (ELT) portfolio management. He has managed hydrocarbon remedial investigation projects in Alabama, Delaware, the District of Columbia, Connecticut, Illinois, Michigan, Minnesota, New York, New Jersey, Pennsylvania, Virginia, West Virginia, and Wisconsin, as well as property transaction and facility compliance projects in Azerbaijan, China, Colombia, Egypt, India, and Kenya.

## **Related Projects**

- Managed a corrective action portfolio that consisted of 40 projects with annual budgets totaling \$1.8MM. Responsibilities included remediation strategy cost/benefit analyses, budget preparation and financial tracking, client meetings with technical performance review, field safety coordination, state reimbursement submittal support, and investigation closure strategy development and regulatory agency advocacy.
- Evaluated portfolio cost to closure models, incorporating individual site
  projected work scopes, project schedules, labor and subcontractor budgets,
  and technical/regulatory threats to achieving incident closure. Evaluations
  incorporated life-cycle cost threats including potential corrective action
  activities, regulator responses, and duration of out-year groundwater
  sampling.
- Managed \$10MM lifecycle cost to closure chlorinated solvent risk evaluation and remediation project at a former industrial facility in Ontario, Canada.
   Project elements included: cost-benefit performance evaluation of existing pump and treat groundwater remediation system, area sensitive receptor evaluation, stakeholder management, bankruptcy trust lifecycle cost settlement negotiations, and local contractor management.

Antea USA, Inc. 2 June 2015

## Jonathan Zimdars

- Managed six projects in Delaware, Illinois, Maryland and West Virginia that utilized magnesium sulfate solution injection to enhance anaerobic bioremediation of dissolved-phase BTEX. Project elements included regulator technology review meetings, aquifer suitability pre-qualification, CAP preparation, field injection oversight, and post-injection monitoring and closure suitability evaluation.
- Provided daily engineering oversight during the eight-month closure and capping of an 18-acre landfill in
  Milwaukee County, Wisconsin. Project elements included the installation of 18 methane extraction wells, 1.25
  miles of HDPE header pipe, and five condensate tanks; relocation of the existing blower/flare system; installation
  and compaction of a 2-foot clay cap; blower/flare system startup, system operation maintenance and monitoring;
  contractor technical performance evaluation; and surface drainage grading with prairie grass re-vegetation.
- Provided work team coordination and field oversight during the emergency response following the release of 55,000 gallons of gasoline from a refined product distribution pipeline; responsibilities included: field safety monitoring, impacted soil excavation oversight and sidewall soil sample collection, domestic well sampling program development and staff schedule coordination, core logging and impact screening during roto-sonic rig delineation and recovery well installation, and field data evaluation and staff/contractor coordination during the initial LNAPL recovery from the bedrock well network.
- Managed emergency response remedial evaluation and contractor oversight at multiple incidents involving fuel oil
  distribution tanker truck accidents at commercial, residential and public space properties in Wisconsin and Illinois.
  Oversight activities included initial spill abatement, spill reporting and regulatory compliance, disposal
  coordination, site restoration contractor supervision, and regulatory closure reporting.
- Provided delineation design and historical records review for a retail hydrocarbon investigation impacted with chlorinated solvents. The results of the soil and groundwater delineation and historical records review documented an off-site source for site area solvent impact.
- Managed the permitting, contractor coordination, and demolition oversight of a residential structure with hydrocarbon impact to the foundation and basement enclosure.
- Coordinated state air permits for the controlled burn of two abandoned residential structures. The client-owned structures were donated for local fire department training.
- Managed the client field liability evaluation during the emergency response phase of an incident involving the surface discharge of 18,000 gallons of fuel oil.
- Provided corrective action pilot testing and RAP development for an active industrial laundry facility impacted with chlorinated solvents; project elements included regulatory advocacy, permitting, venting system pilot testing and design. The system operated with 100% run time achieving soil gas target concentrations.
- Provided project management of a corrective action site with LPH in multiple wells 20 feet below grade at an
  active third-party operated facility. After three years of AS/SVE system operation, over 2,500 equivalent gallons of
  hydrocarbons were recovered and LPH was no longer observed; termination of system operation and compliance
  sampling was completed achieving incident closure.
- Provided project management of a corrective action site in Illinois with LPH in multiple wells. After 20 months of SVE system operation, over 2,700 equivalent gallons of LPH were recovered and the regulatory incident was closed after demonstrating no LPH rebound during monthly gauging and quarterly sampling.